AUTHOR INDEX TO VOLUME 17

All authors of papers published in Volume 17 are listed alphabetically with the issue and page number following the dash. References with (L) are Communications. References with (E) are Errata. References with (A) are Addenda. References with (R) are Commentaries and Reviews. References with (C) are Comments and Reply. Page numbers are cited in ascending order.

A

Aardahl, Christopher L.–Solid-state ^{27}Al nuclear magnetic resonance investigation of plasma-facilitated NO_x reduction catalysts.–Li-Qiong Wang, Christopher L. Aardahl, Kenneth G. Rappé, Diana N. Tran, Marisol A. Delgado, and Craig F. Habeger; **17**(7), 1843–1848.

Adachi, H.–Phase transition behaviors of $BaTiO_3$–$BaZrO_3$ solid solutions under high direct current bias fields.–S. Wada, H. Adachi, H. Kakemoto, H. Chazono, Y. Mizuno, H. Kishi, and T. Tsurumi; **17**(2), 456–464.

–Hardness of cubic silicon nitride.–I. Tanaka, F. Oba, T. Sekine, E. Ito, A. Kubo, K. Tatsumi, H. Adachi, and T. Yamamoto; **17**(4), 731–733.

Adachi, Hideaki–Preparation and characteristics of 90° rotated biepitaxial Fe_3O_4 thin films.–Hiroshi Matsuda, Hiroshi Sakakima, Hideaki Adachi, Akihiro Odagawa, and Kentaro Setsune; **17**(8), 1985–1991.

Adeva, P.–Development and evolution of texture in Mg–Zr alloy deposited by physical vapor deposition.–G. Garcés and P. Adeva; **17**(3), 614–619.

Advincula, Rigoberto–Surface structural characterization and mechanical testing by nanoindentation measurements of hybrid polymer/clay nanostructured multilayer films.–Xiaowu Fan, Mikyoung Park, Chuanjun Xia, and Rigoberto Advincula; **17**(7), 1622–1633.

Agarwala, V.–Mechanical and structural characterization of uniaxially cold-pressed Fe_3Mo powders.–R. Morales, S. Seetharaman, and V. Agarwala; **17**(8), 1954–1959.

Agathopoulos, S.–Reactions at the interface between Al_2O_3–SiO_2 ceramics with additives of alkaline-earth oxides and liquid Al–Si alloy.–M. Oliveira, S. Agathopoulos, and J.M.F. Ferreira; **17**(3), 641–647.

Agrawal, Dinesh–Major phase transformations and magnetic property changes caused by electromagnetic fields at microwave frequencies.–Rustum Roy, Ramesh Peelamedu, Craig Grimes, Jiping Cheng, Dinesh Agrawal; **17**(12), 3008–3011(L).

Aguiló, M.–Growth of $KTiOPO_4$ films on $KTi_{1-x}Ge_xOPO_4$ substrates by liquid-phase epitaxy.–R. Solé, V. Nikolov, A. Vilalta, J.J. Carvajal, J. Massons, Jna. Gavaldà, M. Aguiló, and F. Díaz; **17**(3), 563–569.

Agyeman, O.–Upgrading the triboluminescence of ZnS:Mn film by optimization of sputtering and thermal annealing conditions.–O. Agyeman, C.N. Xu, M. Suzuki, and X.G. Zheng; **17**(5), 959–963.

Ahmed, W.–Novel time-modulated chemical vapor deposition process for growing diamond films.–Q.H. Fan, N. Ali, Y. Kousar, W. Ahmed, and J. Gracio; **17**(7), 1563–1566(L).

Ahn, Hyo-Sok–Sliding friction and wear behavior of Al–Ni–Co–Si quasicrystalline coatings deposited by the high-velocity oxy-fuel spraying technique.–Eric Fleury, Yu-Chan Kim, Jae-Soo Kim, Hyo-Sok Ahn, Sang-Mok Lee, Won-Tae Kim, and Do-Hyang Kim; **17**(2), 492–501.

Ahn, Jae-Pyoung–Monte Carlo simulation of phase separation behavior in a Cu–Co alloy nanoparticle.–Jae-Hyeok Shim, Byeong-Joo Lee, Jae-Pyoung Ahn, Young Whan Cho, and Jong-Ku Park; **17**(5), 925–928(L).

Ahn, Kun Ho–Change of growth orientation in Pt films epitaxially grown on MgO(001) substrates by sputtering.–Kun Ho Ahn, Sunggi Baik, and Sang Sub Kim; **17**(9), 2334–2338.

Akaishi, Minoru–Growth of boron suboxide crystals in the B–B_2O_3 system at high pressure and high temperature.–Duanwei He, Minoru Akaishi, Brian L. Scott, and Yusheng Zhao; **17**(2), 284–290.

Alcalá, J.–Contact deformation regimes around sharp indentations and the concept of the characteristic strain.–M. Mata, M. Anglada, and J. Alcalá; **17**(5), 964–976.

Alcalá, M.D.–Combustion synthesis of TiN induced by high-energy ball milling of Ti under nitrogen atmosphere.–F.J. Gotor, M.D. Alcalá, C. Real, and J.M. Criado; **17**(7), 1655–1663.

Aldaco, J.–Self-affine fracture surface parameters and their relationship with microstructure in a cast aluminum alloy.–M. Hinojosa and J. Aldaco; **17**(6), 1276–1282.

Aldinger, F.–Crystallization behavior of polymer-derived Si–B–C–N ceramics in a high-pressure nitrogen environment.–Y. Cai, A. Zimmermann, S. Prinz, and F. Aldinger; **17**(11), 2765–2767(L).

Aldinger, Fritz–Effects of powder bed conditions on the liquid-phase sintering of Si_3N_4.–Sea-Hoon Lee, Georg Rixecker, Fritz Aldinger, Sung-Churl Choi, and Keun-Ho Auh; **17**(2), 465–472.

–Chemical synthesis of crystalline, pure or Mn-doped $ZnGa_2O_4$ powders at 90 °C.–A. Cuneyt Tas, Peter J. Majewski, and Fritz Aldinger; **17**(6), 1425–1433.

Alén, Petra–*Tert*-butylamine and allylamine as reductive nitrogen sources in atomic layer deposition of TaN thin films.–Petra Alén, Marika Juppo, Mikko Ritala, Markku Leskelä, Timo Sajavaara, and Juhani Keinonen; **17**(1), 107–114.

Alexandrov, I.V.–Paradox of strength and ductility in metals processed by severe plastic deformation.–R.Z. Valiev, I.V. Alexandrov, Y.T. Zhu, and T.C. Lowe; **17**(1), 5–8(L).

Ali, N.–Novel time-modulated chemical vapor deposition process for growing diamond films.–Q.H. Fan, N. Ali, Y. Kousar, W. Ahmed, and J. Gracio; **17**(7), 1563–1566(L).

Allen, Susan D.–Rapid prototyping of micropatterned substrates using conventional laser printers.–Michael L. Branham, Roger Tran-Son-Tay, Christopher Schoonover, Patrick S. Davis, Susan D. Allen, and Wei Shyy; **17**(7), 1559–1562(L).

Almeida, R.M.–Preparation and isolation of gold nanoparticles coated with a stabilizer and sol-gel compatible agent.–R. Trbojevich, N. Pellegri, A. Frattini, O. de Sanctis, P.J. Morais, and R.M. Almeida; **17**(8), 1973–1980.

Amey, Daniel I.–Electron field emission from Ar^+ ion-treated thick-film carbon paste.–Gillian A.M. Reynolds, Lap-Tak Cheng, Robert Bouchard, Paul Moffett, Howard Jones, Linda F. Robinson, S. Ismat Shah, and Daniel I. Amey; **17**(10), 2590–2598.

Amos, Tammy G.–Crystal structure of the compound $Bi_2Zn_{2/3}Nb_{4/3}O_7$.–Igor Levin, Tammy G. Amos, Juan C. Nino, Terrell A. Vanderah, Ian M. Reaney, Clive A. Randall, and Michael T. Lanagan; **17**(6), 1406–1411.

Anderson, S.–Correlation of resistance and interfacial reaction of contacts to *n*-type InP.–J.S. Huang, C.B. Vartuli, T. Nguyen, N. Bar-Chaim, J. Shearer, C. Fisher, and S. Anderson; **17**(11), 2929–2934.

Ando, Toshihiro–Synthesis of aligned carbon nanotubes in organic liquids.–Yafei Zhang, Mikka N.-Gamo, Kiyoharu Nakagawa, and Toshihiro Ando; **17**(9), 2457–2464.

Andrade, A.V.C.–Effect of barium titanate seed particles on the sintering and lattice parameters in $PbMg_{1/3}Nb_{2/3}O_3$ ceramics.–P.D. Spagnol, M.A. Zaghete, C.O. Paiva-Santos, A.V.C. Andrade, A.A. Cavalheiro, S.M. Tebcherani, and J.A. Varela; **17**(3), 620–624.

Andrade, M.S.–Magnetic patterns in hydrothermal ferrites by magnetic force microscopy.–A. Dias, J.M.C. Vilela, and M.S. Andrade; **17**(6), 1251–1253(L).

AUTHOR INDEX TO VOLUME 17

All authors of papers published in Volume 17 are listed alphabetically with the issue and page number following the dash. References with (L) are Communications. References with (E) are Errata. References with (A) are Addenda. References with (R) are Commentaries and Reviews. References with (C) are Comments and Reply. Page numbers are cited in ascending order.

A

Aardahl, Christopher L.–Solid-state ^{27}Al nuclear magnetic resonance investigation of plasma-facilitated NO_x reduction catalysts.–Li-Qiong Wang, Christopher L. Aardahl, Kenneth G. Rappé, Diana N. Tran, Marisol A. Delgado, and Craig F. Habeger; **17**(7), 1843–1848.

Adachi, H.–Phase transition behaviors of $BaTiO_3$–$BaZrO_3$ solid solutions under high direct current bias fields.–S. Wada, H. Adachi, H. Kakemoto, H. Chazono, Y. Mizuno, H. Kishi, and T. Tsurumi; **17**(2), 456–464.

–Hardness of cubic silicon nitride.–I. Tanaka, F. Oba, T. Sekine, E. Ito, A. Kubo, K. Tatsumi, H. Adachi, and T. Yamamoto; **17**(4), 731–733.

Adachi, Hideaki–Preparation and characteristics of 90° rotated biepitaxial Fe_3O_4 thin films.–Hiroshi Matsuda, Hiroshi Sakakima, Hideaki Adachi, Akihiro Odagawa, and Kentaro Setsune; **17**(8), 1985–1991.

Adeva, P.–Development and evolution of texture in Mg–Zr alloy deposited by physical vapor deposition.–G. Garcés and P. Adeva; **17**(3), 614–619.

Advincula, Rigoberto–Surface structural characterization and mechanical testing by nanoindentation measurements of hybrid polymer/clay nanostructured multilayer films.–Xiaowu Fan, Mikyoung Park, Chuanjun Xia, and Rigoberto Advincula; **17**(7), 1622–1633.

Agarwala, V.–Mechanical and structural characterization of uniaxially cold-pressed Fe_3Mo powders.–R. Morales, S. Seetharaman, and V. Agarwala; **17**(8), 1954–1959.

Agathopoulos, S.–Reactions at the interface between Al_2O_3–SiO_2 ceramics with additives of alkaline-earth oxides and liquid Al–Si alloy.–M. Oliveira, S. Agathopoulos, and J.M.F. Ferreira; **17**(3), 641–647.

Agrawal, Dinesh–Major phase transformations and magnetic property changes caused by electromagnetic fields at microwave frequencies.–Rustum Roy, Ramesh Peelamedu, Craig Grimes, Jiping Cheng, Dinesh Agrawal; **17**(12), 3008–3011(L).

Aguiló, M.–Growth of $KTiOPO_4$ films on $KTi_{1-x}Ge_xOPO_4$ substrates by liquid-phase epitaxy.–R. Solé, V. Nikolov, A. Vilalta, J.J. Carvajal, J. Massons, Jna. Gavaldà, M. Aguiló, and F. Díaz; **17**(3), 563–569.

Agyeman, O.–Upgrading the triboluminescence of ZnS:Mn film by optimization of sputtering and thermal annealing conditions.–O. Agyeman, C.N. Xu, M. Suzuki, and X.G. Zheng; **17**(5), 959–963.

Ahmed, W.–Novel time-modulated chemical vapor deposition process for growing diamond films.–Q.H. Fan, N. Ali, Y. Kousar, W. Ahmed, and J. Gracio; **17**(7), 1563–1566(L).

Ahn, Hyo-Sok–Sliding friction and wear behavior of Al–Ni–Co–Si quasicrystalline coatings deposited by the high-velocity oxy-fuel spraying technique.–Eric Fleury, Yu-Chan Kim, Jae-Soo Kim, Hyo-Sok Ahn, Sang-Mok Lee, Won-Tae Kim, and Do-Hyang Kim; **17**(2), 492–501.

Ahn, Jae-Pyoung–Monte Carlo simulation of phase separation behavior in a Cu–Co alloy nanoparticle.–Jae-Hyeok Shim, Byeong-Joo Lee, Jae-Pyoung Ahn, Young Whan Cho, and Jong-Ku Park; **17**(5), 925–928(L).

Ahn, Kun Ho–Change of growth orientation in Pt films epitaxially grown on MgO(001) substrates by sputtering.–Kun Ho Ahn, Sunggi Baik, and Sang Sub Kim; **17**(9), 2334–2338.

Akaishi, Minoru–Growth of boron suboxide crystals in the B–B_2O_3 system at high pressure and high temperature.–Duanwei He, Minoru Akaishi, Brian L. Scott, and Yusheng Zhao; **17**(2), 284–290.

Alcalá, J.–Contact deformation regimes around sharp indentations and the concept of the characteristic strain.–M. Mata, M. Anglada, and J. Alcalá; **17**(5), 964–976.

Alcalá, M.D.–Combustion synthesis of TiN induced by high-energy ball milling of Ti under nitrogen atmosphere.–F.J. Gotor, M.D. Alcalá, C. Real, and J.M. Criado; **17**(7), 1655–1663.

Aldaco, J.–Self-affine fracture surface parameters and their relationship with microstructure in a cast aluminum alloy.–M. Hinojosa and J. Aldaco; **17**(6), 1276–1282.

Aldinger, F.–Crystallization behavior of polymer-derived Si–B–C–N ceramics in a high-pressure nitrogen environment.–Y. Cai, A. Zimmermann, S. Prinz, and F. Aldinger; **17**(11), 2765–2767(L).

Aldinger, Fritz–Effects of powder bed conditions on the liquid-phase sintering of Si_3N_4.–Sea-Hoon Lee, Georg Rixecker, Fritz Aldinger, Sung-Churl Choi, and Keun-Ho Auh; **17**(2), 465–472.

–Chemical synthesis of crystalline, pure or Mn-doped $ZnGa_2O_4$ powders at 90 °C.–A. Cuneyt Tas, Peter J. Majewski, and Fritz Aldinger; **17**(6), 1425–1433.

Alén, Petra–*Tert*-butylamine and allylamine as reductive nitrogen sources in atomic layer deposition of TaN thin films.–Petra Alén, Marika Juppo, Mikko Ritala, Markku Leskelä, Timo Sajavaara, and Juhani Keinonen; **17**(1), 107–114.

Alexandrov, I.V.–Paradox of strength and ductility in metals processed by severe plastic deformation.–R.Z. Valiev, I.V. Alexandrov, Y.T. Zhu, and T.C. Lowe; **17**(1), 5–8(L).

Ali, N.–Novel time-modulated chemical vapor deposition process for growing diamond films.–Q.H. Fan, N. Ali, Y. Kousar, W. Ahmed, and J. Gracio; **17**(7), 1563–1566(L).

Allen, Susan D.–Rapid prototyping of micropatterned substrates using conventional laser printers.–Michael L. Branham, Roger Tran-Son-Tay, Christopher Schoonover, Patrick S. Davis, Susan D. Allen, and Wei Shyy; **17**(7), 1559–1562(L).

Almeida, R.M.–Preparation and isolation of gold nanoparticles coated with a stabilizer and sol-gel compatible agent.–R. Trbojevich, N. Pellegri, A. Frattini, O. de Sanctis, P.J. Morais, and R.M. Almeida; **17**(8), 1973–1980.

Amey, Daniel I.–Electron field emission from Ar^+ ion-treated thick-film carbon paste.–Gillian A.M. Reynolds, Lap-Tak Cheng, Robert Bouchard, Paul Moffett, Howard Jones, Linda F. Robinson, S. Ismat Shah, and Daniel I. Amey; **17**(10), 2590–2598.

Amos, Tammy G.–Crystal structure of the compound $Bi_2Zn_{2/3}Nb_{4/3}O_7$.–Igor Levin, Tammy G. Amos, Juan C. Nino, Terrell A. Vanderah, Ian M. Reaney, Clive A. Randall, and Michael T. Lanagan; **17**(6), 1406–1411.

Anderson, S.–Correlation of resistance and interfacial reaction of contacts to *n*-type InP.–J.S. Huang, C.B. Vartuli, T. Nguyen, N. Bar-Chaim, J. Shearer, C. Fisher, and S. Anderson; **17**(11), 2929–2934.

Ando, Toshihiro–Synthesis of aligned carbon nanotubes in organic liquids.–Yafei Zhang, Mikka N.-Gamo, Kiyoharu Nakagawa, and Toshihiro Ando; **17**(9), 2457–2464.

Andrade, A.V.C.–Effect of barium titanate seed particles on the sintering and lattice parameters in $PbMg_{1/3}Nb_{2/3}O_3$ ceramics.–P.D. Spagnol, M.A. Zaghete, C.O. Paiva-Santos, A.V.C. Andrade, A.A. Cavalheiro, S.M. Tebcherani, and J.A. Varela; **17**(3), 620–624.

Andrade, M.S.–Magnetic patterns in hydrothermal ferrites by magnetic force microscopy.–A. Dias, J.M.C. Vilela, and M.S. Andrade; **17**(6), 1251–1253(L).

Andronov, Alexander Nikolaivech–Effect of substrate pregrowth treatments on characteristics of low-temperature diamondlike carbon films prepared by very-high-frequency chemical vapor deposition.–Zafar Waqar, Alexander Nikolaivech Titkov, Alexander Nikolaivech Andronov, Andrey Kosarev, and Igor Makarenko; **17**(2), 451–455.

Ang, Chen–Crystalline structure and dielectric behavior of (Ce,Ba)TiO_3 ceramics.–Zhi Jing, Zhi Yu, and Chen Ang; **17**(11), 2787–2793.

Anglada, M.–Contact deformation regimes around sharp indentations and the concept of the characteristic strain.–M. Mata, M. Anglada, and J. Alcalá; **17**(5), 964–976.

Anselmi-Tamburini, Umberto–Combustion synthesis of mechanically activated powders in the Nb–Si system.–Filippo Maglia, Chiara Milanese, Umberto Anselmi-Tamburini, Stefania Doppiu, and Giorgio Cocco; **17**(8), 1992–1999.

Aoyagi, Eiji–Microstructure and orientation of iron crystals by thermal chemical vapor deposition with imposition of magnetic field.–Noboru Yoshikawa, Takanori Endo, Shoji Taniguchi, Satoshi Awaji, Kazuo Watanabe, and Eiji Aoyagi; **17**(11), 2865–2874.

Apple, Thomas–Synthesis of silicon carbide films from partially oxidized polyvinylsilane by carbon tetrachloride solution casting.–Masaki Narisawa, Takeshi Hasegawa, Kiyohito Okamura, Masayoshi Itoh, Thomas Apple, Kevin V. Moraes, and Leonard V. Interrante; **17**(1), 214–223.

Arakawa, Hironori–Effect of Ni substitution on the structure and photocatalytic activity of $InTaO_4$ under visible light irradiation.–Zhigang Zou, Jinhua Ye, and Hironori Arakawa; **17**(6), 1419–1424.

–Substitution effect of Ta^{5+} by Nb^{5+} on photocatalytic, photophysical, and structural properties of $BiTa_{1-x}Nb_xO_4 (0 \leqq x \leqq 1.0)$.–Zhigang Zou, Hironori Arakawa, and Jinhua Ye; **17**(6), 1446–1454.

Araki, Takeshi–Crystallization mechanism of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ and $YBa_2Cu_3O_{7-y}$ films deposited by metalorganic deposition method using trifluoroacetates.–Junko Shibata, Tetsuji Honjo, Hiroshi Fuji, Takeshi Araki, Izumi Hirabayashi, Tsukasa Hirayama, Teruo Izumi, Yuh Shiohara, Takahisa Yamamoto, and Yuichi Ikuhara; **17**(6), 1266–1275.

Arata, Yoshiaki–Hydrogen absorption of nanoscale Pd particles embedded in ZrO_2 matrix prepared from Zr–Pd amorphous alloys.–Shin-ichi Yamaura, Ken-ichiro Sasamori, Hisamichi Kimura, Akihisa Inoue, Yue Chang Zhang, and Yoshiaki Arata; **17**(6), 1329–1334.

Ardila, A.M.–Optical characterization of GaAs/Si layers grown by the conformal method (confined lateral epitaxial growth).–A.M. Ardila, O. Martínez, M. Avella, J. Jiménez, E. Gil-Lafon, and B. Gérard; **17**(6), 1341–1349.

Arena, A.–Optical properties of laser-dye-doped polyvinylcarbazole films coated with polycarbonate.–A. Arena, F. Bonsignore, S. Patanè, and G. Saitta; **17**(6), 1490–1494.

–Preparation, characterization, and micropatterning of laser-dye-doped sol-gel films.–A. Arena, S. Patanè, G. Saitta, G. Rizzo, S. Galvagno, and G. Neri; **17**(8), 2095–2098.

Argunova, T.S.–Synchrotron radiography and x-ray topography studies of hexagonal habitus SiC bulk crystals.–T.S. Argunova, M.Yu. Gutkin, Jung Ho Je, H.S. Kang, Y. Hwu, W-L. Tsai, and G. Margaritondo; **17**(10), 2705–2711.

Arias, A. González–Fe^{2+} contents and magnetocrystalline anisotropy in iron defect LiZnTiMn ferrites.–A. Iglesias, J. Balmaseda, and A. González Arias; **17**(7), 1702–1705.

Armstrong, Timothy R.–Creep of lanthanum gallate.–William E. Luecke and Timothy R. Armstrong; **17**(3), 532–541.

Arnault, J.C.–Elastic recovery measurements performed by atomic force microscopy and standard nanoindentation on a Co(10.1) monocrystal.–J.C. Arnault, A. Mosser, M. Zamfirescu, and H. Pelletier; **17**(6), 1258–1265.

Arushanov, E.–Magnetic properties of undoped and Co-doped *n*-type β–$FeSi_{2.5}$ single crystals.–E. Arushanov, L. Ivanenko, D. Eckert, G. Behr, U.K. Rößler, K-H. Müller, C. Schneider, and J. Schumann; **17**(11), 2960–2965.

Arzt, E.–Grain-boundary voiding in self-passivated Cu–1 at.% Al alloy films on Si substrates.–D. Weiss, O. Kraft, and E. Arzt; **17**(6), 1363–1370.

–Growth of electromigration-induced hillocks in Al interconnects.–J.A. Nucci, A. Straub, E. Bischoff, E. Arzt, and C.A. Volkert; **17**(10), 2727–2735.

Asami, Katsuhiko–Formation of bulk glassy $Fe_{75-x-y}Cr_xMo_yC_{15}B_{10}$ alloys and their corrosion behavior.–Shujie Pang, Tao Zhang, Katsuhiko Asami, and Akihisa Inoue; **17**(3), 701–704.

Asoka-Kumar, P.–Characterization of free volume in a bulk metallic glass using positron annihilation spectroscopy.–K.M. Flores, D. Suh, R.H. Dauskardt, P. Asoka-Kumar, P.A. Sterne, and R.H. Howell; **17**(5), 1153–1161.

Auh, Keun-Ho–Effects of powder bed conditions on the liquid-phase sintering of Si_3N_4.–Sea-Hoon Lee, Georg Rixecker, Fritz Aldinger, Sung-Churl Choi, Keun-Ho Auh; **17**(2), 465–472.

Aurbach, D.–Influence of pH on the structure of the aqueous sonolysis products of manganese(III) acetylacetonate.–V. Ganesh Kumar, D. Aurbach, and A. Gedanken; **17**(7), 1706–1710.

Avdeev, M.–Crystal structure of dielectric ceramics in the $La(Mg_{0.5}Ti_{0.5})O_3$–$BaTiO_3$ system.–M. Avdeev, M.P. Seabra, and V.M. Ferreira; **17**(5), 1112–1117.

Avella, M.–Optical characterization of GaAs/Si layers grown by the conformal method (confined lateral epitaxial growth).–A.M. Ardila, O. Martínez, M. Avella, J. Jiménez, E. Gil-Lafon, and B. Gérard; **17**(6), 1341–1349.

Awaji, Satoshi–Microstructure and orientation of iron crystals by thermal chemical vapor deposition with imposition of magnetic field.–Noboru Yoshikawa, Takanori Endo, Shoji Taniguchi, Satoshi Awaji, Kazuo Watanabe, and Eiji Aoyagi; **17**(11), 2865–2874.

Aytug, T.–Chemical solution deposition of lanthanum zirconate buffer layers on biaxially textured Ni–1.7% Fe–3% W alloy substrates for coated-conductor fabrication.–S. Sathyamurthy, M. Paranthaman, T. Aytug, B.W. Kang, P.M. Martin, A. Goyal, D.M. Kroeger, and D.K. Christen; **17**(6), 1543–1549.

–Single buffer layers of $LaMnO_3$ or $La_{0.7}Sr_{0.3}MnO_3$ for the development of $YBa_2Cu_3O_{7-\delta}$-coated conductors: A comparative study.–T. Aytug, M. Paranthaman, H.Y. Zhai, H.M. Christen, S. Sathyamurthy, D.K. Christen, and R.E. Ericson; **17**(9), 2193–2196(L).

Azough, F.–Synchrotron x-ray diffraction study of $Ba_{4.5}Nd_9Ti_{18}O_{54}$ microwave dielectric ceramics at 10–295 K.–C.C. Tang, M.A. Roberts, F. Azough, C. Leach, and R. Freer; **17**(3), 675–682.

B

Baba-kishi, K.Z.–Characterization of $(0.4)Pb_2(In,Nb)O_6$:$(0.6)Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ceramics.–K.Z. Baba-kishi, C.W. Tai, J. Wang, C.L. Choy, H.L.W. Chan, and A.S. Bhalla; **17**(2), 438–444.

Babcock, Jason R.–Growth, microstructure, charge transport, and transparency of random polycrystalline and heteroepitaxial metal-organic chemical vapor deposition-derived gallium–indium–oxide thin films.–Anchuan Wang, Nikki L. Edleman, Jason R. Babcock, Tobin J. Marks, Melissa A. Lane, Paul R. Brazis, and Carl R. Kannewurf; **17**(12), 3155–3162.

Babentsov, V.–Identification of Cl and Na impurities in inclusions of a vapor-grown CdTe doped with Zn and Cl.–V. Corregidor, V. Babentsov, M. Fiederle, T. Feltgen, K. Benz, and E. Dieguez; **17**(5), 1069–1073.

–Characterization of CdTe:Zn:V crystals grown under microgravity conditions.–V. Corregidor, V. Babentsov, J.L. Castaño, M. Fiederle, T. Feltgen, K. Benz, and E. Dieguez; **17**(12), 3037–3041.

Babich, K.–Effects of precursor additives on the stability of plasma enhanced chemical vapor deposited a-GeC(O):H films.–A. Grill, S. Guilley, V. Patel, and K. Babich; **17**(2), 367–375.

Babu, S.V.–Chemical mechanical polishing of thermal oxide films using silica particles coated with ceria.–Seung-Ho Lee, Zhenyu Lu, S.V. Babu, and Egon Matijević; **17**(10), 2744–2749.

Bae, Kyoo-Sik–Microstructure and adhesion properties of Sn–0.7Cu/Cu solder joints.–Kyoo-Sik Bae and Si-Jung Kim; **17**(4), 743–746.

Bae, Sungjun–Effects of a nanothin Al_2O_3 cathode buffer layer on the characteristics of organic light-emitting diodes with sputter-deposited cathodes.–Samil Kho, Sungjun Bae, and Donggeun Jung; **17**(6), 1248–1250(L).

Baek, Jong-Gab–Preparation and characterization of SiO_2–B_2O_3–P_2O_5 particles and films generated by flame hydrolysis deposition for planar light-wave circuits.–Hyungsoo Shin, Ji-Hyun Yi, Jong-Gab Baek, and Mansoo Choi; **17**(2), 315–322.

Bai, Shuo–Microwave electromagnetic characteristics of a micro-coiled carbon fibers/paraffin wax composite in Ku band.–Jin-Hong Du, Chao Sun, Shuo Bai, Ge Su, Zhe Ying, and Hui-Ming Cheng; **17**(5), 1232–1236.

Bai, Y.L.–Microstructure and characteristics in the organic matrix layers of nacre.–F. Song, X.H. Zhang, and Y.L. Bai; **17**(7), 1567–1570(L).

Baik, Sunggi–Change of growth orientation in Pt films epitaxially grown on MgO(001) substrates by sputtering.–Kun Ho Ahn, Sunggi Baik, and Sang Sub Kim; **17**(9), 2334–2338.

Baik, Young-Joon–Phase evolution of turbostratic boron nitride during the deposition of cubic boron nitride film.–Hong-Suk Kim, In-Hoon Choi, and Young-Joon Baik; **17**(5), 944–947(L).

Baker, Shefford P.–Effect of dislocation core spreading at interfaces on strength of thin-film.–Shefford P. Baker, Lin Zhang, and Huajian Gao; **17**(7), 1808–1813.

Balakrishnan, Nalini–Preparation of fine-grained $BaTiO_3$ ceramics by spark plasma sintering.–Tomonari Takeuchi, Claudio Capiglia, Nalini Balakrishnan, Yasuo Takeda, and Hiroyuki Kageyama; **17**(3), 575–581.

Baldo, P.M.–Microstructure and mechanical properties of Ti–Si–N coatings.–W.J. Meng, X.D. Zhang, B. Shi, R.C. Tittsworth, L.E. Rehn, and P.M. Baldo; **17**(10), 2628–2632.

Balkan, H.–Interfacial microstructure evolution between eutectic SnAgCu solder and Al/Ni(V)/Cu thin films.–M. Li, F. Zhang, W.T. Chen, K. Zeng, K.N. Tu, H. Balkan, and P. Elenius; **17**(7), 1612–1621.

Balkanski, M.–Comparative study of single crystals and laser-grown films of V_2O_5.–J. Janicskó-Csáthy, A. Nagy, L. Nánai, W. Marine, S.P. Souto, M. Balkanski, and T.F. George; **17**(5), 1096–1101.

Balkenende, Ruud–Fracture toughness and adhesion energy of sol-gel coatings on glass.–Jaap den Toonder, Jürgen Malzbender, Gijsbertus de With, and Ruud Balkenende; **17**(1), 224–233.

Ballarini, R.–Thermal expansion of low-pressure chemical vapor deposition polysilicon films.–H. Kahn, R. Ballarini, and A.H. Heuer; **17**(7), 1855–1862.

Balmaseda, J.–Fe^{2+} contents and magnetocrystalline anisotropy in iron defect LiZnTiMn ferrites.–A. Iglesias, J. Balmaseda, and A. González Arias; **17**(7), 1702–1705.

Bandyopadhyay, A.–Layered lead zirconate titanate and lanthanum-doped lead zirconate titanate ceramic thin films.–Todd Myers, Parag Banerjee, Susmita Bose, and Amit Bandyopadhyay; **17**(9), 2379–2385.

–Porous calcium aluminate ceramics for bone-graft applications.–S.J. Kalita, S. Bose, A. Bandyopadhyay, and H.L. Hosick; **17**(12), 3042–3049.

Banerjee, Parag–Layered lead zirconate titanate and lanthanum-doped lead zirconate titanate ceramic thin films.–Todd Myers, Parag Banerjee, Susmita Bose, and Amit Bandyopadhyay; **17**(9), 2379–2385.

Bao, X.–Deposition of fine silicon carbide relics by electrostatic atomization of a polymeric precursor.–D.A. Grigoriev, M.J. Edirisinghe, and X. Bao; **17**(2), 487–491.

Baptista, J.L.–Phase diagram of the W-doped $Pb(Zn_{1/3}Nb_{2/3})O_3$–$BaTiO_3$–$PbTiO_3$ system around a morphotropic phase boundary composition.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, J.L. Baptista; **17**(5), 1085–1091.

–Dielectric behavior of Mn-doped morphotropic phase boundary composition in the $Pb(Zn_{1/3}Nb_{2/3})O_3$–$BaTiO_3$–$PbTiO_3$ system.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, J.L. Baptista; **17**(5), 1192–1198.

–Effect of lanthanum-doping on the dielectric properties of $Pb(Fe_{1/2}Ta_{1/2})O_3$ relaxor ferroelectrics.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, J.L. Baptista; **17**(7), 1779–1784.

Bar-Chaim, N.–Correlation of resistance and interfacial reaction of contacts to *n*-type InP.–J.S. Huang, C.B. Vartuli, T. Nguyen, N. Bar-Chaim, J. Shearer, C. Fisher, and S. Anderson; **17**(11), 2929–2934.

Barford, John P.–Effect of thermal treatment on the photocatalytic activity of TiO_2 coatings for photocatalytic oxidation of benzoic acid.–Alex H.C. Chan, John F. Porter, John P. Barford, and Chak K. Chan; **17**(7), 1758–1765.

Barnard, J.A.–Room-temperature oxidation of ultrathin TiB_2 films.–Feng Huang, W.J. Liu, J.F. Sullivan, J.A. Barnard, and M.L. Weaver; **17**(4), 805–813.

Barnett, S.A.–Structures of AlN/VN superlattices with different AlN layer thicknesses.–Quan Li, I.W. Kim, S.A. Barnett, and L.D. Marks; **17**(5), 1224–1231.

Baró, M.D.–Thermal stability, crystallization kinetics, and grain growth in an amorphous $Al_{85}Ce_5Ni_8Co_2$ alloy.–A. Révész, L.K. Varga, S. Suriñach, and M.D. Baró; **17**(8), 2140–2146.

Bartolomé, J.F.–Mechanical performance of 3Y-TZP/Ni composites: Tensile, bending, and uniaxial fatigue tests.–S. López-Esteban, J.F. Bartolomé, J.S. Moya, and T. Tanimoto; **17**(7), 1592–1600.

Barua, P.–Icosahedral phase formation domain in Al–Cu–Fe system by mechanical alloying.–P. Barua, B.S. Murty, B.K. Mathur, and V. Srinivas; **17**(3), 653–659.

–X-ray photoelectron spectroscopic studies on nanoquasicrystalline powders of $Al_{70}Cu_{20}Fe_{10}$ obtained by mechanical alloying.–P. Barua, V. Srinivas, S. Dhabal, and T.B. Ghosh; **17**(8), 1892–1895(L).

Behr, G.–Magnetic properties of undoped and Co-doped *n*-type β–$FeSi_{2.5}$ single crystals.–E. Arushanov, L. Ivanenko, D. Eckert, G. Behr, U.K. Rößler, K-H. Müller, C. Schneider, and J. Schumann; **17**(11), 2960–2965.

Belkaïd, M.S.–Electrodeposition of Fe–Co alloys into nanoporous *p*-type silicon: Influence of the electrolyte composition.–F. Hamadache, J-L. Duvail, V. Scheuren, L. Piraux, C. Poleunis, P. Bertrand, and M.S. Belkaïd; **17**(5), 1074–1084.

Bell, Nelson B.–Development of conductivity in low conversion temperature silver pastes via addition of nanoparticles.–Nelson B. Bell, Chris B. DiAntonio, and Duane B. Dimos; **17**(9), 2423–2432.

Bell, Steven M.–Phase equilibria and dielectric properties in perovskite-like $(1-x)LaCa_{0.5}Zr_{0.5}O_3$–$xATiO_3$ (A = Ca, Sr) ceramics.–Igor Levin, Terrell A. Vanderah, Rachel Coutts, and Steven M. Bell; **17**(7), 1729–1734.

Belous, A.–Synthesis and dielectric properties of barium tantalates and niobates with complex perovskite structure.–T. Kolodiazhnyi, A. Petric, A. Belous, O. V'yunov, and O. Yanchevskij; **17**(12), 3182–3189.

Bendersky, L.A.–Microstructure and microstructural evolution in $BaTiO_3$ films fabricated using the precursor method.–L.A. Bendersky, C.J. Lu, J.H. Scott, K. Chang, and I. Takeuchi; **17**(10), 2499–2506.

Bennett, J.–Adhesion of Cu and low-k dielectric thin films with tungsten carbide.–A.M. Lemonds, K. Kershen, J. Bennett, K. Pfeifer, Y-M. Sun, J.M. White, and J.G. Ekerdt; **17**(6), 1320–1328.

Benz, K.–Identification of Cl and Na impurities in inclusions of a vapor-grown CdTe doped with Zn and Cl.–V. Corregidor, V. Babentsov, M. Fiederle, T. Feltgen, K. Benz, and E. Dieguez; **17**(5), 1069–1073.

–Characterization of CdTe:Zn:V crystals grown under microgravity conditions.–V. Corregidor, V. Babentsov, J.L. Castaño, M. Fiederle, T. Feltgen, K. Benz, and E. Dieguez; **17**(12), 3037–3041.

Bernard, Frédéric–Simultaneous synthesis and consolidation of nanostructured $MoSi_2$.–Christophe Gras, Frédéric Bernard, Frédéric Charlot, Eric Gaffet, and Zuhair A. Munir; **17**(3), 542–549.

Bertrand, P.–Electrodeposition of Fe–Co alloys into nanoporous *p*-type silicon: Influence of the electrolyte composition.–F. Hamadache, J-L. Duvail, V. Scheuren, L. Piraux, C. Poleunis, P. Bertrand, and M.S. Belkaïd; **17**(5), 1074–1084.

Besser, M.F.–Synthesis of $Cu_{47}Ti_{34}Zr_{11}Ni_8$ bulk metallic glass by warm extrusion of gas atomized powders.–D.J. Sordelet, E. Rozhkova, P. Huang, P.B. Wheelock, M.F. Besser, M.J. Kramer, M. Calvo-Dahlborg, and U. Dahlborg; **17**(1), 186–198.

Bhaduri, S.–Processing and characterization of Ti–B-based functionally graded materials produced by microwave-activated combustion synthesis.–M. Cirakoglu, S. Bhaduri, and S.B. Bhaduri; **17**(11), 2823–2830.

Bhaduri, S.B.–Processing and characterization of Ti–B-based functionally graded materials produced by microwave-activated combustion synthesis.–M. Cirakoglu, S. Bhaduri, and S.B. Bhaduri; **17**(11), 2823–2830.

Bhalla, A.S.–Characterization of $(0.4)Pb_2(In,Nb)O_6$:$(0.6)Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ceramics.–K.Z. Baba-kishi, C.W. Tai, J. Wang, C.L. Choy, H.L.W. Chan, and A.S. Bhalla; **17**(2), 438–444.

Bhatia, Tania–Mechanisms of ceramic coating deposition in solution-precursor plasma spray.–Tania Bhatia, Alper Ozturk, Liangde Xie, Eric H. Jordan, Baki M. Cetegen, Maurice Gell, Xinqin Ma, and Nitin P. Padture; **17**(9), 2363–2372.

Bhattacharya, P.–Morphology and thermal characteristics of nanosized Pb–Sn inclusions in Al.–P. Bhattacharya, V. Bhattacharya, and K. Chattopadhyay; **17**(11), 2875–2883.

Bhattacharya, V.–Morphology and thermal characteristics of nanosized Pb–Sn inclusions in Al.–P. Bhattacharya, V. Bhattacharya, and K. Chattopadhyay; **17**(11), 2875–2883.

Bi, Huijuan–Optical absorption of copper nanoparticles dispersed within pores of monolithic mesoporous silica.–Xiong Liu, Weiping Cai, and Huijuan Bi; **17**(5), 1125–1128.

Bian, Z.–Microstructure investigation of rapidly solidified Al–V–Fe alloys.–G. He, C.H. Shek, Joseph K.L. Lai, Z. Bian, X.D. Hui, and G.L. Chen; **17**(4), 814–820.

Bianchetti, Mario F.–Synthesis of nanocrystalline CeO_2–Y_2O_3 powders by a nitrate–glycine gel-combustion process.–Mario F. Bianchetti, Ricardo E. Juárez, Diego G. Lamas, Noemí E. Walsöe de Reca, Lidia Pérez, and Edgardo Cabanillas; **17**(9), 2185–2188(L).

Bieler, T.R.–Orientation imaging studies of Sn-based electronic solder joints.–A.U. Telang, T.R. Bieler, S. Choi, and K.N. Subramanian; **17**(9), 2294–2306.

Bischoff, E.–Growth of electromigration-induced hillocks in Al interconnects.–J.A. Nucci, A. Straub, E. Bischoff, E. Arzt, and C.A. Volkert; **17**(10), 2727–2735.

Bish, D.L.–Superhard B–C–N materials synthesized in nanostructured bulks.–Y. Zhao, D.W. He, L.L. Daemen, T.D. Shen, R.B. Schwarz, Y. Zhu, D.L. Bish, J. Huang, J. Zhang, G. Shen, J. Qian, and T.W. Zerda; **17**(12), 3139–3145.

Blau, Werner–Raman spectroscopy and conductivity measurements on polymer-multiwalled carbon nanotubes composites.–Christophe Stéphan, Thien Phap Nguyen, Bernd Lahr, Werner Blau, Serge Lefrant, and Olivier Chauvet; **17**(2), 396–400.

Blom, D.A.–Laser-induced nanoparticle ordering.–A.J. Pedraza, J.D. Fowlkes, D.A. Blom, H.M. Meyer, III; **17**(11), 2815–2822.

Boccaccini, A.R.–Microstructural variations in mullite ceramics derived from diphasic sols using different forming techniques.–C. Kaya and A.R. Boccaccini; **17**(12), 3000–3003(L).

Boey, F.Y.C.–Porous reaction-sintered AlN tapes for high-performance microelectronics application.–F.Y.C. Boey, A.I.Y. Tok, and W.J. Clegg; **17**(2), 306–314.

–Properties of porous AlN multilayered ceramic sandwich substrates.–F.Y.C. Boey, A.I.Y. Tok, Y. Long, and H.Y. Yeong; **17**(5), 1061–1068.

Boix, A.–Grinding assistance in the transformation of gibbsite to corundum.–Rosa M. Torres Sánchez, A. Boix, and R.C. Mercader; **17**(3), 712–717.

Bolshakov, A.–Understanding nanoindentation unloading curves.–G.M. Pharr and A. Bolshakov; **17**(10), 2660–2671.

Bonnell, Dawn A.–Contrast mechanism maps for piezoresponse force microscopy.–Sergei V. Kalinin and Dawn A. Bonnell; **17**(5), 936–939(L).

Bonsignore, F.–Optical properties of laser-dye-doped polyvinylcarbazole films coated with polycarbonate.–A. Arena, F. Bonsignore, S. Patanè, and G. Saitta; **17**(6), 1490–1494.

Booth, N.A.–Step bunching in potassium dihydrogen phosphate crystal growth: Phenomenology.–N.A. Booth, A.A. Chernov, and P.G. Vekilov; **17**(8), 2059–2065.

Borgohain, Kavita–Formation of single-phase CuO quantum particles.–Kavita Borgohain and Shailaja Mahamuni; **17**(5), 1220–1223.

Bose, S.–Layered lead zirconate titanate and lanthanum-doped lead zirconate titanate ceramic thin films.–Todd Myers, Parag Banerjee, Susmita Bose, and Amit Bandyopadhyay; **17**(9), 2379–2385.

–Porous calcium aluminate ceramics for bone-graft applications.–S.J. Kalita, S. Bose, A. Bandyopadhyay, and H.L. Hosick; **17**(12), 3042–3049.

Botton, G.A.–Carbon nanotubular structures synthesis by means of ultraviolet laser ablation.–N. Braidy, M.A. El Khakani, and G.A. Botton; **17**(9), 2189–2192(L).

Bouchard, Robert–Electron field emission from Ar^+ ion-treated thick-film carbon paste.–Gillian A.M. Reynolds, Lap-Tak Cheng, Robert Bouchard, Paul Moffett, Howard Jones, Linda F. Robinson, S. Ismat Shah, and Daniel I. Amey; **17**(10), 2590–2598.

Boyle, Timothy J.–Lanthanide series doping effects in lead zirconate titanate (PLnZT) thin films.–Timothy J. Boyle, Paul G. Clem, Bruce A. Tuttle, Geoffrey L. Brennecka, Jeffrey T. Dawley, Mark A. Rodriguez, Timothy D. Dunbar, and William F. Hammetter; **17**(4), 871–878.

Braidy, N.–Carbon nanotubular structures synthesis by means of ultraviolet laser ablation.–N. Braidy, M.A. El Khakani, and G.A. Botton; **17**(9), 2189–2192(L).

Branham, Michael L.–Rapid prototyping of micropatterned substrates using conventional laser printers.–Michael L. Branham, Roger Tran-Son-Tay, Christopher Schoonover, Patrick S. Davis, Susan D. Allen, and Wei Shyy; **17**(7), 1559–1562(L).

Bravman, John C.–Effect of interface conditions on yield behavior of passivated copper thin films.–Richard P. Vinci, Stefanie A. Forrest, and John C. Bravman; **17**(7), 1863–1870.

Brazis, Paul R.–Growth, microstructure, charge transport, and transparency of random polycrystalline and heteroepitaxial metalorganic chemical vapor deposition-derived gallium–indium–oxide thin films.–Anchuan Wang, Nikki L. Edleman, Jason R. Babcock, Tobin J. Marks, Melissa A. Lane, Paul R. Brazis, and Carl R. Kannewurf; **17**(12), 3155–3162.

Brennecka, Geoffrey L.–Lanthanide series doping effects in lead zirconate titanate (PLnZT) thin films.–Timothy J. Boyle, Paul G. Clem, Bruce A. Tuttle, Geoffrey L. Brennecka, Jeffrey T. Dawley, Mark A. Rodriguez, Timothy D. Dunbar, and William F. Hammetter; **17**(4), 871–878.

Brett, M.J.–Growth behavior of evaporated porous thin films.–D. Vick, T. Smy, and M.J. Brett; **17**(11), 2904–2911.

Brewer, L.N.–Solid-solution directionally solidified eutectic oxide composites: Part I. Eutectic growth and characterization.–L.N. Brewer, V.P. Dravid, G. Dhalenne, and M. Velázquez; **17**(4), 760–767.

–Solid solution directionally solidified eutectic oxide composites: Part II. $Co_{1-x}Ni_xO$ single-crystal growth and characterization.–L.N. Brewer, V.P. Dravid, M. Velázquez, and A. Revcolevschi; **17**(4), 768–773.

Brongersma, S.H.–Grain growth, stress, and impurities in electroplated copper.–S.H. Brongersma, E. Kerr, I. Vervoort, A. Saerens, and K. Maex; **17**(3), 582–589.

Brown, Andy P.–Microstructural evolution during pyrolysis of triol-based sol-gel single-layer $Pb(Zr_{0.53}Ti_{0.47})O_3$ thin films.–Zhaoxia Zhou, Ian M. Reaney, David Hind, Steven J. Milne, Andy P. Brown, and Rik Brydson; **17**(8), 2066–2074.

Brown, Travis L.–Low-cost manufacturing process for nanostructured metals and alloys.–Travis L. Brown, Srinivasan Swaminathan, Srinivasan Chandrasekar, W. Dale Compton, Alexander H. King, and Kevin P. Trumble; **17**(10), 2484–2488(L).

Browne, G.W.–*In vacuo* pulsed laser ablation of $YBa_2Cu_3O_{7-x}$ target for the formation of Y_2O_3 nanostructures.–D.B. Jan, Q.X. Jia, M.E. Hawley, G.W. Browne, C.J. Wetteland, H.P. Sun, and X.Q. Pan; **17**(3), 697–700.

Brüning, Ralf–Amorphization of crystalline orthoboric acid on a vitreous B_2O_3 substrate.–Eric McCalla and Ralf Brüning; **17**(12), 3098–3104.

Brydson, Rik–Microstructural evolution during pyrolysis of triol-based sol-gel single-layer $Pb(Zr_{0.53}Ti_{0.47})O_3$ thin films.–Zhaoxia Zhou, Ian M. Reaney, David Hind, Steven J. Milne, Andy P. Brown, and Rik Brydson; **17**(8), 2066–2074.

Budai, J.D.–Etching-enhanced ablation and the formation of a microstructure in silicon by laser irradiation in an SF_6 atmosphere.–S. Jesse, A.J. Pedraza, J.D. Fowlkes, and J.D. Budai; **17**(5), 1002–1013.

C

Caballero, A.–Low-temperature preparation and structural characterization of Pr-doped ceria solid solutions.–E. López-Navarrete, A. Caballero, A.R. González-Elipe, and M. Ocaña; **17**(4), 797–804.

Cabanillas, Edgardo–Synthesis of nanocrystalline CeO_2–Y_2O_3 powders by a nitrate–glycine gel-combustion process.–Mario F. Bianchetti, Ricardo E. Juárez, Diego G. Lamas, Noemí E. Walsöe de Reca, Lidia Pérez, and Edgardo Cabanillas; **17**(9), 2185–2188(L).

Cabrera, A.L.–Kinetics of subsurface hydrogen adsorbed on niobium: Thermal desorption studies.–A.L. Cabrera, J. Espinosa-Gangas, Johan Jonsson-Akerman, and Ivan K. Schuller; **17**(10), 2698–2704.

Cai, Weiping–Optical absorption of copper nanoparticles dispersed within pores of monolithic mesoporous silica.–Xiong Liu, Weiping Cai, and Huijuan Bi; **17**(5), 1125–1128.

Cai, Y.–Crystallization behavior of polymer-derived Si–B–C–N ceramics in a high-pressure nitrogen environment.–Y. Cai, A. Zimmermann, S. Prinz, and F. Aldinger; **17**(11), 2765–2767(L).

Calderon-Moreno, Jose Maria–Stability of single-wall carbon nanotubes under hydrothermal conditions.–S. Srikanta Swamy, Jose Maria Calderon-Moreno, and Masahiro Yoshimura; **17**(4), 734–737.

Calvo-Dahlborg, M.–Synthesis of $Cu_{47}Ti_{34}Zr_{11}Ni_8$ bulk metallic glass by warm extrusion of gas atomized powders.–D.J. Sordelet, E. Rozhkova, P. Huang, P.B. Wheelock, M.F. Besser, M.J. Kramer, M. Calvo-Dahlborg, and U. Dahlborg; **17**(1), 186–198.

Cammarata, R.C.–Synthesis and characterization of particle-reinforced Ni/Al_2O_3 nanocomposites.–I. Shao, P.M. Vereecken, C.L. Chien, P.C. Searson, R.C. Cammarata; **17**(6), 1412–1418.

Cannell, D.S.–Tunability of τ_f in perovskites and related compounds.–P.L. Wise, I.M. Reaney, W.E. Lee, D.M. Iddles, D.S. Cannell, and T.J. Price; **17**(8), 2033–2040.

Cantoni, C.–Quantification and control of the sulfur $c(2 \times 2)$ superstructure on {100}⟨100⟩ Ni for optimization of YSZ, CeO_2, and $SrTiO_3$ seed layer texture.–C. Cantoni, D.K. Christen, L. Heatherly, M.M. Kowalewski, F.A. List, A. Goyal, G.W. Ownby, D.M. Zehner, B.W. Kang, and D.M. Kroeger; **17**(10), 2549–2554.

Cao, Jiang Li–Direct current-voltage failure in lead magnesium niobate-based multilayer ceramic capacitors.–Jiang Li Cao, Long Tu Li, Ning Xin Zhang, and Zhi Lun Gui; **17**(4), 779–783.

Cao, Shixun–Thermal conductivity of AlN ceramic with a very low amount of grain boundary phase at 4 to 1000 K.–Koji Watari, Hiromi Nakano, Kazuyori Urabe, Kozo Ishizaki, Shixun Cao, and Katsunori Mori; **17**(11), 2940–2944.

Capiglia, Claudio–Preparation of fine-grained $BaTiO_3$ ceramics by spark plasma sintering.–Tomonari Takeuchi, Claudio Capiglia, Nalini Balakrishnan, Yasuo Takeda, and Hiroyuki Kageyama; **17**(3), 575–581.

Carmel, Yuval–Microwave sintering of high-density, high thermal conductivity AlN.–Geng-fu Xu, Tayo Olorunyolemi, Otto C. Wilson, Isabel K. Lloyd, Yuval Carmel; **17**(11), 2837–2845.

Carter, C. Barry–Bunching of surface steps and facet formation on an alumina surface.–N. Ravishankar and C. Barry Carter; **17**(1), 98–106.

–Precipitation from a reactive silicate on MgO.–S.V. Yanina and C. Barry Carter; **17**(12), 3056–3064.

Carter, M.L.–Fabrication, characterization, and leach testing of hollandite, $(Ba,Cs)(Al,Ti)_2Ti_6O_{16}$.–M.L. Carter, E.R. Vance, D.R.G. Mitchell, J.V. Hanna, Z. Zhang, and E. Loi; **17**(10), 2578–2589.

Carvajal, J.J.–Growth of $KTiOPO_4$ films on $KTi_{1-x}Ge_xOPO_4$ substrates by liquid-phase epitaxy.–R. Solé, V. Nikolov, A. Vilalta, J.J. Carvajal, J. Massons, Jna. Gavaldà, M. Aguiló, and F. Díaz; **17**(3), 563–569.

Cassell, A.M.–Effects of gamma radiation on poly(methyl methacrylate)/single-wall nanotube composites.–P.A. O'Rourke Muisener, L. Clayton, J. D'Angelo, J.P. Harmon, A.K. Sikder, A. Kumar, A.M. Cassell, and M. Meyyappan; **17**(10), 2507–2513.

Castaing, J.–Structure of milled galena (PbS) particles as a result of grinding: Observations by electron microscopy.–P. Martinetto, J. Castaing, P. Walter, P. Penhoud, and P. Veyssière; **17**(7), 1601–1611.

Castaño, J.L.–Characterization of CdTe:Zn:V crystals grown under microgravity conditions.–V. Corregidor, V. Babentsov, J.L. Castaño, M. Fiederle, T. Feltgen, K. Benz, and E. Dieguez; **17**(12), 3037–3041.

Casula, M.F.–Iron and iron-oxide on silica nanocomposites prepared by the sol-gel method.–G. Ennas, M.F. Casula, G. Piccaluga, S. Solinas, M.P. Morales, and C.J. Serna; **17**(3), 590–596.

Cavalheiro, A.A.–Effect of barium titanate seed particles on the sintering and lattice parameters in $PbMg_{1/3}Nb_{2/3}O_3$ ceramics.–P.D. Spagnol, M.A. Zaghete, C.O. Paiva-Santos, A.V.C. Andrade, A.A. Cavalheiro, S.M. Tebcherani, and J.A. Varela; **17**(3), 620–624.

Caymax, Matty–Characterization of reduced-pressure chemical vapor deposition polycrystalline silicon germanium deposited at temperatures ≤550 °C.–Sherif Sedky, Ann Witvrouw, Matty Caymax, Annelies Saerens, and Paul Van Houtte; **17**(7), 1580–1586.

Cetegen, Baki M.–Mechanisms of ceramic coating deposition in solution-precursor plasma spray.–Tania Bhatia, Alper Ozturk, Liangde Xie, Eric H. Jordan, Baki M. Cetegen, Maurice Gell, Xinqin Ma, and Nitin P. Padture; **17**(9), 2363–2372.

Chai, Herzl–Overview: Damage in brittle layer structures from concentrated loads.–Brian R. Lawn, Yan Deng, Pedro Miranda, Antonia Pajares, Herzl Chai, and Do Kyung Kim; **17**(12), 3019–3036(R).

Chakravorty, D.–Growth of silver nanowires using mica structure as a template and ultrahigh dielectric permittivity of the nanocomposite.–P.K. Mukherjee and D. Chakravorty; **17**(12), 3127–3132.

Chan, Alex H.C.–Effect of thermal treatment on the photocatalytic activity of TiO_2 coatings for photocatalytic oxidation of benzoic acid.–Alex H.C. Chan, John F. Porter, John P. Barford, and Chak K. Chan; **17**(7), 1758–1765.

Chan, Chak K.–Effect of thermal treatment on the photocatalytic activity of TiO_2 coatings for photocatalytic oxidation of benzoic acid.–Alex H.C. Chan, John F. Porter, John P. Barford, and Chak K. Chan; **17**(7), 1758–1765.

Chan, H.L.W.–Characterization of $(0.4)Pb_2(In,Nb)O_6$:$(0.6)Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ceramics.–K.Z. Baba-kishi, C.W. Tai, J. Wang, C.L. Choy, H.L.W. Chan, and A.S. Bhalla; **17**(2), 438–444.

Chan, H.M.–Coble-creep response and variability of grain-boundary properties.–W.S. Tong, J.M. Rickman, H.M. Chan, and M.P. Harmer; **17**(2), 348–352.

Chan, Siu-Wai–Grain boundary faceting in $YBa_2Cu_3O_{7-x}$ bicrystal thin films on $SrTiO_3$ substrates.–Qiang Jin and Siu-Wai Chan; **17**(2), 323–335.

–Microstructure of film growth from filtrating mono-dispersed particle suspension.–Feng Zhang and Siu-Wai Chan; **17**(5), 1055–1060.

Chandrasekar, Srinivasan–Low-cost manufacturing process for nanostructured metals and alloys.–Travis L. Brown, Srinivasan Swaminathan, Srinivasan Chandrasekar, W. Dale Compton, Alexander H. King, and Kevin P. Trumble; **17**(10), 2484–2488(L).

Chang, C-T.–Stress relaxation of a patterned microstructure on a diaphragm.–D.W. Zheng, X.H. Wang, K. Shyu, C. Chen, C-T. Chang, K.N. Tu, A.K. Mal, and Y.F. Guo; **17**(7), 1795–1802.

Chang, K.–Microstructure and microstructural evolution in $BaTiO_3$ films fabricated using the precursor method.–L.A. Bendersky, C.J. Lu, J.H. Scott, K. Chang, and I. Takeuchi; **17**(10), 2499–2506.

Chang, Shou-Yi–Squeeze casting of SiC_p/Al-alloy composites with various contents of reinforcements.–Liang-Guang Chen, Kung-Hsien Shue, Shou-Yi Chang, and Su-Jien Lin; **17**(2), 376–385.

Chang, Yu-Hsu–Nano-sizing titanium into titanium carbide by 1-chlorobutane.–Yu-Hsu Chang and Hsin-Tien Chiu; **17**(11), 2779–2782(L).

Charlot, Frédéric–Simultaneous synthesis and consolidation of nanostructured $MoSi_2$.–Christophe Gras, Frédéric Bernard, Frédéric Charlot, Eric Gaffet, and Zuhair A. Munir; **17**(3), 542–549.

Chattopadhyay, K.–Morphology and thermal characteristics of nanosized Pb–Sn inclusions in Al.–P. Bhattacharya, V. Bhattacharya, and K. Chattopadhyay; **17**(11), 2875–2883.

Chattopadhyay, Soma–Dielectric properties of epitaxial $KNbO_3$ ferroelectric thin films.–Soma Chattopadhyay, B.M. Nichols, Jin-Ha Hwang, T.O. Mason, and B.W. Wessels; **17**(2), 275–278(L).

–Diffuse phase transition in epitaxial $BaTiO_3$ thin films.–Soma Chattopadhyay, A.R. Teren, Jin-Ha Hwang, T.O. Mason, and B.W. Wessels; **17**(3), 669–674.

Chaumont, J.–Irradiation-disorder creation in $SrTiO_3$.–S. Soulet, J. Chaumont, C. Sabathier, and J-C. Krupa; **17**(1), 9–13.

Chauvet, Olivier–Raman spectroscopy and conductivity measurements on polymer-multiwalled carbon nanotubes composites.–Christophe Stéphan, Thien Phap Nguyen, Bernd Lahr, Werner Blau, Serge Lefrant, and Olivier Chauvet; **17**(2), 396–400.

Chazono, H.–Phase transition behaviors of $BaTiO_3$–$BaZrO_3$ solid solutions under high direct current bias fields.–S. Wada, H. Adachi, H. Kakemoto, H. Chazono, Y. Mizuno, H. Kishi, and T. Tsurumi; **17**(2), 456–464.

–Dielectric properties of $BaTiO_3$–$BaZrO_3$ ceramics under a high electric field.–T. Tsurumi, Y. Yamamoto, H. Kakemoto, S. Wada, H. Chazono, and H. Kishi; **17**(4), 755–759.

Chen, Ang–Dielectric relaxation and microwave dielectric properties of Bi_2O_3–ZnO–Ta_2O_5 ceramics.–Hyuk-Joon Youn, Clive Randall, Ang Chen, Tom Shrout, and Michael T. Lanagan; **17**(6), 1502–1506.

Chen, C.–Stress relaxation of a patterned microstructure on a diaphragm.–D.W. Zheng, X.H. Wang, K. Shyu, C. Chen, C-T. Chang, K.N. Tu, A.K. Mal, and Y.F. Guo; **17**(7), 1795–1802.

Chen, F.–Multilayered structures of $SrNb_{0.1}Ti_{0.9}O_3/La_{0.8}Sr_{0.2}MnO_3/SrTiO_3$ prepared by laser molecular beam epitaxy.–X.L. Ma, H.B. Lu, F. Chen, Z.H. Chen, and G.Z. Yang; **17**(3), 600–608.

Chen, G.L.–Microstructure investigation of rapidly solidified Al–V–Fe alloys.–G. He, C.H. Shek, Joseph K.L. Lai, Z. Bian, X.D. Hui, and G.L. Chen; **17**(4), 814–820.

Chen, Guangming–Intercalation of rhodamine 6G and oxazine 4 into oriented clay films and their alignment.–Guangming Chen, Nobuo Iyi, Ryo Sasai, Taketoshi Fujita, and Kenji Kitamura; **17**(5), 1035–1040.

Chen, Hangrong–Preparation and enhanced off-resonance optical nonlinearities of CdS-capped gold nanoparticles embedded in $BaTiO_3$ thin films.–Yong Yang, Jianlin Shi, Hangrong Chen, Shugang Dai, Weiming Huang, and Ye Liu; **17**(11), 2802–2808.

Chen, J.G.–Synthesis of superhard and elastic carbon nitride films by filtered cathodic vacuum arc combined with radio frequency ion beam source.–Y.H. Cheng, B.K. Tay, S.P. Lau, X. Shi, X.L. Qiao, J.G. Chen, Y.P. Wu, Z.H. Sun, and C.S. Xie; **17**(3), 521–524(L).

Chen, Jian–Reactive wetting of a metal/ceramic system.–Jian Chen, Mingyuan Gu, and Fusheng Pan; **17**(4), 911–917.

Chen, Jing–Fabrication of device-grade separation-by-implantation-of-oxygen materials by optimizing dose-energy match.–Meng Chen, Yuehui Yu, Xi Wang, Xiang Wang, Jing Chen, Xianghua Liu, and Yeming Dong; **17**(7), 1634–1643.

Chen, Kaug-I–Microstructural evolution of Sn–Ag–Cu–Al solder with respect to Al content and heat treatment.–Kwang-Lung Lin, Chih-Chun Hsiao, and Kaug-I Chen; **17**(9), 2386–2393.

Chen, L.D.–Synthesis and thermoelectric properties of *p*-type barium-filled skutterudite $Ba_yFe_xCo_{4-x}Sb_{12}$.–X.F. Tang, L.D. Chen, T. Goto, T. Hirai, and R.Z. Yuan; **17**(11), 2953–2959.

Chen, Liang-Guang–Squeeze casting of SiC_p/Al-alloy composites with various contents of reinforcements.–Liang-Guang Chen, Kung-Hsien Shue, Shou-Yi Chang, and Su-Jien Lin; **17**(2), 376–385.

Chen, M.W.–Nanocrystalline grain structures developed in commercial purity Cu by low-temperature cold rolling.–Y.M. Wang, M.W. Chen, H.W. Sheng, and E. Ma; **17**(12), 3004–3007(L).

Chen, Meng–Fabrication of device-grade separation-by-implantation-of-oxygen materials by optimizing dose-energy match.–Meng Chen, Yuehui Yu, Xi Wang, Xiang Wang, Jing Chen, Xianghua Liu, and Yeming Dong; **17**(7), 1634–1643.

Chen, Miao–Preparation and tribological investigation of thin silicone films.–Weimin Liu, Feng Zhou, Laigui Yu, Miao Chen, Bin Li, and Guohong Zhao; **17**(9), 2357–2362.

Chen, P.–Nitrogen diffusion in the Si growth on GaN by low-pressure chemical vapor deposition.–P. Chen, Y.D. Zheng, S.M. Zhu, D.J. Xi, Z.M. Zhao, S.L. Gu, P. Han, and R. Zhang; **17**(8), 1881–1883(L).

Chen, Rong-Zhi–Interactions between toughening mechanisms: Transformation toughening versus plastic deformation.–Wei-Hsing Tuan and Rong-Zhi Chen; **17**(11), 2921–2928.

Chen, W.T.–Effect of Cu concentration on the interfacial reactions between Ni and Sn–Cu solders.–W.T. Chen, C.E. Ho, and C.R. Kao; **17**(2), 263–266(L).

–Interfacial microstructure evolution between eutectic SnAgCu solder and Al/Ni(V)/Cu thin films.–M. Li, F. Zhang, W.T. Chen, K. Zeng, K.N. Tu, H. Balkan, and P. Elenius; **17**(7), 1612–1621.

Chen, X.H.–High-energy electron irradiation study of relaxor ferroelectric $Pb(Mg_{1/3}Nb_{2/3})O_3$ and $Pb_{1-x}La_x[Mg_{(1+x)/3}Nb_{(2-x)/3}]O_3$ by transmission electron microscopy.–Shu Miao, Jing Zhu, X.W. Zhang, and X.H. Chen; **17**(10), 2615–2620.

Chen, X.M.–Dielectric ceramics with tungsten-bronze structure in the $BaO–Nd_2O_3–TiO_2–Nb_2O_5$ system.–X.H. Zheng and X.M. Chen; **17**(7), 1664–1670.

Chen, X.Y.:–Fabrication of TiNi shape memory alloy thin films by pulsed-laser deposition.–X.Y. Chen, Y.F. Lu, Z.M. Ren, and S. Zhu; **17**(2), 279–283.

Chen, Y.–Different routes to the formation of C54 $TiSi_2$ in the presence of surface and interface molybdenum: A transmission electron microscopy study.–Z-B. Zhang, S-L. Zhang, D-Z. Zhu, H-J. Xu, Y. Chen; **17**(4), 784–789.

–Large-quantity production of high-yield boron nitride nanotubes.–Y. Chen, M. Conway, J.S. Williams, and J. Zou; **17**(8), 1896–1899(L).

Chen, Yin-Lang–Synthesis and properties of lead zirconate titanate thin films via metalorganic chemical vapor deposition.–Chih-Yi Pan, Yin-Lang Chen, and Dah-Shyang Tsai; **17**(6), 1536–1542.

Chen, Yiqing–Hydrothermal preparation of long nanowires of vanadium oxide.–Dengyu Pan, Zhang Shuyuan, Yiqing Chen, and J.G. Hou; **17**(8), 1981–1984.

Chen, Z.H.–Multilayered structures of $SrNb_{0.1}Ti_{0.9}O_3/La_{0.8}Sr_{0.2}MnO_3/SrTiO_3$ prepared by laser molecular beam epitaxy.–X.L. Ma, H.B. Lu, F. Chen, Z.H. Chen, and G.Z. Yang; **17**(3), 600–608.

Chen, Zheng–Bonding of silicon nitride ceramic composites with $Y_2O_3–La_2O_3–Al_2O_3–SiO_2$ mixtures.–Fei Zhou and Zheng Chen; **17**(8), 1969–1972.

Cheng, Chia-Jen–Effects of manganese on microstructure and mechanical properties of A206 alloys containing iron.–Chien-Jung Tseng, Sheng-Long Lee, Sheng-Chuan Tsai, and Chia-Jen Cheng; **17**(9), 2243–2250.

Cheng, D.–Numerical analyses of fluid dynamics of an atomization configuration.–Q. Xu, D. Cheng, G. Trapaga, N. Yang, and E.J. Lavernia; **17**(1), 156–166.

Cheng, H.M.–Boron nitride nanotubes filled with zirconium oxide nanorods.–Z.Q. Shen, L.L. He, E.D. Wu, Y.Y. Fan, J.F. He, H.M. Cheng, D.X. Li, and H.Q. Ye; **17**(11), 2761–2764(L).

Cheng, Hui-Ming–Microwave electromagnetic characteristics of a microcoiled carbon fibers/paraffin wax composite in Ku band.–Jin-Hong Du, Chao Sun, Shuo Bai, Ge Su, Zhe Ying, and Hui-Ming Cheng; **17**(5), 1232–1236.

Cheng, Jiping–Major phase transformations and magnetic property changes caused by electromagnetic fields at microwave frequencies.–Rustum Roy, Ramesh Peelamedu, Craig Grimes, Jiping Cheng, and Dinesh Agrawal; **17**(12), 3008–3011(L).

Cheng, Lap-Tak–Electron field emission from Ar^+ ion-treated thick-film carbon paste.–Gillian A.M. Reynolds, Lap-Tak Cheng, Robert Bouchard, Paul Moffett, Howard Jones, Linda F. Robinson, S. Ismat Shah, and Daniel I. Amey; **17**(10), 259θ–2598.

Cheng, Y.H.–Synthesis of superhard and elastic carbon nitride films by filtered cathodic vacuum arc combined with radio frequency ion beam source.–Y.H. Cheng, B.K. Tay, S.P. Lau, X. Shi, X.L. Qiao, J.G. Chen, Y.P. Wu, Z.H. Sun, and C.S. Xie; **17**(3), 521–524(L).

Cheng, Z.X.–Raman measurement and thermal properties of $SmCa_4O(BO_3)_3$ crystals.–H.R. Xia, G.W. Lu, S.J. Zhang, and Z.X. Cheng; **17**(9), 2465–2470.

Chernov, A.A.–Step bunching in potassium dihydrogen phosphate crystal growth: Phenomenology.–N.A. Booth, A.A. Chernov, and P.G. Vekilov; **17**(8), 2059–2065.

Chien, C.L.–Synthesis and characterization of particle-reinforced Ni/Al_2O_3 nanocomposites.–I. Shao, P.M. Vereecken, C.L. Chien, P.C. Searson, and R.C. Cammarata; **17**(6), 1412–1418.

Chino, Y.–Novel titanium foam for bone tissue engineering.–C.E. Wen, Y. Yamada, K. Shimojima, Y. Chino, H. Hosokawa, and M. Mabuchi; **17**(10), 2633–2639.

–Solid-state recycling from machined scraps to a cellular solid.–Yasumasa Chino, Koji Shimojima, Hiroyuki Hosokawa, Yasuo Yamada, Cui'e Wen, and Mamoru Mabuchi; **17**(11), 2783–2786(L).

Chiu, Hsin-Tien–Nano-sizing titanium into titanium carbide by 1-chlorobutane.–Yu-Hsu Chang and Hsin-Tien Chiu; **17**(11), 2779–2782(L).

Cho, K.S.–Retarded cross-linking in ZnO-low-density polyethylene nanocomposites.–J.I. Hong, K.S. Cho, C.I. Chung, L.S. Schadler, and R.W. Siegel; **17**(5), 940–943(L).

Cho, Young Whan–Monte Carlo simulation of phase separation behavior in a Cu–Co alloy nanoparticle.–Jae-Hyeok Shim, Byeong-Joo Lee, Jae-Pyoung Ahn, Young Whan Cho, and Jong-Ku Park; **17**(5), 925–928(L).

Choe, Sung-Hyu–Optical properties of Ho^{3+}-, Er^{3+}-, and Tm^{3+}-doped $BaIn_2S_4$ and $BaIn_2Se_4$ single crystals.–Sang-An Park, Mi-Yang Kim, Wha-Tek Kim, Moon-Seog Jin, Sung-Hyu Choe, Tae-Young Park, Kwang-Ho Park, and Duck-Tae Kim; **17**(8), 2147–2152.

Choi, H.S.–Epitaxial growth of antiperovskite $GaCMn_3$ film on perovskite $LaAlO_3$ substrate.–H.S. Choi, W.S. Kim, J.C. Kim, and N.H. Hur; **17**(10), 2640–2643.

Choi, Hyun-Ju–Effect of Si_2N_2O content on the microstructure, properties, and erosion of silicon nitride–Si_2N_2O *in situ* composites.–Dong-Soo Park, Hyun-Ju Choi, Byung-Dong Han, Hai-Doo Kim, and Dae-Soon Lim; 17(9), 2275–2280.

Choi, Hyungsoo–Chemical vapor deposition of cobalt using novel cobalt(I) precursors.–Hyungsoo Choi, Sungho Park, and Ho G. Jang; **17**(2), 267–270(L).

–Low-temperature fabrication of high-quality $(Ba,Sr)TiO_3$ films using charged liquid cluster beam method.–Hyungsoo Choi, Sungho Park, Yi Yang, HoChul Kang, Kyekyoon (Kevin) Kim, M.Y. Sung, and Ho G. Jang; **17**(8), 1888–1891(L).

Choi, In-Hoon–Phase evolution of turbostratic boron nitride during the deposition of cubic boron nitride film.–Hong-Suk Kim, In-Hoon Choi, and Young-Joon Baik; **17**(5), 944–947(L).

Choi, Jong-Jin–Preparation and improvement in the electrical properties of lead-zinc-niobate–based ceramics by thermal treatments.–Huiqing Fan, Gun-Tae Park, Jong-Jin Choi, Jungho Ryu, and Hyoun-Ee Kim; **17**(1), 180–185.

Choi, Joon Hwan–Chemical solution deposited GaN films from oxygen- and nitrogen-based precursors.–David Kisailus, Joon Hwan Choi, and F.F. Lange; **17**(10), 2540–2548.

Choi, Kyu-Jeong–Low-temperature crystallization of $SrBi_2Ta_2O_9$ thin films with Bi_2O_3 interfacial layers by liquid-delivery metal-organic chemical vapor deposition.–Woong-Chul Shin, Kyu-Jeong Choi, and Soon-Gil Yoon; **17**(1), 26–30.

Choi, Mansoo–Preparation and characterization of $SiO_2–B_2O_3–P_2O_5$ particles and films generated by flame hydrolysis deposition for planar light-wave circuits.–Hyungsoo Shin, Ji-Hyun Yi, Jong-Gab Baek, and Mansoo Choi; **17**(2), 315–322.

Choi, S.–Orientation imaging studies of Sn-based electronic solder joints.–A.U. Telang, T.R. Bieler, S. Choi, and K.N. Subramanian; **17**(9), 2294–2306.

Choi, Si Kyung–Diffuse dielectric anomaly in MnO_2-doped $Pb_{0.9}La_{0.1}TiO_3$ ceramic in the temperature range of 400–700 °C.–Byung Sung Kang and Si Kyung Choi; **17**(1), 127–132.

Choi, Sung-Churl–Effects of powder bed conditions on the liquid-phase sintering of Si_3N_4.–Sea-Hoon Lee, Georg Rixecker, Fritz Aldinger, Sung-Churl Choi, and Keun-Ho Auh; **17**(2), 465–472.

Choi, W.J.–Morphology, kinetics, and thermodynamics of solid-state aging of eutectic SnPb and Pb-free solders (Sn–3.5Ag, Sn–3.8Ag–0.7Cu and Sn–0.7Cu) on Cu.–T.Y. Lee, W.J. Choi, K.N. Tu, J.W. Jang, S.M. Kuo, J.K. Lin, D.R. Frear, K. Zeng, and J.K. Kivilahti; **17**(2), 291–301.

Choi, Won Kyoung–Interfacial microstructure and joint strength of Sn–3.5Ag–X (X = Cu, In, Ni) solder joint.–Won Kyoung Choi, Jong Hoon Kim, Sang Won Jeong, and Hyuck Mo Lee; **17**(1), 43–51.

–Grain morphology of intermetallic compounds at solder joints.–Won Kyoung Choi, Se-Young Jang, Jong Hoon Kim, Kyung-Wook Paik, and Hyuck Mo Lee; **17**(3), 597–599.

Choi, Won-Kyoung–Ag_3Sn plate formation in the solidification of near ternary eutectic Sn–Ag–Cu alloys.–Donald W. Henderson, Timothy Gosselin, Amit Sarkhel, Sung K. Kang, Won-Kyoung Choi, Da-Yuan Shih, Charles Goldsmith, and Karl J. Puttlitz; **17**(11), 2775–2778(L).

Choi, Yong Gyu–Tb L_3-edge x-ray absorption near-edge structure spectroscopic analysis of terbium-doped phosphor compounds for plasma display panel applications.–Yong Gyu Choi, Kee-Sun Sohn, Kyong Hon Kim, and Hee Dong Park; **17**(1), 31–35.

Chou, K.F.–Effect of buffer on the optical properties of irradiated hydroxyethyl methacrylate copolymer.–K.F. Chou, C.C. Han, and Sanboh Lee; **17**(5), 1199–1207.

Chou, Y.T.–Decomposition and thermodynamic property of metastable Fe–Zn solid solutions produced by mechanical alloying.–F. Zhou, Y.T. Chou, and E.J. Lavernia; **17**(12), 3230–3236.

Chou, Ye T.–Effect of silver on superplastic deformation in $YBa_2Cu_3O_{7-x}$/Ag composites.–Jondo Yun, Ye T. Chou, and Martin P. Harmer; **17**(5), 1172–1177.

Chow, Y.T.–Growth and characterization of series $Nd:Gd_xLa_{1-x}VO_4$ (x = 0.80, 0.60, 0.45) crystals.–Huaijin Zhang, Changqing Wang, Li Zhu, Xuesong Liu, Guanghui Zhang, Wentao Yu, Xianlin Meng, and Y.T. Chow; **17**(3), 556–562.

Choy, C.L.–Characterization of $(0.4)Pb_2(In,Nb)O_6$:$(0.6)Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ceramics.–K.Z. Baba-kishi, C.W. Tai, J. Wang, C.L. Choy, H.L.W. Chan, and A.S. Bhalla; **17**(2), 438–444.

Christen, D.K.–Chemical solution deposition of lanthanum zirconate buffer layers on biaxially textured Ni–1.7% Fe–3% W alloy substrates for coated-conductor fabrication.–S. Sathyamurthy, M. Paranthaman, T. Aytug, B.W. Kang, P.M. Martin, A. Goyal, D.M. Kroeger, and D.K. Christen; **17**(6), 1543–1549.

–Single buffer layers of $LaMnO_3$ or $La_{0.7}Sr_{0.3}MnO_3$ for the development of $YBa_2Cu_3O_{7-\delta}$-coated conductors: A comparative study.–T. Aytug, M. Paranthaman, H.Y. Zhai, H.M. Christen, S. Sathyamurthy, D.K. Christen, and R.E. Ericson; **17**(9), 2193–2196(L).

–Quantification and control of the sulfur $c(2 \times 2)$ superstructure on {100}⟨100⟩ Ni for optimization of YSZ, CeO_2, and $SrTiO_3$ seed layer texture.–C. Cantoni, D.K. Christen, L. Heatherly, M.M. Kowalewski, F.A. List, A. Goyal, G.W. Ownby, D.M. Zehner, B.W. Kang, and D.M. Kroeger; **17**(10), 2549–2554.

Christen, H.M.–Lanthanum zirconate: A single buffer layer processed by solution deposition for coated conductor fabrication.–S. Sathyamurthy, M. Paranthaman, H-Y. Zhai, H.M. Christen, P.M. Martin, and A. Goyal; **17**(9), 2181–2184(L).

–Single buffer layers of $LaMnO_3$ or $La_{0.7}Sr_{0.3}MnO_3$ for the development of $YBa_2Cu_3O_{7-\delta}$-coated conductors: A comparative study.–T. Aytug, M. Paranthaman, H.Y. Zhai, H.M. Christen, S. Sathyamurthy, D.K. Christen, and R.E. Ericson; **17**(9), 2193–2196(L).

Chum, C.C.–Influence of substrate metallization on diffusion and reaction at the under-bump metallization/solder interface in flip-chip packages.–F. Zhang, M. Li, C.C. Chum, and K.N. Tu; **17**(11), 2757–2760(L).

Chung, C.I.–Retarded cross-linking in ZnO-low-density polyethylene nanocomposites.–J.I. Hong, K.S. Cho, C.I. Chung, L.S. Schadler, and R.W. Siegel; **17**(5), 940–943(L).

Chung, K.S.–Dependence of the Au/Ni/Si/Ni contact properties on the Si-layer thickness and the annealing temperature in p-type GaN epilayers.–S.J. Yang, T.W. Kang, T.W. Kim, and K.S. Chung; **17**(5), 1019–1023.

Chung, Tai-Joo–Residual stresses in functionally graded plates.–Achim Neubrand, Tai-Joo Chung, Jürgen Rödel, Eric D. Steffler, and Theo Fett; **17**(11), 2912–2920.

Ciardullo, Daniel–Preparation and microstructure evolution of both freestanding and supported TiO_2 thin films.–Chen-Lung Fan, Daniel Ciardullo, Jay Paladino, and Wayne Huebner; **17**(6), 1520–1528.

Cirakoglu, M.–Processing and characterization of Ti–B-based functionally graded materials produced by microwave-activated combustion synthesis.–M. Cirakoglu, S. Bhaduri, and S.B. Bhaduri; **17**(11), 2823–2830.

Clayton, L.–Effects of gamma radiation on poly(methyl methacrylate)/single-wall nanotube composites.–P.A. O'Rourke Muisener, L. Clayton, J. D'Angelo, J.P. Harmon, A.K. Sikder, A. Kumar, A.M. Cassell, and M. Meyyappan; **17**(10), 2507–2513.

Clegg, W.J.–Porous reaction-sintered AlN tapes for high-performance microelectronics application.–F.Y.C. Boey, A.I.Y. Tok, and W.J. Clegg; **17**(2), 306–314.

Clem, P.G.–Lanthanide series doping effects in lead zirconate titanate (PLnZT) thin films.–Timothy J. Boyle, Paul G. Clem, Bruce A. Tuttle, Geoffrey L. Brennecka, Jeffrey T. Dawley, Mark A. Rodriguez, Timothy D. Dunbar, and William F. Hammetter; **17**(4), 871–878.

–Chemical solution deposition of <100>-oriented $SrTiO_3$ buffer layers on Ni substrates.–J.T. Dawley, R.J. Ong, and P.G. Clem; **17**(7), 1678–1685.

–Improving sol-gel $YBa_2Cu_3O_{7-\delta}$ film morphology using high-boiling-point solvents.–J.T. Dawley, P.G. Clem, M.P. Siegal, D.R. Tallant, and D.L. Overmyer; **17**(8), 1900–1903(L).

Cleri, Fabrizio–Multiphase microstructure evolution model including dislocation plasticity.–Fabrizio Cleri and Gregorio D'Agostino; **17**(8), 1932–1940.

Cocco, Giorgio–Combustion synthesis of mechanically activated powders in the Nb–Si system.–Filippo Maglia, Chiara Milanese, Umberto Anselmi-Tamburini, Stefania Doppiu, Giorgio Cocco; **17**(8), 1992–1999.

Cole, M.W.–Large cryogenic storage of hydrogen in carbon nanotubes at low pressures.–B.K. Pradhan, A.R. Harutyunyan, D. Stojkovic, J.C. Grossman, P. Zhang, M.W. Cole, V. Crespi, H. Goto, J. Fujiwara, and P.C. Eklund; **17**(9), 2209–2216.

Compton, W. Dale–Low-cost manufacturing process for nanostructured metals and alloys.–Travis L. Brown, Srinivasan Swaminathan, Srinivasan Chandrasekar, W. Dale Compton, Alexander H. King, and Kevin P. Trumble; **17**(10), 2484–2488(L).

Conway, M.–Large-quantity production of high-yield boron nitride nanotubes.–Y. Chen, M. Conway, J.S. Williams, and J. Zou; **17**(8), 1896–1899(L).

Cook, Robert F.–Simplified area function for sharp indenter tips in depth-sensing indentation.–Jeremy Thurn and Robert F. Cook; **17**(5), 1143–1146.

–Depth-sensing indentation at macroscopic dimensions.–Jeremy Thurn, Dylan J. Morris, and Robert F. Cook; **17**(10), 2679–2690.

Corregidor, V.–Identification of Cl and Na impurities in inclusions of a vapor-grown CdTe doped with Zn and Cl.–V. Corregidor, V. Babentsov, M. Fiederle, T. Feltgen, K. Benz, and E. Dieguez; **17**(5), 1069–1073.

–Characterization of CdTe:Zn:V crystals grown under microgravity conditions.–V. Corregidor, V. Babentsov, J.L. Castaño, M. Fiederle, T. Feltgen, K. Benz, and E. Dieguez; **17**(12), 3037–3041.

Costanzo, Thomas di–Nickel–alumina nanocomposite powders prepared by novel *in situ* chemical reduction.–Zheng-Ren Huang, Dongliang Jiang, Daniel Michel, Léo Mazerolles, Alain Ferrand, Thomas di Costanzo, and Jean-Louis Vignes; **17**(12), 3177–3181.

Cote, Linda J.–Continuous hydrothermal synthesis and crystallization of magnetic oxide nanoparticles.–Linda J. Cote, Amyn S. Teja, Angus P. Wilkinson, and Z. John Zhang; **17**(9), 2410–2416.

Coulter, J.Y.–Characterization of superconducting $SmBa_2Cu_3O_7$ films grown by pulsed laser deposition.–Q.X. Jia, S.R. Foltyn, J.Y. Coulter, J.F. Smith, and M.P. Maley; **17**(10), 2599–2603.

Coutts, Rachel–Phase equilibria and dielectric properties in perovskite-like $(1-x)LaCa_{0.5}Zr_{0.5}O_3$–$xATiO_3$ (A = Ca, Sr) ceramics.–Igor Levin, Terrell A. Vanderah, Rachel Coutts, and Steven M. Bell; **17**(7), 1729–1734.

Craciun, V.–Improved magnetic properties of self-assembled epitaxial nickel nanocrystallites in thin-film ceramic matrix.–D. Kumar, H. Zhou, T.K. Nath, Alex V. Kvit, J. Narayan, V. Craciun, and Rajiv K. Singh; **17**(4), 738–742.

Crespi, V.–Large cryogenic storage of hydrogen in carbon nanotubes at low pressures.–B.K. Pradhan, A.R. Harutyunyan, D. Stojkovic, J.C. Grossman, P. Zhang, M.W. Cole, V. Crespi, H. Goto, J. Fujiwara, and P.C. Eklund; **17**(9), 2209–2216.

Criado, J.M.–Combustion synthesis of TiN induced by high-energy ball milling of Ti under nitrogen atmosphere.–F.J. Gotor, M.D. Alcalá, C. Real, and J.M. Criado; **17**(7), 1655–1663.

D

D'Agostino, Gregorio–Multiphase microstructure evolution model including dislocation plasticity.–Fabrizio Cleri and Gregorio D'Agostino; **17**(8), 1932–1940.

D'Angelo, J.–Effects of gamma radiation on poly(methyl methacrylate)/single-wall nanotube composites.–P.A. O'Rourke Muisener, L. Clayton, J. D'Angelo, J.P. Harmon, A.K. Sikder, A. Kumar, A.M. Cassell, and M. Meyyappan; **17**(10), 2507–2513.

Daemen, L.L.–Superhard B–C–N materials synthesized in nanostructured bulks.–Y. Zhao, D.W. He, L.L. Daemen, T.D. Shen, R.B. Schwarz, Y. Zhu, D.L. Bish, J. Huang, J. Zhang, G. Shen, J. Qian, and T.W. Zerda; **17**(12), 3139–3145.

Dahlborg, U.–Synthesis of $Cu_{47}Ti_{34}Zr_{11}Ni_8$ bulk metallic glass by warm extrusion of gas atomized powders.–D.J. Sordelet, E. Rozhkova, P. Huang, P.B. Wheelock, M.F. Besser, M.J. Kramer, M. Calvo-Dahlborg, and U. Dahlborg; **17**(1), 186–198.

Dai, Shugang–Preparation and enhanced off-resonance optical nonlinearities of CdS-capped gold nanoparticles embedded in $BaTiO_3$ thin films.–Yong Yang, Jianlin Shi, Hangrong Chen, Shugang Dai, Weiming Huang, and Ye Liu; **17**(11), 2802–2808.

Dai, Steve X.–Sintering of a crystallizable K_2O–CaO–SrO–BaO–B_2O_3–SiO_2 glass with titania present.–Jau-Ho Jean, Yu-Ching Fang, Steve X. Dai, David L. Wilcox, Sr.; **17**(7), 1772–1778.

Damjanovic, Dragan–Piezoelectric properties of $SrBi_4Ti_4O_{15}$ ferroelectric ceramics.–Marlyse Demartin Maeder, Dragan Damjanovic, Cyril Voisard, and Nava Setter; **17**(6), 1376–1384.

Dannenberg, Rand–Nitrogen effects on crystallization kinetics of amorphous TiO_xN_y thin films.–Kyle Hukari, Rand Dannenberg, and E.A. Stach; **17**(3), 550–555.

Danyluk, Steven–Study of stresses in thin silicon wafers with near-infrared phase stepping photoelasticity.–Tieyu Zheng and Steven Danyluk; **17**(1), 36–42.

Das, S.–Microstructure evolution during sintering of self-propagating high-temperature synthesis produced ZrB_2 powder.–S.K. Mishra, S. Das, and P. Ramchandrarao; **17**(11), 2809–2814.

Dauskardt, R.H.–Subcritical crack growth in single-crystal silicon using micromachined specimens.–A.M. Fitzgerald, R.S. Iyer, R.H. Dauskardt, and T.W. Kenny; **17**(3), 683–692.

–Characterization of free volume in a bulk metallic glass using positron annihilation spectroscopy.–K.M. Flores, D. Suh, R.H. Dauskardt, P. Asoka-Kumar, P.A. Sterne, and R.H. Howell; **17**(5), 1153–1161.

–Mechanical relaxation time scales in a Zr–Ti–Ni–Cu–Be bulk metallic glass.–Daewoong Suh and Reinhold H. Dauskardt; **17**(6), 1254–1257(L).

Davis, Patrick S.–Rapid prototyping of micropatterned substrates using conventional laser printers.–Michael L. Branham, Roger Tran-Son-Tay, Christopher Schoonover, Patrick S. Davis, Susan D. Allen, and Wei Shyy; **17**(7), 1559–1562(L).

Dawley, J.T.–Lanthanide series doping effects in lead zirconate titanate (PLnZT) thin films.–Timothy J. Boyle, Paul G. Clem, Bruce A. Tuttle, Geoffrey L. Brennecka, Jeffrey T. Dawley, Mark A. Rodriguez, Timothy D. Dunbar, and William F. Hammetter; **17**(4), 871–878.

–Chemical solution deposition of <100>-oriented $SrTiO_3$ buffer layers on Ni substrates.–J.T. Dawley, R.J. Ong, and P.G. Clem; **17**(7), 1678–1685.

–Improving sol-gel $YBa_2Cu_3O_{7-\delta}$ film morphology using high-boiling-point solvents.–J.T. Dawley, P.G. Clem, M.P. Siegal, D.R. Tallant, and D.L. Overmyer; **17**(8), 1900–1903(L).

De Castro, Claudio L.–The use of polymeric milling media in the reduction of contamination during mechanical attrition.–Claudio L. De Castro and Brian S. Mitchell; **17**(12), 2997–2999(L).

Deen, G. Roshan–Preparation and luminescence properties of neodymium(III) oxide nanocrystals dispersed in sol-gel titania/(γ-glycidoxypropyl)trimethoxysilane composite thin films.–Wenxiu Que, X. Hu, L.H. Gan, and G. Roshan Deen; **17**(6), 1399–1405.

Delgado, Marisol A.–Solid-state ^{27}Al nuclear magnetic resonance investigation of plasma-facilitated NO_x reduction catalysts.–Li-Qiong Wang, Christopher L. Aardahl, Kenneth G. Rappé, Diana N. Tran, Marisol A. Delgado, and Craig F. Habeger; **17**(7), 1843–1848.

Delhaès, P.–Catalytic effects on carbon/carbon composites fabricated by a film boiling chemical vapor infiltration process.–H. Okuno, M. Trinquecoste, A. Derré, M. Monthioux, P. Delhaès; **17**(8), 1904–1913.

Della Sala, D.–*In situ* laser recrystallization of Si layers during low-pressure chemical vapor deposition: Recrystallization dynamics and influence of the seed layer.–D. Della Sala, A. Santoni, L. Fornarini, J. Lancok, S. Loreti, I. Menicucci, and C. Minarini; **17**(11), 2966–2973.

Deng, Feng–Synthesis of phenyl-MSU-1 and bi-functionalized silica mesophases.–Yan Jun Gong, Zhi Hong Li, Dong Wu, Yu Han Sun, Feng Deng, Qing Luo, and Yong Yue; **17**(2), 431–437.

Deng, Yan–Overview: Damage in brittle layer structures from concentrated loads.–Brian R. Lawn, Yan Deng, Pedro Miranda, Antonia Pajares, Herzl Chai, and Do Kyung Kim; **17**(12), 3019–3036(R).

Derré, A.–Catalytic effects on carbon/carbon composites fabricated by a film boiling chemical vapor infiltration process.–H. Okuno, M. Trinquecoste, A. Derré, M. Monthioux, and P. Delhaès; **17**(8), 1904–1913.

Devi, P. Sujatha–Single-step deposition of Eu-doped Y_2O_3 phosphor coatings through a precursor plasma spraying technique.–P. Sujatha Devi, Joshua Margolis, John B. Parise, Clare P. Grey, Sanjay Sampath, Herbert Herman, and Harry D. Gafney; **17**(11), 2771–2774(L).

–Comparison of citrate–nitrate gel combustion and precursor plasma spray processes for the synthesis of yttrium aluminum garnet.–P. Sujatha Devi, Yongjae Lee, Joshua Margolis, John B. Parise, Sanjay Sampath, Herbert Herman, and Jonathan C. Hanson; **17**(11), 2846–2851.

Dhabal, S.–X-ray photoelectron spectroscopic studies on nanoquasicrystalline powders of $Al_{70}Cu_{20}Fe_{10}$ obtained by mechanical alloying.–P. Barua, V. Srinivas, S. Dhabal, and T.B. Ghosh; **17**(8), 1892–1895(L).

Dhalenne, G.–Solid-solution directionally solidified eutectic oxide composites: Part I. Eutectic growth and characterization.–L.N. Brewer, V.P. Dravid, G. Dhalenne, and M. Velázquez; **17**(4), 760–767.

Dharmasena, K.P.–Electrical conductivity of open-cell metal foams.–K.P. Dharmasena and H.N.G. Wadley; **17**(3), 625–631.

DiAntonio, Chris B.–Development of conductivity in low conversion temperature silver pastes via addition of nanoparticles.–Nelson B. Bell, Chris B. DiAntonio, and Duane B. Dimos; **17**(9), 2423–2432.

Dias, A.–Magnetic patterns in hydrothermal ferrites by magnetic force microscopy.–A. Dias, J.M.C. Vilela, and M.S. Andrade; **17**(6), 1251–1253(L).

Díaz, F.–Growth of $KTiOPO_4$ films on $KTi_{1-x}Ge_xOPO_4$ substrates by liquid-phase epitaxy.–R. Solé, V. Nikolov, A. Vilalta, J.J. Carvajal, J. Massons, Jna. Gavaldà, M. Aguiló, and F. Díaz; **17**(3), 563–569.

Dickey, Elizabeth C.–Highly ordered nanoporous alumina films: Effect of pore size and uniformity on sensing performance.–Oomman K. Varghese, Dawei Gong, Maggie Paulose, Keat G. Ong, Craig A. Grimes, and Elizabeth C. Dickey; **17**(5), 1162–1171.

Dieguez, E.–Identification of Cl and Na impurities in inclusions of a vapor-grown CdTe doped with Zn and Cl.–V. Corregidor, V. Babentsov, M. Fiederle, T. Feltgen, K. Benz, and E. Dieguez; **17**(5), 1069–1073.

–Characterization of CdTe:Zn:V crystals grown under microgravity conditions.–V. Corregidor, V. Babentsov, J.L. Castaño, M. Fiederle, T. Feltgen, K. Benz, and E. Dieguez; **17**(12), 3037–3041.

Dimos, Duane B.–Development of conductivity in low conversion temperature silver pastes via addition of nanoparticles.–Nelson B. Bell, Chris B. DiAntonio, and Duane B. Dimos; **17**(9), 2423–2432.

Doi, Toshiya–Thermal stability of nanometer-sized NiO and Sm-doped ceria powders.–Yoshihiro Okawa, Toshitatsu Matsumoto, Toshiya Doi, and Yoshihiro Hirata; **17**(9), 2266–2274.

Doll, Gary L.–Relationships between the thermal stability, friction, and wear properties of reactively sputtered Si–aC:H thin films.–Ryan D. Evans, Gary L. Doll, and Jeffrey T. Glass; **17**(11), 2888–2896.

Dong, Xing-De–Preparation and properties of novel aerodynamic pressure-sensitive paint via the sol-gel method.–Feng-Zhi Jiang, Ren Xu, Duo-Yuan Wang, Xing-De Dong, Gui-Chun Li, Dao-Ben Zhu, and Lei Jiang; **17**(6), 1312–1319.

Dong, Yeming–Fabrication of device-grade separation-by-implantation-of-oxygen materials by optimizing dose-energy match.–Meng Chen, Yuehui Yu, Xi Wang, Xiang Wang, Jing Chen, Xianghua Liu, and Yeming Dong; **17**(7), 1634–1643.

Doppiu, Stefania–Combustion synthesis of mechanically activated powders in the Nb–Si system.–Filippo Maglia, Chiara Milanese, Umberto Anselmi-Tamburini, Stefania Doppiu, and Giorgio Cocco; **17**(8), 1992–1999.

Dorfman, L.P.–Synthesis and hydrogen reduction of tungsten–copper composite oxides.–L.P. Dorfman, D.L. Houck, M.J. Scheithauer, and T.A. Frisk; **17**(4), 821–830.

–Consolidation of tungsten-coated copper composite powder.–L.P. Dorfman, D.L. Houck, and M.J. Scheithauer; **17**(8), 2075–2084.

Dougherty, G.M.–Processing and morphology of permeable polycrystalline silicon thin films.–G.M. Dougherty, A.P. Pisano, and T. Sands; **17**(9), 2235–2242.

Dravid, V.P.–Solid-solution directionally solidified eutectic oxide composites: Part I. Eutectic growth and characterization.–L.N. Brewer, V.P. Dravid, G. Dhalenne, and M. Velázquez; **17**(4), 760–767.

–Solid solution directionally solidified eutectic oxide composites: Part II. $Co_{1-x}Ni_xO$ single-crystal growth and characterization.–L.N. Brewer, V.P. Dravid, M. Velázquez, and A. Revcolevschi; **17**(4), 768–773.

Drofenik, Miha–Positive temperature coefficient of resistivity effect in Pb-doped $KNbO_3$.–Irena Pribošič, Darko Makovec, and Miha Drofenik; **17**(12), 2989–2992(L).

Droopad, R.–Study of microstructure in $SrTiO_3$/Si by high-resolution transmission electron microscopy.–G.Y. Yang, J.M. Finder, J. Wang, Z.L. Wang, Z. Yu, J. Ramdani, R. Droopad, K.W. Eisenbeiser, and R. Ramesh; **17**(1), 204–213.

Du, Jin-Hong–Microwave electromagnetic characteristics of a micro-coiled carbon fibers/paraffin wax composite in Ku band.–Jin-Hong Du, Chao Sun, Shuo Bai, Ge Su, Zhe Ying, and Hui-Ming Cheng; **17**(5), 1232–1236.

Du, X.H.–Superplasticity in NiAl and NiAl-based alloys.–J.T. Guo, X.H. Du, L.Z. Zhou, B.D. Zhou, Y.H. Qi, and G.S. Li; **17**(9), 2346–2356.

Dunbar, Timothy D.–Lanthanide series doping effects in lead zirconate titanate (PLnZT) thin films.–Timothy J. Boyle, Paul G. Clem, Bruce A. Tuttle, Geoffrey L. Brennecka, Jeffrey T. Dawley, Mark A. Rodriguez, Timothy D. Dunbar, and William F. Hammetter; **17**(4), 871–878.

Dunn, Bruce–Micromachining of mesoporous oxide films for microelectromechanical system structures.–Jong-Ah Paik, Shih-Kang Fan, Chang-Jin Kim, Ming C. Wu, Bruce Dunn; **17**(8), 2121–2129.

Duran, Cihangir–Dielectric and piezoelectric properties of textured $Sr_{0.53}Ba_{0.47}Nb_2O_6$ ceramics prepared by templated grain growth.–Cihangir Duran, Susan Trolier-McKinstry, and Gary L. Messing; **17**(9), 2399–2409.[a]

Duvail, J-L.–Electrodeposition of Fe–Co alloys into nanoporous *p*-type silicon: Influence of the electrolyte composition.–F. Hamadache, J-L. Duvail, V. Scheuren, L. Piraux, C. Poleunis, P. Bertrand, and M.S. Belkaïd; **17**(5), 1074–1084.

E

Eckert, D.–Magnetic properties of undoped and Co-doped *n*-type β–$FeSi_{2.5}$ single crystals.–E. Arushanov, L. Ivanenko, D. Eckert, G. Behr, U.K. Rößler, K-H. Müller, C. Schneider, and J. Schumann; **17**(11), 2960–2965.

Eckert, J.–Enhanced plasticity in a Ti-based bulk metallic glass-forming alloy by *in situ* formation of a composite microstructure.–G. He, W. Löser, J. Eckert, and L. Schultz; **17**(12), 3015–3018(L).

Edirisinghe, M.J.–Deposition of fine silicon carbide relics by electrostatic atomization of a polymeric precursor.–D.A. Grigoriev, M.J. Edirisinghe, and X. Bao; **17**(2), 487–491.

Edleman, Nikki L.–Growth, microstructure, charge transport, and transparency of random polycrystalline and heteroepitaxial metal-organic chemical vapor deposition-derived gallium–indium–oxide thin films.–Anchuan Wang, Nikki L. Edleman, Jason R. Babcock, Tobin J. Marks, Melissa A. Lane, Paul R. Brazis, and Carl R. Kannewurf; **17**(12), 3155–3162.

Eisenbeiser, K.W.–Study of microstructure in $SrTiO_3$/Si by high-resolution transmission electron microscopy.–G.Y. Yang, J.M. Finder, J. Wang, Z.L. Wang, Z. Yu, J. Ramdani, R. Droopad, K.W. Eisenbeiser, and R. Ramesh; **17**(1), 204–213.

Ekerdt, J.G.–Adhesion of Cu and low-k dielectric thin films with tungsten carbide.–A.M. Lemonds, K. Kershen, J. Bennett, K. Pfeifer, Y-M. Sun, J.M. White, and J.G. Ekerdt; **17**(6), 1320–1328.

Eklund, P.C.–Large cryogenic storage of hydrogen in carbon nanotubes at low pressures.–B.K. Pradhan, A.R. Harutyunyan, D. Stojkovic, J.C. Grossman, P. Zhang, M.W. Cole, V. Crespi, H. Goto, J. Fujiwara, and P.C. Eklund; **17**(9), 2209–2216.

[a]The correct version of this article appears in the January 2003 issue.

El-Eskandarany, M. Sherif–Mechanically induced solid-state reaction for synthesizing glassy $Co_{75}Ti_{25}$ soft magnet alloy powders with a wide supercooled liquid region.–M. Sherif El-Eskandarany, Wei Zhang, and A. Inoue; **17**(9), 2447–2456.

El-Katatny, Ezzat A.–Surface and bulk properties of alumina recovered under various conditions from aluminum dross tailings chemical waste versus bauxite ore.–Ezzat A. El-Katatny, Samih A. Halawy, Mohamed A. Mohamed, and Mohamed I. Zaki; **17**(7), 1721–1728.

El Khakani, M.A.–Carbon nanotubular structures synthesis by means of ultraviolet laser ablation.–N. Braidy, M.A. El Khakani, and G.A. Botton; **17**(9), 2189–2192(L).

Elefant, Dieter–Influence of hole carrier density and sintering temperature on the electronic properties of magnetoresistive $La_{0.7}Pb_{0.3}Mn_{1-x}Ru_xO_3$ ($0.0 \leq x \leq 0.4$).–Ranjan Kumar Sahu, Manju Lato Rao, Solomon Sundar Manoharan, Dieter Elefant, Peter Verges, A. Gueth, and Claus M. Schneider; **17**(12), 3090–3097.

Elenius, P.–Interfacial microstructure evolution between eutectic SnAgCu solder and Al/Ni(V)/Cu thin films.–M. Li, F. Zhang, W.T. Chen, K. Zeng, K.N. Tu, H. Balkan, and P. Elenius; **17**(7), 1612–1621.

Endo, Takanori–Microstructure and orientation of iron crystals by thermal chemical vapor deposition with imposition of magnetic field.–Noboru Yoshikawa, Takanori Endo, Shoji Taniguchi, Satoshi Awaji, Kazuo Watanabe, and Eiji Aoyagi; **17**(11), 2865–2874.

Endrino, Jose L.–Nanostructure and mechanical properties of WC–SiC thin films.–Jose L. Endrino and James E. Krzanowski; **17**(12), 3163–3167.

Engelmark, F.–Reactive sputter deposition of highly oriented AlN films at room temperature.–G.F. Iriarte, F. Engelmark, and I.V. Katardjiev; **17**(6), 1469–1475.

Ennas, G.–Iron and iron-oxide on silica nanocomposites prepared by the sol-gel method.–G. Ennas, M.F. Casula, G. Piccaluga, S. Solinas, M.P. Morales, and C.J. Serna; **17**(3), 590–596.

Enomoto, Takehiro–Nanocrystalline SnO_2 particles and twofold-coordinated Sn defect centers in sol-gel-derived SnO_2–SiO_2 glasses.–Tomokatsu Hayakawa, Takehiro Enomoto, and Masayuki Nogami; **17**(6), 1305–1311.

Eom, C.B.–Oxidation of *c*-axis-oriented epitaxial $YBa_2Cu_3O_{7-\delta}$ thin films in ozone-containing atmospheres.–B.J. Gibbons, C.B. Eom, R.A. Rao, S. Trolier-McKinstry, and D.G. Schlom; **17**(4), 884–889.

Ericson, R.E.–Single buffer layers of $LaMnO_3$ or $La_{0.7}Sr_{0.3}MnO_3$ for the development of $YBa_2Cu_3O_{7-\delta}$-coated conductors: A comparative study.–T. Aytug, M. Paranthaman, H.Y. Zhai, H.M. Christen, S. Sathyamurthy, D.K. Christen, and R.E. Ericson; **17**(9), 2193–2196(L).

Esener, S.C.–Selective DNA attachment of micro- and nanoscale particles to substrates.–D.M. Hartmann, M. Heller, S.C. Esener, D. Schwartz, and G. Tu; **17**(2), 473–478.

Espinosa-Gangas, J.–Kinetics of subsurface hydrogen adsorbed on niobium: Thermal desorption studies.–A.L. Cabrera, J. Espinosa-Gangas, Johan Jonsson-Akerman, and Ivan K. Schuller; **17**(10), 2698–2704.

Eto, Toyonori–Redox equilibrium and spectral hole burning in Sm^{2+}-doped Al_2O_3–SiO_2 glasses.–Masayuki Nogami, Toyonori Eto, Kazuhiro Suzuki, and Tomokatsu Hayakawa; **17**(8), 2053–2058.

Evans, Edward A.–Poly(meta-phenylene isophthalamide) nanofibers: Coating and post processing.–Wenxia Liu, Matthew Graham, Edward A. Evans, and Darrell H. Reneker; **17**(12), 3206–3212.

Evans, Ryan D.–Relationships between the thermal stability, friction, and wear properties of reactively sputtered Si–aC:H thin films.–Ryan D. Evans, Gary L. Doll, and Jeffrey T. Glass; **17**(11), 2888–2896.

F

Fan, Chen-Lung–Preparation and microstructure evolution of both freestanding and supported TiO_2 thin films.–Chen-Lung Fan, Daniel Ciardullo, Jay Paladino, and Wayne Huebner; **17**(6), 1520–1528.

Fan, Huiqing–Preparation and improvement in the electrical properties of lead-zinc-niobate–based ceramics by thermal treatments.–Huiqing Fan, Gun-Tae Park, Jong-Jin Choi, Jungho Ryu, and Hyoun-Ee Kim; **17**(1), 180–185.

Fan, Q.H.–Novel time-modulated chemical vapor deposition process for growing diamond films.–Q.H. Fan, N. Ali, Y. Kousar, W. Ahmed, and J. Gracio; **17**(7), 1563–1566(L).

Fan, Shih-Kang–Micromachining of mesoporous oxide films for microelectromechanical system structures.–Jong-Ah Paik, Shih-Kang Fan, Chang-Jin Kim, Ming C. Wu, and Bruce Dunn; **17**(8), 2121–2129.

Fan, Xiaowu–Surface structural characterization and mechanical testing by nanoindentation measurements of hybrid polymer/clay nanostructured multilayer films.–Xiaowu Fan, Mi-kyoung Park, Chuanjun Xia, and Rigoberto Advincula; **17**(7), 1622–1633.

Fan, Y.Y.–Boron nitride nanotubes filled with zirconium oxide nanorods.–Z.Q. Shen, L.L. He, E.D. Wu, Y.Y. Fan, J.F. He, H.M. Cheng, D.X. Li, and H.Q. Ye; **17**(11), 2761–2764(L).

Fang, Yu-Ching–Sintering of a crystallizable K_2O–CaO–SrO–BaO–B_2O_3–SiO_2 glass with titania present.–Jau-Ho Jean, Yu-Ching Fang, Steve X. Dai, David L. Wilcox, Sr.; **17**(7), 1772–1778.

Feltgen, T.–Identification of Cl and Na impurities in inclusions of a vapor-grown CdTe doped with Zn and Cl.–V. Corregidor, V. Babentsov, M. Fiederle, T. Feltgen, K. Benz, and E. Dieguez; **17**(5), 1069–1073.

–Characterization of CdTe:Zn:V crystals grown under microgravity conditions.–V. Corregidor, V. Babentsov, J.L. Castaño, M. Fiederle, T. Feltgen, K. Benz, and E. Dieguez; **17**(12), 3037–3041.

Feng, G.–Effects of creep and thermal drift on modulus measurement using depth-sensing indentation.–G. Feng and A.H.W. Ngan; **17**(3), 660–668.

Feng, Wei–Novel hybrid inorganic–organic film based on the tungstophosphate acid–polyacrylamide system: Photochromic behavior and mechanism.–Wei Feng, Tie Rui Zhang, Yan Liu, Li Wei, Ran Lu, Tie Jin Li, Ying Ying Zhao, and Jian Nian Yao; **17**(1), 133–136.

Feng, Z.C.–Pressure distribution during binder burnout in three-dimensional porous ceramic bodies with anisotropic permeability.–Stephen J. Lombardo and Z.C. Feng; **17**(6), 1434–1440.

Ferrand, Alain–Nickel–alumina nanocomposite powders prepared by novel *in situ* chemical reduction.–Zheng-Ren Huang, Dongliang Jiang, Daniel Michel, Léo Mazerolles, Alain Ferrand, Thomas di Costanzo, and Jean-Louis Vignes; **17**(12), 3177–3181.

Ferreira, J.M.F.–Reactions at the interface between Al_2O_3–SiO_2 ceramics with additives of alkaline-earth oxides and liquid Al–Si alloy.–M. Oliveira, S. Agathopoulos, and J.M.F. Ferreira; **17**(3), 641–647.

–Hydrothermal synthesis of well-dispersed TiO_2 nano-crystals.–Juan Yang, Sen Mei, and José M.F. Ferreira; **17**(9), 2197–2200(L).

Ferreira, V.M.–Crystal structure of dielectric ceramics in the $La(Mg_{0.5}Ti_{0.5})O_3$–$BaTiO_3$ system.–M. Avdeev, M.P. Seabra, and V.M. Ferreira; **17**(5), 1112–1117.

Fett, Theo–Residual stresses in functionally graded plates.–Achim Neubrand, Tai-Joo Chung, Jürgen Rödel, Eric D. Steffler, Theo Fett; **17**(11), 2912–2920.

Fiederle, M.–Identification of Cl and Na impurities in inclusions of a vapor-grown CdTe doped with Zn and Cl.–V. Corregidor, V. Babentsov, M. Fiederle, T. Feltgen, K. Benz, and E. Dieguez; **17**(5), 1069–1073.

–Characterization of CdTe:Zn:V crystals grown under microgravity conditions.–V. Corregidor, V. Babentsov, J.L. Castaño, M. Fiederle, T. Feltgen, K. Benz, and E. Dieguez; **17**(12), 3037–3041.

Fierro, J.L.–Surface characterization of carbon fibers by inverse gas chromatography at low pressures.–J. Rubio, F. Rubio, J.L. Fierro, M.C. Gutierrez, and J.L. Oteo; **17**(2), 413–422.

Finder, J.M.–Study of microstructure in $SrTiO_3$/Si by high-resolution transmission electron microscopy.–G.Y. Yang, J.M. Finder, J. Wang, Z.L. Wang, Z. Yu, J. Ramdani, R. Droopad, K.W. Eisenbeiser, and R. Ramesh; **17**(1), 204–213.

Fisher, C.–Correlation of resistance and interfacial reaction of contacts to *n*-type InP.–J.S. Huang, C.B. Vartuli, T. Nguyen, N. Bar-Chaim, J. Shearer, C. Fisher, and S. Anderson; **17**(11), 2929–2934.

Fitzgerald, A.M.–Subcritical crack growth in single-crystal silicon using micromachined specimens.–A.M. Fitzgerald, R.S. Iyer, R.H. Dauskardt, and T.W. Kenny; **17**(3), 683–692.

Fleury, E.–Sliding friction and wear behavior of Al–Ni–Co–Si quasicrystalline coatings deposited by the high-velocity oxy-fuel spraying technique.–Eric Fleury, Yu-Chan Kim, Jae-Soo Kim, Hyo-Sok Ahn, Sang-Mok Lee, Won-Tae Kim, and Do-Hyang Kim; **17**(2), 492–501.

–Formation and stability of quasicrystalline and hexagonal approximant phases in an Al–Mn–Be alloy.–G.S. Song, E. Fleury, S.H. Kim, W.T. Kim, and D.H. Kim; **17**(7), 1671–1677.

Flores, K.M.–Characterization of free volume in a bulk metallic glass using positron annihilation spectroscopy.–K.M. Flores, D. Suh, R.H. Dauskardt, P. Asoka-Kumar, P.A. Sterne, and R.H. Howell; **17**(5), 1153–1161.

Foltyn, S.R.–Characterization of superconducting $SmBa_2Cu_3O_7$ films grown by pulsed laser deposition.–Q.X. Jia, S.R. Foltyn, J.Y. Coulter, J.F. Smith, and M.P. Maley; **17**(10), 2599–2603.

Fornarini, L.–*In situ* laser recrystallization of Si layers during low-pressure chemical vapor deposition: Recrystallization dynamics and influence of the seed layer.–D. Della Sala, A. Santoni, L. Fornarini, J. Lancok, S. Loreti, I. Menicucci, and C. Minarini; **17**(11), 2966–2973.

Forrest, Stefanie A.–Effect of interface conditions on yield behavior of passivated copper thin films.–Richard P. Vinci, Stefanie A. Forrest, and John C. Bravman; **17**(7), 1863–1870.

Fowlkes, J.D.–Etching-enhanced ablation and the formation of a microstructure in silicon by laser irradiation in an SF_6 atmosphere.–S. Jesse, A.J. Pedraza, J.D. Fowlkes, and J.D. Budai; **17**(5), 1002–1013.

–Laser-induced nanoparticle ordering.–A.J. Pedraza, J.D. Fowlkes, D.A. Blom, H.M. Meyer, III; **17**(11), 2815–2822.

Frattini, A.–Preparation and isolation of gold nanoparticles coated with a stabilizer and sol-gel compatible agent.–R. Trbojevich, N. Pellegri, A. Frattini, O. de Sanctis, P.J. Morais, and R.M. Almeida; **17**(8), 1973–1980.

Frear, D.R.–Morphology, kinetics, and thermodynamics of solid-state aging of eutectic SnPb and Pb-free solders (Sn–3.5Ag, Sn–3.8Ag–0.7Cu and Sn–0.7Cu) on Cu.–T.Y. Lee, W.J. Choi, K.N. Tu, J.W. Jang, S.M. Kuo, J.K. Lin, D.R. Frear, K. Zeng, and J.K. Kivilahti; **17**(2), 291–301.

Freer, R.–Synchrotron x-ray diffraction study of $Ba_{4.5}Nd_9Ti_{18}O_{54}$ microwave dielectric ceramics at 10–295 K.–C.C. Tang, M.A. Roberts, F. Azough, C. Leach, R. Freer; **17**(3), 675–682.

Frisk, T.A.–Synthesis and hydrogen reduction of tungsten–copper composite oxides.–L.P. Dorfman, D.L. Houck, M.J. Scheithauer, and T.A. Frisk; **17**(4), 821–830.

Fu, Zhengping–Ultraviolet photoluminescence from 4H–SiC nanocrystalline films deposited on silicon substrate.–Zhengping Fu, Beifang Yan, Ruchuan Liu, and Yaozhong Ruan; **17**(3), 570–574.

Fuji, Hiroshi–Crystallization mechanism of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ and $YBa_2Cu_3O_{7-y}$ films deposited by metalorganic deposition method using trifluoroacetates.–Junko Shibata, Tetsuji Honjo, Hiroshi Fuji, Takeshi Araki, Izumi Hirabayashi, Tsukasa Hirayama, Teruo Izumi, Yuh Shiohara, Takahisa Yamamoto, and Yuichi Ikuhara; **17**(6), 1266–1275.

Fujii, H.–Improved critical current in MgB_2 tapes sheathed with carbon steels.–H. Fujii, H. Kumakura, and K. Togano; **17**(9), 2339–2345.

Fujisawa, N.–Nanoindentation studies of brittle thin films on a titanium alloy substrate.–N. Fujisawa, M.V. Swain, N.L. James, R.N. Tarrant, J.C. Woodard, and D.R. McKenzie; **17**(4), 861–870.

Fujita, Taketoshi–Intercalation of rhodamine 6G and oxazine 4 into oriented clay films and their alignment.–Guangming Chen, Nobuo Iyi, Ryo Sasai, Taketoshi Fujita, and Kenji Kitamura; **17**(5), 1035–1040.

Fujiwara, J.–Large cryogenic storage of hydrogen in carbon nanotubes at low pressures.–B.K. Pradhan, A.R. Harutyunyan, D. Stojkovic, J.C. Grossman, P. Zhang, M.W. Cole, V. Crespi, H. Goto, J. Fujiwara, and P.C. Eklund; **17**(9), 2209–2216.

Fukuda, Koichiro–Anisotropic thermal expansion in $CaAl_4O_7$.–Koichiro Fukuda and Kaori Yamauchi; **17**(5), 1050–1054.

Fukuzawa, Yasushi–Interface shape effects on the tensile strength for T-type structure bonded dissimilar materials.–Shigeru Nagasawa, Yuji Yokoyama, Yasushi Fukuzawa, and Masayoshi Tateno; **17**(1), 20–25.

Funahashi, Ryoji–High-temperature thermoelectric properties of the $Ca_{1-x}Bi_xMnO_3$ system.–Gaojie Xu, Ryoji Funahashi, Ichiro Matsubara, Masahiro Shikano, and Yuqin Zhou; **17**(5), 1092–1095.

Funakubo, H.–New preparation process of $Pb(Zr_xTi_{1-x})O_3$ thin films from $PbZrO_3$ and $PbTiO_3$ multilayers.–Gang He, Takashi Iijima, and H. Funakubo; **17**(9), 2217–2226.

G

Gaffet, Eric–Simultaneous synthesis and consolidation of nanostructured $MoSi_2$.–Christophe Gras, Frédéric Bernard, Frédéric Charlot, Eric Gaffet, and Zuhair A. Munir; **17**(3), 542–549.

Gafney, Harry D.–Single-step deposition of Eu-doped Y_2O_3 phosphor coatings through a precursor plasma spraying technique.–P. Sujatha Devi, Joshua Margolis, John B. Parise, Clare P. Grey, Sanjay Sampath, Herbert Herman, and Harry D. Gafney; **17**(11), 2771–2774(L).

Gagnon, R.–Transport in the $Al_{71}Pd_{21}Mn_{8-x}Re_x$ quasicrystalline system.–A.L. Pope, T.M. Tritt, R. Gagnon, J. Strom-Olsen, S. Legault, R. Schneidmiller, and J. Kolis; **17**(7), 1814–1819.

Galvagno, S.–Preparation, characterization, and micropatterning of laser-dye-doped sol-gel films.–A. Arena, S. Patanè, G. Saitta, G. Rizzo, S. Galvagno, and G. Neri; **17**(8), 2095–2098.

Gan, L.H.–Preparation and luminescence properties of neodymium-(III) oxide nanocrystals dispersed in sol-gel titania/(γ-glycidoxypropyl)trimethoxysilane composite thin films.–Wenxiu Que, X. Hu, L.H. Gan, and G. Roshan Deen; **17**(6), 1399–1405.

Gao, F.–Atomic-scale simulations of multiple ion–solid interactions and structural evolution in silicon carbide.–F. Gao and W.J. Weber; **17**(2), 259–262(L).

Gao, Huajian–Effect of dislocation core spreading at interfaces on strength of thin-film.–Shefford P. Baker, Lin Zhang, and Huajian Gao; **17**(7), 1808–1813.

Gao, L.–Microstructure and mechanical properties of SiC/zirconia-toughened mullite nanocomposites prepared from mixtures of mullite gel, 2Y-TZP, and SiC nanopowders.–X.H. Jin, L. Gao, L.H. Gui, and J.K. Guo; **17**(5), 1024–1029.

Gao, N.F.–Joining of Ti_3SiC_2 with Ti–6Al–4V alloy.–N.F. Gao and Y. Miyamoto; **17**(1), 52–59.

Gao, Yun Peng–Wear behavior of bulk $Zr_{41}Ti_{14}Cu_{12.5}Ni_{10}Be_{22.5}$ metallic glasses.–Gong Li, Y.Q. Wang, Li Min Wang, Yun Peng Gao, R.J. Zhang, Zai Ji Zhan, Li Ling Sun, Jun Zhang, and Wen Kui Wang; **17**(8), 1877–1880(L).

Garcés, G.–Development and evolution of texture in Mg–Zr alloy deposited by physical vapor deposition.–G. Garcés and P. Adeva; **17**(3), 614–619.

García, Eugenio–Thermal conductivity of ceramics in the ZrO_2-$GdO_{1.5}$ system.–Jie Wu, Nitin P. Padture, Paul G. Klemens, Maurice Gell, Eugenio García, Pilar Miranzo, and Maria I. Osendi; **17**(12), 3193–3200.

Garino, Terry J.–Electrical behavior of oxidized metal powders during and after compaction.–Terry J. Garino; **17**(10), 2691–2697.

Gavaldà, Jna.–Growth of $KTiOPO_4$ films on $KTi_{1-x}Ge_xOPO_4$ substrates by liquid-phase epitaxy.–R. Solé, V. Nikolov, A. Vilalta, J.J. Carvajal, J. Massons, Jna. Gavaldà, M. Aguiló, and F. Díaz; **17**(3), 563–569.

Gaztañaga, M.T.–Role of cement type on carbonation attack.–S. Goñi, M.T. Gaztañaga, and A. Guerrero; **17**(7), 1834–1842.

Gedanken, A.–Influence of pH on the structure of the aqueous sonolysis products of manganese(III) acetylacetonate.–V. Ganesh Kumar, D. Aurbach, and A. Gedanken; **17**(7), 1706–1710.

Gell, Maurice–Mechanisms of ceramic coating deposition in solution-precursor plasma spray.–Tania Bhatia, Alper Ozturk, Liangde Xie, Eric H. Jordan, Baki M. Cetegen, Maurice Gell, Xinqin Ma, and Nitin P. Padture; **17**(9), 2363–2372.

–Thermal conductivity of ceramics in the ZrO_2-$GdO_{1.5}$ system.–Jie Wu, Nitin P. Padture, Paul G. Klemens, Maurice Gell, Eugenio García, Pilar Miranzo, and Maria I. Osendi; **17**(12), 3193–3200.

George, T.F.–Comparative study of single crystals and laser-grown films of V_2O_5.–J. Janicskó-Csáthy, A. Nagy, L. Nánai, W. Marine, S.P. Souto, M. Balkanski, and T.F. George; **17**(5), 1096–1101.

Gérard, B.–Optical characterization of GaAs/Si layers grown by the conformal method (confined lateral epitaxial growth).–A.M. Ardila, O. Martínez, M. Avella, J. Jiménez, E. Gil-Lafon, and B. Gérard; **17**(6), 1341–1349.

Ghosh, A.–Structural and optical properties of lithium bismuthate glasses.–A. Pan and A. Ghosh; **17**(8), 1941–1944.

Ghosh, T.B.–X-ray photoelectron spectroscopic studies on nanoquasicrystalline powders of $Al_{70}Cu_{20}Fe_{10}$ obtained by mechanical alloying.–P. Barua, V. Srinivas, S. Dhabal, and T.B. Ghosh; **17**(8), 1892–1895(L).

Gibbons, B.J.–Oxidation of *c*-axis-oriented epitaxial $YBa_2Cu_3O_{7-\delta}$ thin films in ozone-containing atmospheres.–B.J. Gibbons, C.B. Eom, R.A. Rao, S. Trolier-McKinstry, and D.G. Schlom; **17**(4), 884–889.

Gil-Lafon, E.–Optical characterization of GaAs/Si layers grown by the conformal method (confined lateral epitaxial growth).–A.M. Ardila, O. Martínez, M. Avella, J. Jiménez, E. Gil-Lafon, and B. Gérard; **17**(6), 1341–1349.

Glass, A.M.–Novel ferroelectric ceram-glass of $[(SrO)_{(y)}(BaO)_{(1-y)}(Nb_2O_5)]_{(1-x)}$ tellurite.–A.R. Kortan, N. Kopylov, B.I. Greene, and A.M. Glass; **17**(5), 1208–1212.

Glass, Jeffrey T.–Relationships between the thermal stability, friction, and wear properties of reactively sputtered Si–aC:H thin films.–Ryan D. Evans, Gary L. Doll, and Jeffrey T. Glass; **17**(11), 2888–2896.

Glatzel, U.–Transmission electron microscopy study of Ge implanted into SiC.–T. Gorelik, U. Kaiser, Ch. Schubert, W. Wesch, U. Glatzel; **17**(2), 479–486.

Gnanasekar, K.I.–Direct conversion of TiO_2 sol to nanocrystalline anatase at 85 °C.–K.I. Gnanasekar, V. Subramanian, J. Robinson, J.C. Jiang, Fanney E. Posey, and B. Rambabu; **17**(6), 1507–1512.

Goh, Gregory K.L.–Hydrothermal epitaxy of $KTaO_3$ thin films.–Gregory K.L. Goh, Carlos G. Levi, and Fred F. Lange; **17**(11), 2852–2858.

–Hydrothermal synthesis of perovskite and pyrochlore powders of potassium tantalate.–Gregory K.L. Goh, Sossina M. Haile, Carlos G. Levi, and Fred F. Lange; **17**(12), 3168–3176.

Goldsmith, Charles–Ag_3Sn plate formation in the solidification of near ternary eutectic Sn–Ag–Cu alloys.–Donald W. Henderson, Timothy Gosselin, Amit Sarkhel, Sung K. Kang, Won-Kyoung Choi, Da-Yuan Shih, Charles Goldsmith, and Karl J. Puttlitz; **17**(11), 2775–2778(L).

Gong, Dawei–Highly ordered nanoporous alumina films: Effect of pore size and uniformity on sensing performance.–Oomman K. Varghese, Dawei Gong, Maggie Paulose, Keat G. Ong, Craig A. Grimes, and Elizabeth C. Dickey; **17**(5), 1162–1171.

Gong, Yan Jun–Synthesis of phenyl-MSU-1 and bi-functionalized silica mesophases.–Yan Jun Gong, Zhi Hong Li, Dong Wu, Yu Han Sun, Feng Deng, Qing Luo, and Yong Yue; **17**(2), 431–437.

Goñi, S.–Role of cement type on carbonation attack.–S. Goñi, M.T. Gaztañaga, and A. Guerrero; **17**(7), 1834–1842.

González-Elipe, A.R.–Low-temperature preparation and structural characterization of Pr-doped ceria solid solutions.–E. López-Navarrete, A. Caballero, A.R. González-Elipe, and M. Ocaña; **17**(4), 797–804.

Gorelik, T.–Transmission electron microscopy study of Ge implanted into SiC.–T. Gorelik, U. Kaiser, Ch. Schubert, W. Wesch, and U. Glatzel; **17**(2), 479–486.

Gosselin, Timothy–Ag_3Sn plate formation in the solidification of near ternary eutectic Sn–Ag–Cu alloys.–Donald W. Henderson, Timothy Gosselin, Amit Sarkhel, Sung K. Kang, Won-Kyoung Choi, Da-Yuan Shih, Charles Goldsmith, and Karl J. Puttlitz; **17**(11), 2775–2778(L).

Goto, H.–Large cryogenic storage of hydrogen in carbon nanotubes at low pressures.–B.K. Pradhan, A.R. Harutyunyan, D. Stojkovic, J.C. Grossman, P. Zhang, M.W. Cole, V. Crespi, H. Goto, J. Fujiwara, and P.C. Eklund; **17**(9), 2209–2216.

Goto, T.–Synthesis and thermoelectric properties of *p*-type barium-filled skutterudite $Ba_xFe_xCo_{4-x}Sb_{12}$.–X.F. Tang, L.D. Chen, T. Goto, T. Hirai, and R.Z. Yuan; **17**(11), 2953–2959.

Gotor, F.J.–Combustion synthesis of TiN induced by high-energy ball milling of Ti under nitrogen atmosphere.–F.J. Gotor, M.D. Alcalá, C. Real, and J.M. Criado; **17**(7), 1655–1663.

Gottstein, G.–Interface mobility under different driving forces.–M.I. Mendelev, D.J. Srolovitz, L.S. Shvindlerman, and G. Gottstein; **17**(1), 234–245.

Goyal, A.–Chemical solution deposition of lanthanum zirconate buffer layers on biaxially textured Ni–1.7% Fe–3% W alloy substrates for coated-conductor fabrication.–S. Sathyamurthy, M. Paranthaman, T. Aytug, B.W. Kang, P.M. Martin, A. Goyal, D.M. Kroeger, and D.K. Christen; **17**(6), 1543–1549.

–Comparative study of thickness dependence of critical current density of $YBa_2Cu_3O_{7-\delta}$ on (100) $SrTiO_3$ and on rolling-assisted biaxially textured substrates.–B.W. Kang, A. Goyal, D.F. Lee, J.E. Mathis, E.D. Specht, P.M. Martin, D.M. Kroeger, M. Paranthaman, and S. Sathyamurthy; **17**(7), 1750–1757.

–Lanthanum zirconate: A single buffer layer processed by solution deposition for coated conductor fabrication.–S. Sathyamurthy, M. Paranthaman, H-Y. Zhai, H.M. Christen, P.M. Martin, and A. Goyal; **17**(9), 2181–2184(L).

–Quantification and control of the sulfur $c(2 \times 2)$ superstructure on {100}⟨100⟩ Ni for optimization of YSZ, CeO_2, and $SrTiO_3$ seed layer texture.–C. Cantoni, D.K. Christen, L. Heatherly, M.M. Kowalewski, F.A. List, A. Goyal, G.W. Ownby, D.M. Zehner, B.W. Kang, and D.M. Kroeger; **17**(10), 2549–2554.

Gracio, J.–Novel time-modulated chemical vapor deposition process for growing diamond films.–Q.H. Fan, N. Ali, Y. Kousar, W. Ahmed, J. Gracio; **17**(7), 1563–1566(L).

Grader, G.S.–Morphological and phase composition changes during sintering of ultralight Al_2O_3/TiO_2 foams.–M. Mann, G.E. Shter, and G.S. Grader; **17**(4), 831–837.

Graeve, Olivia A.–Electric field enhanced synthesis of nanostructured tantalum carbide.–Olivia A. Graeve and Zuhair A. Munir; **17**(3), 609–613.

Graham, Matthew–Poly(meta-phenylene isophthalamide) nanofibers: Coating and post processing.–Wenxia Liu, Matthew Graham, Edward A. Evans, and Darrell H. Reneker; **17**(12), 3206–3212.

Gras, Christophe–Simultaneous synthesis and consolidation of nanostructured $MoSi_2$.–Christophe Gras, Frédéric Bernard, Frédéric Charlot, Eric Gaffet, and Zuhair A. Munir; **17**(3), 542–549.

Greene, B.I.–Novel ferroelectric ceram-glass of $[(SrO)_{(y)}(BaO)_{(1-y)}(Nb_2O_5)]_{(1-x)}$ tellurite.–A.R. Kortan, N. Kopylov, B.I. Greene, and A.M. Glass; **17**(5), 1208–1212.

Grey, Clare P.–Single-step deposition of Eu-doped Y_2O_3 phosphor coatings through a precursor plasma spraying technique.–P. Sujatha Devi, Joshua Margolis, John B. Parise, Clare P. Grey, Sanjay Sampath, Herbert Herman, and Harry D. Gafney; **17**(11), 2771–2774(L).

Grigoriev, D.A.–Deposition of fine silicon carbide relics by electrostatic atomization of a polymeric precursor.–D.A. Grigoriev, M.J. Edirisinghe, and X. Bao; **17**(2), 487–491.

Grill, A.–Effects of precursor additives on the stability of plasma enhanced chemical vapor deposited a-GeC(O):H films.–A. Grill, S. Guilley, V. Patel, and K. Babich; **17**(2), 367–375.

Grimes, Craig–Major phase transformations and magnetic property changes caused by electromagnetic fields at microwave frequencies.–Rustum Roy, Ramesh Peelamedu, Craig Grimes, Jiping Cheng, and Dinesh Agrawal; **17**(12), 3008–3011(L).

Grimes, Craig A.–Fabrication of nanoporous ceramic thin films: Dealloying and self-organized template formation on amorphous substrates.–Maggie Paulose, Oomman K. Varghese, and Craig A. Grimes; **17**(1), 115–126.

–Highly ordered nanoporous alumina films: Effect of pore size and uniformity on sensing performance.–Oomman K. Varghese, Dawei Gong, Maggie Paulose, Keat G. Ong, Craig A. Grimes, and Elizabeth C. Dickey; **17**(5), 1162–1171.

Grimes, Robin W.–Predictions of strontium accommodation in $A_2B_2O_7$ pyrochlores.–Mohsin Pirzada, Robin W. Grimes, John Maguire, and Kurt Sickafus; **17**(8), 2041–2047.

Grishin, Alex–Growth and characterization of $Na_{0.5}K_{0.5}NbO_3$ thin films on polycrystalline $Pt_{80}Ir_{20}$ substrates.–Xin Wang, Sveinn Olafsson, Lynnette D. Madsen, Staffan Rudner, Ivan P. Ivanov, Alex Grishin, and Ulf Helmersson; **17**(5), 1183–1191.

Grobéty, B.–Filling of chrysotile nanotubes with metals.–C. Métraux, B. Grobéty, and P. Ulmer; **17**(5), 1129–1135.

Grossman, J.C.–Large cryogenic storage of hydrogen in carbon nanotubes at low pressures.–B.K. Pradhan, A.R. Harutyunyan, D. Stojkovic, J.C. Grossman, P. Zhang, M.W. Cole, V. Crespi, H. Goto, J. Fujiwara, and P.C. Eklund; **17**(9), 2209–2216.

Gu, Mingyuan–Reactive wetting of a metal/ceramic system.–Jian Chen, Mingyuan Gu, and Fusheng Pan; **17**(4), 911–917.

Gu, P.–Synthesis of Y-branching multiwalled carbon nanotubes with a bamboolike structure.–P. Gu, J.H. Zhao, and G.H. Li; **17**(11), 2768–2770(L).

Gu, S.L.–Nitrogen diffusion in the Si growth on GaN by low-pressure chemical vapor deposition.–P. Chen, Y.D. Zheng, S.M. Zhu, D.J. Xi, Z.M. Zhao, S.L. Gu, P. Han, and R. Zhang; **17**(8), 1881–1883(L).

Guan, Z.–Investigation of mechanical alloying of Ti–Al compounds using perturbed γγ-angular correlation spectroscopy, x-ray diffraction, and differential scanning calorimetry.–St. Lauer, Z. Guan, H. Wolf, and Th. Wichert; **17**(8), 2130–2139.

Guerrero, A.–Role of cement type on carbonation attack.–S. Goñi, M.T. Gaztañaga, and A. Guerrero; **17**(7), 1834–1842.

Gueth, A.–Influence of hole carrier density and sintering temperature on the electronic properties of magnetoresistive $La_{0.7}Pb_{0.3}Mn_{1-x}Ru_xO_3$ ($0.0 \leq x \leq 0.4$).–Ranjan Kumar Sahu, Manju Lato Rao, Solomon Sundar Manoharan, Dieter Elefant, Peter Verges, A. Gueth, and Claus M. Schneider; **17**(12), 3090–3097.

Gui, L.H.–Microstructure and mechanical properties of SiC/zirconia-toughened mullite nanocomposites prepared from mixtures of mullite gel, 2Y-TZP, and SiC nanopowders.–X.H. Jin, L. Gao, L.H. Gui, and J.K. Guo; **17**(5), 1024–1029.

–Aqueous processing of SiC green sheets I: Dispersant.–J.X. Zhang, D.L. Jiang, S.H. Tan, L.H. Gui, and M.L. Ruan; **17**(8), 2012–2018.

–Aqueous processing of SiC green sheets II: Binder and plasticizer.–J.X. Zhang, D.L. Jiang, S.H. Tan, L.H. Gui, and M.L. Ruan; **17**(8), 2019–2025.

Gui, Zhi Lun–Direct current-voltage failure in lead magnesium niobate-based multilayer ceramic capacitors.–Jiang Li Cao, Long Tu Li, Ning Xin Zhang, and Zhi Lun Gui; **17**(4), 779–783.

Guilley, S.–Effects of precursor additives on the stability of plasma enhanced chemical vapor deposited a-GeC(O):H films.–A. Grill, S. Guilley, V. Patel, and K. Babich; **17**(2), 367–375.

Guo, Guolin–Highly ordered and well-oriented single-crystal CdTe nanowire arrays by direct-current electrodeposition.–Dongsheng Xu, Yuguo Guo, Dapeng Yu, Guolin Guo, Youqi Tang, and D.P. Yu; **17**(7), 1711–1714.

Guo, Hong-Ru–Photoluminescent properties of hydrogenated amorphous silicon oxide powders.–Wei-Fang Su and Hong-Ru Guo; **17**(5), 977–980.

Guo, J.K.–Microstructure and mechanical properties of SiC/zirconia-toughened mullite nanocomposites prepared from mixtures of mullite gel, 2Y-TZP, and SiC nanopowders.–X.H. Jin, L. Gao, L.H. Gui, and J.K. Guo; **17**(5), 1024–1029.

Guo, J.T.–Superplasticity in NiAl and NiAl-based alloys.–J.T. Guo, X.H. Du, L.Z. Zhou, B.D. Zhou, Y.H. Qi, and G.S. Li; **17**(9), 2346–2356.

Guo, Jingdong–Formation of a nanostructure in a low-carbon steel under high current density electropulsing.–Yizhou Zhou, Wei Zhang, Manling Sui, Douxing Li, Guanhu He, and Jingdong Guo; **17**(5), 921–924(L).

–Grain refinement and formation of ultrafine-grained microstructure in a low-carbon steel under electropulsing.–Yizhou Zhou, Wei Zhang, Baoquan Wang, Guanhu He, Jingdong Guo; **17**(8), 2105–2111.

–Influence of electropulsing on nucleation during phase transformation.–Yizhou Zhou, Jingdong Guo, Wei Zhang, and Guanhu He; **17**(12), 3012–3014(L).

Guo, Y.F.–Stress relaxation of a patterned microstructure on a diaphragm.–D.W. Zheng, X.H. Wang, K. Shyu, C. Chen, C-T. Chang, K.N. Tu, A.K. Mal, and Y.F. Guo; **17**(7), 1795–1802.

Guo, Yuguo–Highly ordered and well-oriented single-crystal CdTe nanowire arrays by direct-current electrodeposition.–Dongsheng Xu, Yuguo Guo, Dapeng Yu, Guolin Guo, Youqi Tang, and D.P. Yu; **17**(7), 1711–1714.

Guoqing, Wang–Sn-doped BaO–TiO_2–ZnO microwave ceramics.–Wu Shunhua, Wang Guoqing, and Zhao Yushuang; **17**(6), 1550–1552.

Gupta, S.–Synthesizing nanocrystalline carbon thin films by hot filament chemical vapor deposition and controlling their microstructure.–S. Gupta, B.R. Weiner, and G. Morell; **17**(7), 1820–1833.

Gutierrez, M.C.–Surface characterization of carbon fibers by inverse gas chromatography at low pressures.–J. Rubio, F. Rubio, J.L. Fierro, M.C. Gutierrez, and J.L. Oteo; **17**(2), 413–422.

Gutkin, M.Yu.–Synchrotron radiography and x-ray topography studies of hexagonal habitus SiC bulk crystals.–T.S. Argunova, M.Yu. Gutkin, Jung Ho Je, H.S. Kang, Y. Hwu, W-L. Tsai, and G. Margaritondo; **17**(10), 2705–2711.

H

Ha, Jowoong–Effects of IrO_2/Pt hybrid electrodes on the crystallization and ferroelectric performances of sol-gel-derived $Pb(Zr,Ti)O_3$ thin film capacitors.–Seung-Hyun Kim, Dong-Yeon Park, Hyun-Jung Woo, Dong-Soo Lee, Jowoong Ha, and Cheol Song Hwang; **17**(7), 1735–1742.

Habeger, Craig F.–Solid-state ^{27}Al nuclear magnetic resonance investigation of plasma-facilitated NO_x reduction catalysts.–Li-Qiong Wang, Christopher L. Aardahl, Kenneth G. Rappé, Diana N. Tran, Marisol A. Delgado, and Craig F. Habeger; **17**(7), 1843–1848.

Hagiwara, Masuo–Effect of compositional modification on ductility of B2 phase in Ti–Al–Nb intermetallic alloy.–Feng Tang and Masuo Hagiwara; **17**(10), 2611–2614.

Haile, Sossina M.–Hydrothermal synthesis of perovskite and pyrochlore powders of potassium tantalate.–Gregory K.L. Goh, Sossina M. Haile, Carlos G. Levi, and Fred F. Lange; **17**(12), 3168–3176.

Hakovirta, Marko–Thermal stability and wetting properties of Cr–O–C coatings synthesized by plasma immersion ion processing.–Xiao-Ming He, Marko Hakovirta, Kevin C. Walter, Mitchell Trkula, and Michael Nastasi; **17**(1), 14–19.

Halawy, Samih A.–Surface and bulk properties of alumina recovered under various conditions from aluminum dross tailings chemical waste versus bauxite ore.–Ezzat A. El-Katatny, Samih A. Halawy, Mohamed A. Mohamed, and Mohamed I. Zaki; **17**(7), 1721–1728.

Hamadache, F.–Electrodeposition of Fe–Co alloys into nanoporous *p*-type silicon: Influence of the electrolyte composition.–F. Hamadache, J-L. Duvail, V. Scheuren, L. Piraux, C. Poleunis, P. Bertrand, and M.S. Belkaïd; **17**(5), 1074–1084.

Hamamoto, Koichi–Formation of iodine-doped C_{60} whiskers by the use of liquid–liquid interfacial precipitation method.–Kun'ichi Miyazawa and Koichi Hamamoto; **17**(9), 2205–2208(L).

Hammetter, William F.–Lanthanide series doping effects in lead zirconate titanate (PLnZT) thin films.–Timothy J. Boyle, Paul G. Clem, Bruce A. Tuttle, Geoffrey L. Brennecka, Jeffrey T. Dawley, Mark A. Rodriguez, Timothy D. Dunbar, and William F. Hammetter; **17**(4), 871–878.

Han, Baoshan–Magnetic anisotropy of $Sm(Co_{0.68}Fe_{0.22}Cu_{0.08}Zr_{0.02})_{7.7}$ ribbons produced by melt spinning.–A-Ru Yan, Zhi-Gang Sun, Baoshan Han, and Bao-Gen Shen; **17**(3), 648–652.

Han, Byung-Dong–Effect of Si_2N_2O content on the microstructure, properties, and erosion of silicon nitride–Si_2N_2O *in situ* composites.–Dong-Soo Park, Hyun-Ju Choi, Byung-Dong Han, Hai-Doo Kim, and Dae-Soon Lim; **17**(9), 2275–2280.

Han, C.C.–Effect of buffer on the optical properties of irradiated hydroxyethyl methacrylate copolymer.–K.F. Chou, C.C. Han, and Sanboh Lee; **17**(5), 1199–1207.

–Transmission in irradiated hydroxyethyl methacrylate copolymer at elevated temperatures.–K-P. Lu, Sanboh Lee, and C.C. Han; **17**(9), 2260–2265.

Han, P.–Nitrogen diffusion in the Si growth on GaN by low-pressure chemical vapor deposition.–P. Chen, Y.D. Zheng, S.M. Zhu, D.J. Xi, Z.M. Zhao, S.L. Gu, P. Han, and R. Zhang; **17**(8), 1881–1883(L).

Haneda, Hajime–Isothermal capacitance transient spectroscopy for deep levels in Co- and Mn-doped ZnO single crystals.–Naoki Ohashi, Junzo Tanaka, Takeshi Ohgaki, Hajime Haneda, Mio Ozawa, and Takaaki Tsurumi; **17**(6), 1529–1535.

Hanna, J.V.–Fabrication, characterization, and leach testing of hollandite, $(Ba,Cs)(Al,Ti)_2Ti_6O_{16}$.–M.L. Carter, E.R. Vance, D.R.G. Mitchell, J.V. Hanna, Z. Zhang, and E. Loi; **17**(10), 2578–2589.

Hanson, Jonathan C.–Comparison of citrate–nitrate gel combustion and precursor plasma spray processes for the synthesis of yttrium aluminum garnet.–P. Sujatha Devi, Yongjae Lee, Joshua Margolis, John B. Parise, Sanjay Sampath, Herbert Herman, and Jonathan C. Hanson; **17**(11), 2846–2851.

Hao, J.H.–Dislocations in $SrTiO_3$ thin films grown on $LaAlO_3$ substrates.–Y.L. Qin, C.L. Jia, K. Urban, J.H. Hao, and X.X. Xi; **17**(12), 3117–3126.

Harmer, M.P.–Coble-creep response and variability of grain-boundary properties.–W.S. Tong, J.M. Rickman, H.M. Chan, and M.P. Harmer; **17**(2), 348–352.

–Effect of silver on superplastic deformation in $YBa_2Cu_3O_{7-x}$/Ag composites.–Jondo Yun, Ye T. Chou, and Martin P. Harmer; **17**(5), 1172–1177.

Harmon, J.P.–Thermally-induced crack healing in poly(methyl methacrylate).–Jane-Sang Shen, Julie P. Harmon, and Sanboh Lee; **17**(6), 1335–1340.

–Effects of gamma radiation on poly(methyl methacrylate)/single-wall nanotube composites.–P.A. O'Rourke Muisener, L. Clayton, J. D'Angelo, J.P. Harmon, A.K. Sikder, A. Kumar, A.M. Cassell, and M. Meyyappan; **17**(10), 2507–2513.

Hartmann, D.M.–Selective DNA attachment of micro- and nanoscale particles to substrates.–D.M. Hartmann, M. Heller, S.C. Esener, D. Schwartz, and G. Tu; **17**(2), 473–478.

Harutyunyan, A.R.–Large cryogenic storage of hydrogen in carbon nanotubes at low pressures.–B.K. Pradhan, A.R. Harutyunyan, D. Stojkovic, J.C. Grossman, P. Zhang, M.W. Cole, V. Crespi, H. Goto, J. Fujiwara, and P.C. Eklund; **17**(9), 2209–2216.

Hasegawa, Takeshi–Synthesis of silicon carbide films from partially oxidized polyvinylsilane by carbon tetrachloride solution casting.–Masaki Narisawa, Takeshi Hasegawa, Kiyohito Okamura, Masayoshi Itoh, Thomas Apple, Kevin V. Moraes, and Leonard V. Interrante; **17**(1), 214–223.

Hashida, Toshiyuki–Evaluation of thermal aging embrittlement of austenitic stainless steels JN1, JJ1, and JK2 by cryogenic small-punch testing.–Maribel L. Saucedo-Muñoz, Shi Cheng Liu, Shin-Ichi Komazaki, Il-Hyun Kwon, Toshiyuki Hashida, Hideaki Takahashi, and Hideo Nakajima; **17**(4), 852–860.

–Creep property measurement of service-exposed SUS 316 austenitic stainless steel by the small-punch creep-testing technique.–Maribel L. Saucedo-Muñoz, Shin-ichi Komazaki, Toru Takahashi, Toshiyuki Hashida, and Tetsuo Shoji; **17**(8), 1945–1953.

Hashimoto, Tadanori–Second harmonic generation from $CsLiB_6O_{10}$-containing glass-ceramics.–Yoshitsugu Yamamoto, Tomohiro Hashimoto, Hiroyuki Nasu, Tadanori Hashimoto, and Kanichi Kamiya; **17**(12), 3110–3116.

Hashimoto, Tomohiro–Second harmonic generation from $CsLiB_6O_{10}$-containing glass-ceramics.–Yoshitsugu Yamamoto, Tomohiro Hashimoto, Hiroyuki Nasu, Tadanori Hashimoto, and Kanichi Kamiya; **17**(12), 3110–3116.

Hata, Ken-ichiro–Biomimetic apatite formation on poly(lactic acid) composites containing calcium carbonates.–Hirotaka Maeda, Toshihiro Kasuga, Masayuki Nogami, Yoshitaka Hibino, Ken-ichiro Hata, Minoru Ueda, and Yoshio Ota; **17**(4), 727–730(L).

Hawley, M.E.–*In vacuo* pulsed laser ablation of $YBa_2Cu_3O_{7-x}$ target for the formation of Y_2O_3 nanostructures.–D.B. Jan, Q.X. Jia, M.E. Hawley, G.W. Browne, C.J. Wetteland, H.P. Sun, and X.Q. Pan; **17**(3), 697–700.

Hayakawa, Tomokatsu–Nanocrystalline SnO_2 particles and twofold-coordinated Sn defect centers in sol-gel-derived SnO_2–SiO_2 glasses.–Tomokatsu Hayakawa, Takehiro Enomoto, and Masayuki Nogami; **17**(6), 1305–1311.

–Redox equilibrium and spectral hole burning in Sm^{2+}-doped Al_2O_3–SiO_2 glasses.–Masayuki Nogami, Toyonori Eto, Kazuhiro Suzuki, and Tomokatsu Hayakawa; **17**(8), 2053–2058.

Hayashi, Katsuro–Translucent ceramics of $12CaO \cdot 7Al_2O_3$ with microporous structure.–Katsuro Hayashi, Masahiro Hirano, and Hideo Hosono; **17**(6), 1244–1247(L).

Hayashi, Yasunori–Preparation of titanium(IV) oxide film on a hard alumite substrate.–Yoshie Ishikawa, Yasunori Hayashi, and Yasumichi Matsumoto; **17**(9), 2373–2378.

Hayashida, Taichi–Growth and density control of carbon tubule nanocoils using catalyst of iron compounds.–Lujun Pan, Taichi Hayashida, and Yoshikazu Nakayama; **17**(1), 145–148.

He, D.–Growth of boron suboxide crystals in the B–B_2O_3 system at high pressure and high temperature.–Duanwei He, Minoru Akaishi, Brian L. Scott, and Yusheng Zhao; **17**(2), 284–290.

–High-pressure, high-temperature sintering of diamond–SiC composites by ball-milled diamond–Si mixtures.–J. Qian, G. Voronin, T.W. Zerda, D. He, and Y. Zhao; **17**(8), 2153–2160.

He, D.W.–Superhard B–C–N materials synthesized in nanostructured bulks.–Y. Zhao, D.W. He, L.L. Daemen, T.D. Shen, R.B. Schwarz, Y. Zhu, D.L. Bish, J. Huang, J. Zhang, G. Shen, J. Qian, and T.W. Zerda; **17**(12), 3139–3145.

He, G.–Microstructure investigation of rapidly solidified Al–V–Fe alloys.–G. He, C.H. Shek, Joseph K.L. Lai, Z. Bian, X.D. Hui, and G.L. Chen; **17**(4), 814–820.

–Enhanced plasticity in a Ti-based bulk metallic glass-forming alloy by *in situ* formation of a composite microstructure.–G. He, W. Löser, J. Eckert, and L. Schultz; **17**(12), 3015–3018(L).

He, Gang–New preparation process of $Pb(Zr_xTi_{1-x})O_3$ thin films from $PbZrO_3$ and $PbTiO_3$ multilayers.–Gang He, Takashi Iijima, and H. Funakubo; **17**(9), 2217–2226.

He, Guanhu–Formation of a nanostructure in a low-carbon steel under high current density electropulsing.–Yizhou Zhou, Wei Zhang, Manling Sui, Douxing Li, Guanhu He, and Jingdong Guo; **17**(5), 921–924(L).

–Grain refinement and formation of ultrafine-grained microstructure in a low-carbon steel under electropulsing.–Yizhou Zhou, Wei Zhang, Baoquan Wang, Guanhu He, and Jingdong Guo; **17**(8), 2105–2111.

–Influence of electropulsing on nucleation during phase transformation.–Yizhou Zhou, Jingdong Guo, Wei Zhang, and Guanhu He; **17**(12), 3012–3014(L).

He, J.–Microstructural evolution in nanocrystalline Ni coatings.–M.L. Lau, J. He, A.J. Melmed, T.A. Lusby, R. Schweinfest, M. Rühle, and E.J. Lavernia; **17**(5), 1041–1049.

–Effects of germanium on the electronic transport mechanism in $Co_{20}(Cu_{1-x}Ge_x)_{80}$ nanogranular ribbons.–J. He, Z.D. Zhang, J.P. Liu, and D.J. Sellmyer; **17**(12), 3050–3055.

He, J.F.–Boron nitride nanotubes filled with zirconium oxide nanorods.–Z.Q. Shen, L.L. He, E.D. Wu, Y.Y. Fan, J.F. He, H.M. Cheng, D.X. Li, and H.Q. Ye; **17**(11), 2761–2764(L).

He, L.L.–Polymorphism of Ti_3SiC_2.–R. Yu, Q. Zhan, L.L. He, Y.C. Zhou, and H.Q. Ye; **17**(5), 948–950(L).

–The effect of doping Ag on the microstructure of $La_{2/3}Sr_{1/3}MnO_3$ films.–Q. Zhan, R. Yu, L.L. He, D.X. Li, J. Li, and C.K. Ong; **17**(10), 2712–2719.

–Boron nitride nanotubes filled with zirconium oxide nanorods.–Z.Q. Shen, L.L. He, E.D. Wu, Y.Y. Fan, J.F. He, H.M. Cheng, D.X. Li, and H.Q. Ye; **17**(11), 2761–2764(L).

He, Peng–Interfacial particle bonding via an ultrathin polymer film on Al_2O_3 nanoparticles by plasma polymerization.–Donglu Shi, Peng He, S.X. Wang, Wim J. van Ooij, L.M. Wang, Jiangang Zhao, and Zhou Yu; **17**(5), 981–990.

–Plasma deposition and characterization of acrylic acid thin film on ZnO nanoparticles.–Donglu Shi, Peng He, Jie Lian, Lumin Wang, and Wim J. van Ooij; **17**(10), 2555–2560.

He, S.Y.–Low-energy electron exposure effects on the optical properties of ZnO/K_2SiO_3 thermal control coating.–X.D. Wang, S.Y. He, and D.Z. Yang; **17**(7), 1766–1771.

–Effect of electron exposure on optical properties of aluminized polyimide film.–Chundong Li, Dezhuang Yang, Shiyu He, and M.M. Mikhailov; **17**(9), 2442–2446.

He, Xiao-Ming–Thermal stability and wetting properties of Cr–O–C coatings synthesized by plasma immersion ion processing.–Xiao-Ming He, Marko Hakovirta, Kevin C. Walter, Mitchell Trkula, and Michael Nastasi; **17**(1), 14–19.

Heatherly, L.–Quantification and control of the sulfur $c(2 \times 2)$ superstructure on {100}⟨100⟩ Ni for optimization of YSZ, CeO_2, and $SrTiO_3$ seed layer texture.–C. Cantoni, D.K. Christen, L. Heatherly, M.M. Kowalewski, F.A. List, A. Goyal, G.W. Ownby, D.M. Zehner, B.W. Kang, and D.M. Kroeger; **17**(10), 2549–2554.

Hei, Z.K.–Microstructural investigation of four kinds of γ'-Fe_4N nitrides in ion-nitrided pure iron.–Z.Q. Liu, Z.K. Hei, and D.X. Li; **17**(10), 2621–2627.

Heller, M.–Selective DNA attachment of micro- and nanoscale particles to substrates.–D.M. Hartmann, M. Heller, S.C. Esener, D. Schwartz, and G. Tu; **17**(2), 473–478.

Helmersson, Ulf–Growth and characterization of $Na_{0.5}K_{0.5}NbO_3$ thin films on polycrystalline $Pt_{80}Ir_{20}$ substrates.–Xin Wang, Sveinn Olafsson, Lynnette D. Madsen, Staffan Rudner, Ivan P. Ivanov, Alex Grishin, and Ulf Helmersson; **17**(5), 1183–1191.

Henderson, Donald W.–Ag_3Sn plate formation in the solidification of near ternary eutectic Sn–Ag–Cu alloys.–Donald W. Henderson, Timothy Gosselin, Amit Sarkhel, Sung K. Kang, Won-Kyoung Choi, Da-Yuan Shih, Charles Goldsmith, and Karl J. Puttlitz; **17**(11), 2775–2778(L).

Herman, Herbert–Single-step deposition of Eu-doped Y_2O_3 phosphor coatings through a precursor plasma spraying technique.–P. Sujatha Devi, Joshua Margolis, John B. Parise, Clare P. Grey, Sanjay Sampath, Herbert Herman, and Harry D. Gafney; **17**(11), 2771–2774(L).

–Comparison of citrate–nitrate gel combustion and precursor plasma spray processes for the synthesis of yttrium aluminum garnet.–P. Sujatha Devi, Yongjae Lee, Joshua Margolis, John B. Parise, Sanjay Sampath, Herbert Herman, and Jonathan C. Hanson; **17**(11), 2846–2851.

Herrero, P.–Aerosol-gel-derived microcrystalline hydroxyapatite coatings.–M. Manso, J.M. Martínez-Duart, M. Langlet, C. Jiménez, P. Herrero, and E. Millon; **17**(6), 1482–1489.

Hesse, D.–High-temperature oxidation of CoGa: Influence of the crystallographic orientation on the oxidation rate.–U. Koops, D. Hesse, and M. Martin; **17**(10), 2489–2498.

Heuer, A.H.–Thermal expansion of low-pressure chemical vapor deposition polysilicon films.–H. Kahn, R. Ballarini, and A.H. Heuer; **17**(7), 1855–1862.

Hibino, Yoshitaka–Biomimetic apatite formation on poly(lactic acid) composites containing calcium carbonates.–Hirotaka Maeda, Toshihiro Kasuga, Masayuki Nogami, Yoshitaka Hibino, Kenichiro Hata, Minoru Ueda, and Yoshio Ota; **17**(4), 727–730(L).

Hind, David–Microstructural evolution during pyrolysis of triol-based sol-gel single-layer $Pb(Zr_{0.53}Ti_{0.47})O_3$ thin films.–Zhaoxia Zhou, Ian M. Reaney, David Hind, Steven J. Milne, Andy P. Brown, and Rik Brydson; **17**(8), 2066–2074.

Hinojosa, M.–Self-affine fracture surface parameters and their relationship with microstructure in a cast aluminum alloy.–M. Hinojosa and J. Aldaco; **17**(6), 1276–1282.

Hirabayshi, I.–Novel understanding of the $YBa_2Cu_3O_{7-x}$ thin film growth.–D.X. Huang, Y. Nakamura, Y. Yamada, and I. Hirabayshi; **17**(2), 302–305.

–Crystallization mechanism of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ and $YBa_2Cu_3O_{7-y}$ films deposited by metalorganic deposition method using trifluoroacetates.–Junko Shibata, Tetsuji Honjo, Hiroshi Fuji, Takeshi Araki, Izumi Hirabayashi, Tsukasa Hirayama, Teruo Izumi, Yuh Shiohara, Takahisa Yamamoto, and Yuichi Ikuhara; **17**(6), 1266–1275.

Hirai, T.–Synthesis and thermoelectric properties of *p*-type barium-filled skutterudite $Ba_xFe_xCo_{4-x}Sb_{12}$.–X.F. Tang, L.D. Chen, T. Goto, T. Hirai, and R.Z. Yuan; **17**(11), 2953–2959.

Hirano, Masahiro–Erratum: "Modification of sol-gel-derived amorphous Al_2O_3 thin films by F_2 excimer laser irradiation at ambient temperature" [J. Mater. Res. 16, 1003 (2001)].–Satoshi Takeda, Yoshiaki Ikuta, Masahiro Hirano, and Hideo Hosono; **17**(5), 1237(E).

–Translucent ceramics of $12CaO \cdot 7Al_2O_3$ with microporous structure.–Katsuro Hayashi, Masahiro Hirano, and Hideo Hosono; **17**(6), 1244–1247(L).

Hirano, Shin-ichi–Interfaces between solution-derived $LiMn_2O_4$ thin films and MgO and Au/MgO substrates.–Yumi H. Ikuhara, Xiuliang Ma, Yuji Iwamoto, Yuichi Ikuhara, Koichi Kikuta, and Shin-ichi Hirano; **17**(2), 358–366.

–Processing of highly oriented lithium tantalate films by chemical solution deposition.–Satomi Ono and Shin-ichi Hirano; **17**(10), 2532–2539.

Hirata, Yoshihiro–Thermal stability of nanometer-sized NiO and Sm-doped ceria powders.–Yoshihiro Okawa, Toshitatsu Matsumoto, Toshiya Doi, and Yoshihiro Hirata; **17**(9), 2266–2274.

Hirayama, Tsukasa–Crystallization mechanism of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ and $YBa_2Cu_3O_{7-y}$ films deposited by metalorganic deposition method using trifluoroacetates.–Junko Shibata, Tetsuji Honjo, Hiroshi Fuji, Takeshi Araki, Izumi Hirabayashi, Tsukasa Hirayama, Teruo Izumi, Yuh Shiohara, Takahisa Yamamoto, and Yuichi Ikuhara; **17**(6), 1266–1275.

Hishiyama, Y.–Negative transverse magnetoresistance of boron-doped graphite at liquid-nitrogen temperature in relation to 3D weak localization.–Y. Hishiyama, T. Matustani, M. Suzuki, Y. Kaburagi, and K. Sugihara; **17**(1), 75–82.

–Ferromagnetism discovered on heat-treating the aromatic polyimide film Kapton.–Yutaka Kaburagi and Yoshihiro Hishiyama; **17**(8), 2000–2006.

Ho, C.E.–Effect of Cu concentration on the interfacial reactions between Ni and Sn–Cu solders.–W.T. Chen, C.E. Ho, and C.R. Kao; **17**(2), 263–266(L).

Hoh, J.C.–Polymer matrix templated synthesis: Cobalt ferrite nanoparticles preparation.–J.C. Hoh and Iskandar I. Yaacob; **17**(12), 3105–3109.

Hong, J.I.–Retarded cross-linking in ZnO-low-density polyethylene nanocomposites.–J.I. Hong, K.S. Cho, C.I. Chung, L.S. Schadler, and R.W. Siegel; **17**(5), 940–943(L).

Hong, Jeong-Oh–Cross effect between ion and electron flows in $Fe_{3-\delta}O_4$.–Jeong-Oh Hong and Han-Ill Yoo; **17**(5), 1213–1219.

Hong, Kug Sun–Influence of substrates on the crystal structure of pulsed laser deposited $Pb(Mg_{1/3}Nb_{2/3})O_3$–29% $PbTiO_3$ thin films.–Jung-Kun Lee, Hyun-Suk Jung, Dong-Wan Kim, Chang-Hoon Kim, Kug Sun Hong; **17**(5), 1030–1034.

Hong, S.H.–High-strain-rate superplastic flow in 6061 Al composite enhanced by liquid phase.–W.J. Kim, S.H. Hong, H.G. Jeong, and S.H. Min; **17**(1), 65–74.

Honjo, H.–Plastic flow instabilities of $L1_2$ $Ni_3(Si,Ti)$ alloys at intermediate temperature.–H. Honjo, Y. Kaneno, H. Inoue, and T. Takasugi; **17**(3), 705–711.

Honjo, Tetsuji–Crystallization mechanism of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ and $YBa_2Cu_3O_{7-y}$ films deposited by metalorganic deposition method using trifluoroacetates.–Junko Shibata, Tetsuji Honjo, Hiroshi Fuji, Takeshi Araki, Izumi Hirabayashi, Tsukasa Hirayama, Teruo Izumi, Yuh Shiohara, Takahisa Yamamoto, and Yuichi Ikuhara; **17**(6), 1266–1275.

Hosick, H.L.–Porous calcium aluminate ceramics for bone-graft applications.–S.J. Kalita, S. Bose, A. Bandyopadhyay, and H.L. Hosick; **17**(12), 3042–3049.

Hosokawa, H.–Novel titanium foam for bone tissue engineering.–C.E. Wen, Y. Yamada, K. Shimojima, Y. Chino, H. Hosokawa, and M. Mabuchi; **17**(10), 2633–2639.

–Solid-state recycling from machined scraps to a cellular solid.–Yasumasa Chino, Koji Shimojima, Hiroyuki Hosokawa, Yasuo Yamada, Cui'e Wen, and Mamoru Mabuchi; **17**(11), 2783–2786(L).

Hosono, Hideo–Erratum: "Modification of sol-gel-derived amorphous Al_2O_3 thin films by F_2 excimer laser irradiation at ambient temperature" [J. Mater. Res. 16, 1003 (2001)].–Satoshi Takeda, Yoshiaki Ikuta, Masahiro Hirano, and Hideo Hosono; **17**(5), 1237(E).

–Translucent ceramics of $12CaO \cdot 7Al_2O_3$ with microporous structure.–Katsuro Hayashi, Masahiro Hirano, and Hideo Hosono; **17**(6), 1244–1247(L).

Hou, J.G.–Hydrothermal preparation of long nanowires of vanadium oxide.–Dengyu Pan, Zhang Shuyuan, Yiqing Chen, and J.G. Hou; **17**(8), 1981–1984.

Houck, D.L.–Synthesis and hydrogen reduction of tungsten–copper composite oxides.–L.P. Dorfman, D.L. Houck, M.J. Scheithauer, and T.A. Frisk; **17**(4), 821–830.

–Consolidation of tungsten-coated copper composite powder.–L.P. Dorfman, D.L. Houck, and M.J. Scheithauer; **17**(8), 2075–2084.

Howell, R.H.–Characterization of free volume in a bulk metallic glass using positron annihilation spectroscopy.–K.M. Flores, D. Suh, R.H. Dauskardt, P. Asoka-Kumar, P.A. Sterne, and R.H. Howell; **17**(5), 1153–1161.

Hsiao, Chih-Chun–Microstructural evolution of Sn–Ag–Cu–Al solder with respect to Al content and heat treatment.–Kwang-Lung Lin, Chih-Chun Hsiao, and Kaug-I Chen; **17**(9), 2386–2393.

Hu, X.–Preparation and luminescence properties of neodymium(III) oxide nanocrystals dispersed in sol-gel titania/(γ-glycidoxypropyl)trimethoxysilane composite thin films.–Wenxiu Que, X. Hu, L.H. Gan, and G. Roshan Deen; **17**(6), 1399–1405.

Hu, Xiaozhi–Cracking in ceramic/metal/polymer trilayer systems.–Hong Zhao, Pedro Miranda, Brian R. Lawn, and Xiaozhi Hu; **17**(5), 1102–1111.

Hu, Z.Q.–Pressure-induced nanocrystallization of $Zr_{55}Al_{10}Ni_5Cu_{30}$ bulk metallic glass.–Jia Zhang, K.Q. Qiu, A.M. Wang, H.F. Zhang, M.X. Quan, and Z.Q. Hu; **17**(11), 2935–2939.

Huang, D.X.–Novel understanding of the $YBa_2Cu_3O_{7-x}$ thin film growth.–D.X. Huang, Y. Nakamura, Y. Yamada, and I. Hirabayashi; **17**(2), 302–305.

–Mechanism of liquid-phase epitaxy growth of $NdBa_2Cu_3O_{7-x}$ film from low-peritectic-temperature $YBa_2Cu_3O_{7-x}$ seed film.–D.X. Huang, X. Yao, K. Nomura, Y. Wu, Y. Nakamura, T. Izumi, and Y. Shiohara; **17**(4), 747–754.

Huang, Feng–Room-temperature oxidation of ultrathin TiB_2 films.–Feng Huang, W.J. Liu, J.F. Sullivan, J.A. Barnard, and M.L. Weaver; **17**(4), 805–813.

Huang, J.–Superhard B–C–N materials synthesized in nanostructured bulks.–Y. Zhao, D.W. He, L.L. Daemen, T.D. Shen, R.B. Schwarz, Y. Zhu, D.L. Bish, J. Huang, J. Zhang, G. Shen, J. Qian, and T.W. Zerda; **17**(12), 3139–3145.

Huang, J.S.–Correlation of resistance and interfacial reaction of contacts to *n*-type InP.–J.S. Huang, C.B. Vartuli, T. Nguyen, N. Bar-Chaim, J. Shearer, C. Fisher, and S. Anderson; **17**(11), 2929–2934.

Huang, Kao-Chao–Preparation and characterization of ester-derived $BaFe_{12}O_{19}$ powder.–Hsuan-Fu Yu and Kao-Chao Huang; **17**(1), 199–203.

Huang, M.L.–Creep behavior of eutectic Sn–Ag lead-free solder alloy.–M.L. Huang, L. Wang, and C.M.L. Wu; **17**(11), 2897–2903.

Huang, P.–Synthesis of $Cu_{47}Ti_{34}Zr_{11}Ni_8$ bulk metallic glass by warm extrusion of gas atomized powders.–D.J. Sordelet, E. Rozhkova, P. Huang, P.B. Wheelock, M.F. Besser, M.J. Kramer, M. Calvo-Dahlborg, and U. Dahlborg; **17**(1), 186–198.

Huang, Q.–Magnetic structure of $TbBaCo_2O_{5.4}$ perovskite.–D.D. Khalyavin, I.O. Troyanchuk, N.V. Kasper, Q. Huang, J.W. Lynn, and H. Szymczak; **17**(4), 838–843.

Huang, Weiming–Preparation and enhanced off-resonance optical nonlinearities of CdS-capped gold nanoparticles embedded in $BaTiO_3$ thin films.–Yong Yang, Jianlin Shi, Hangrong Chen, Shugang Dai, Weiming Huang, and Ye Liu; **17**(11), 2802–2808.

Huang, Zheng-Ren–Nickel–alumina nanocomposite powders prepared by novel *in situ* chemical reduction.–Zheng-Ren Huang, Dongliang Jiang, Daniel Michel, Léo Mazerolles, Alain Ferrand, Thomas di Costanzo, and Jean-Louis Vignes; **17**(12), 3177–3181.

Huebner, Wayne–Preparation and microstructure evolution of both freestanding and supported TiO_2 thin films.–Chen-Lung Fan, Daniel Ciardullo, Jay Paladino, and Wayne Huebner; **17**(6), 1520–1528.

Hufnagel, T.C.–Deformation and failure of $Zr_{57}Ti_5Cu_{20}Ni_8Al_{10}$ bulk metallic glass under quasi-static and dynamic compression.–T.C. Hufnagel, T. Jiao, Y. Li, L-Q. Xing, and K.T. Ramesh; **17**(6), 1441–1445.

Hui, X.D.–Microstructure investigation of rapidly solidified Al–V–Fe alloys.–G. He, C.H. Shek, Joseph K.L. Lai, Z. Bian, X.D. Hui, and G.L. Chen; **17**(4), 814–820.

Hukari, Kyle–Nitrogen effects on crystallization kinetics of amorphous TiO_xN_y thin films.–Kyle Hukari, Rand Dannenberg, and E.A. Stach; **17**(3), 550–555.

Huo, Jinshan–Characteristics of copper films produced via atomic layer deposition.–Jinshan Huo, Raj Solanki, and James McAndrew; **17**(9), 2394–2398.

Hur, N.H.–Epitaxial growth of antiperovskite $GaCMn_3$ film on perovskite $LaAlO_3$ substrate.–H.S. Choi, W.S. Kim, J.C. Kim, and N.H. Hur; **17**(10), 2640–2643.

Hwang, Cheol Seong–Oxidation behavior of TiAlN barrier layers with and without thin metal overlayers for memory capacitor applications.–Jaewon Song, Hye Ryeong Kim, Jaehoo Park, Seehwa Jeong, Cheol Seong Hwang; **17**(7), 1789–1794.

Hwang, Cheol Song–Effects of IrO_2/Pt hybrid electrodes on the crystallization and ferroelectric performances of sol-gel-derived Pb(Zr, Ti)O_3 thin film capacitors.–Seung-Hyun Kim, Dong-Yeon Park, Hyun-Jung Woo, Dong-Soo Lee, Jowoong Ha, and Cheol Song Hwang; **17**(7), 1735–1742.

Hwang, Jin-Ha–Dielectric properties of epitaxial $KNbO_3$ ferroelectric thin films.–Soma Chattopadhyay, B.M. Nichols, Jin-Ha Hwang, T.O. Mason, and B.W. Wessels; **17**(2), 275–278(L).

–Diffuse phase transition in epitaxial $BaTiO_3$ thin films.–Soma Chattopadhyay, A.R. Teren, Jin-Ha Hwang, T.O. Mason, and B.W. Wessels; **17**(3), 669–674.

Hwang, Yoon Hwae–Synchrotron x-ray scattering study of SnO_2 thin film grown on sapphire.–Gi-Hong Rue, Dae Hwang Yoo, Yoon Hwae Hwang, and Hyung-Kook Kim; **17**(9), 2417–2422.

Hwu, Y.–Synchrotron radiography and x-ray topography studies of hexagonal habitus SiC bulk crystals.–T.S. Argunova, M.Yu. Gutkin, Jung Ho Je, H.S. Kang, Y. Hwu, W-L. Tsai, and G. Margaritondo; **17**(10), 2705–2711.

Hyun, S.–Optimal and manufacturable two-dimensional, Kagomé-like cellular solids.–S. Hyun and S. Torquato; **17**(1), 137–144.

I

Iddles, D.M.–Tunability of τ_f in perovskites and related compounds.–P.L. Wise, I.M. Reaney, W.E. Lee, D.M. Iddles, D.S. Cannell, and T.J. Price; **17**(8), 2033–2040.

Iglesias, A.–Fe^{2+} contents and magnetocrystalline anisotropy in iron defect LiZnTiMn ferrites.–A. Iglesias, J. Balmaseda, and A. González Arias; **17**(7), 1702–1705.

Iijima, Takashi–New preparation process of Pb(Zr_xTi_{1-x})O_3 thin films from $PbZrO_3$ and $PbTiO_3$ multilayers.–Gang He, Takashi Iijima, and H. Funakubo; **17**(9), 2217–2226.

Ikuhara, Yuichi–Interfaces between solution-derived $LiMn_2O_4$ thin films and MgO and Au/MgO substrates.–Yumi H. Ikuhara, Xiuliang Ma, Yuji Iwamoto, Yuichi Ikuhara, Koichi Kikuta, and Shin-ichi Hirano; **17**(2), 358–366.

–Crystallization mechanism of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ and $YBa_2Cu_3O_{7-y}$ films deposited by metalorganic deposition method using trifluoroacetates.–Junko Shibata, Tetsuji Honjo, Hiroshi Fuji, Takeshi Araki, Izumi Hirabayashi, Tsukasa Hirayama, Teruo Izumi, Yuh Shiohara, Takahisa Yamamoto, and Yuichi Ikuhara; **17**(6), 1266–1275.

Ikuhara, Yumi H.–Interfaces between solution-derived $LiMn_2O_4$ thin films and MgO and Au/MgO substrates.–Yumi H. Ikuhara, Xiuliang Ma, Yuji Iwamoto, Yuichi Ikuhara, Koichi Kikuta, and Shin-ichi Hirano; **17**(2), 358–366.

Ikuta, Yoshiaki–Erratum: "Modification of sol-gel-derived amorphous Al_2O_3 thin films by F_2 excimer laser irradiation at ambient temperature" [J. Mater. Res. 16, 1003 (2001)].–Satoshi Takeda, Yoshiaki Ikuta, Masahiro Hirano, and Hideo Hosono; **17**(5), 1237(E).

Inoue, A.–Electrochemical and thermal properties of hydrogen-absorbed $Mg_{67}Ni_{28}Pd_5$ amorphous alloy.–Shin-ichi Yamaura, Keita Isogai, Hisamichi Kimura, and Akihisa Inoue; **17**(1), 60–64.

–Formation of $Zr_{70}Ni_{23}Ti_7$ glassy alloy and phase transformation upon annealing.–Limin Wang, Chunfei Li, Liqun Ma, and Akihisa Inoue; **17**(3), 693–696.

–Formation of bulk glassy $Fe_{75-x-y}Cr_xMo_yC_{15}B_{10}$ alloys and their corrosion behavior.–Shujie Pang, Tao Zhang, Katsuhiko Asami, and Akihisa Inoue; **17**(3), 701–704.

–Investigation of structure and properties of the Al–Y–Ni–Co–Cu metallic glasses.–Dmitri V. Louzguine and Akihisa Inoue; **17**(5), 1014–1018.

–Hydrogen absorption of nanoscale Pd particles embedded in ZrO_2 matrix prepared from Zr–Pd amorphous alloys.–Shin-ichi Yamaura, Ken-ichiro Sasamori, Hisamichi Kimura, Akihisa Inoue, Yue Chang Zhang, and Yoshiaki Arata; **17**(6), 1329–1334.

–Nanocrystallization of Cu–(Zr or Hf)–Ti metallic glasses.–D.V. Louzguine and A. Inoue; **17**(8), 2112–2120.

–Mechanically induced solid-state reaction for synthesizing glassy $Co_{75}Ti_{25}$ soft magnet alloy powders with a wide supercooled liquid region.–M. Sherif El-Eskandarany, Wei Zhang, and A. Inoue; **17**(9), 2447–2456.

Inoue, H.–Plastic flow instabilities of $L1_2$ Ni_3(Si,Ti) alloys at intermediate temperature.–H. Honjo, Y. Kaneno, H. Inoue, and T. Takasugi; **17**(3), 705–711.

Interrante, Leonard V.–Synthesis of silicon carbide films from partially oxidized polyvinylsilane by carbon tetrachloride solution casting.–Masaki Narisawa, Takeshi Hasegawa, Kiyohito Okamura, Masayoshi Itoh, Thomas Apple, Kevin V. Moraes, and Leonard V. Interrante; **17**(1), 214–223.

Iriarte, G.F.–Reactive sputter deposition of highly oriented AlN films at room temperature.–G.F. Iriarte, F. Engelmark, and I.V. Katardjiev; **17**(6), 1469–1475.

Ishida, Tadashi–Perovskite crystallization of sol-gel processed $(Pb,La_{0.06},Gd_{0.02})(Zr_{0.65},Ti_{0.35})O_3$ thin films: Dielectric, ferroelectric and optical properties.–Reji Thomas, Shoichi Mochizuki, Toshiyuki Mihara, and Tadashi Ishida; **17**(10), 2652–2659.

Ishikawa, Yoshie–Preparation of titanium(IV) oxide film on a hard alumite substrate.–Yoshie Ishikawa, Yasunori Hayashi, and Yasumichi Matsumoto; **17**(9), 2373–2378.

Ishizaki, Kozo–Thermal conductivity of AlN ceramic with a very low amount of grain boundary phase at 4 to 1000 K.–Koji Watari, Hiromi Nakano, Kazuyori Urabe, Kozo Ishizaki, Shixun Cao, and Katsunori Mori; **17**(11), 2940–2944.

Isogai, Keita–Electrochemical and thermal properties of hydrogen-absorbed $Mg_{67}Ni_{28}Pd_5$ amorphous alloy.–Shin-ichi Yamaura, Keita Isogai, Hisamichi Kimura, and Akihisa Inoue; **17**(1), 60–64.

Ito, E.–Hardness of cubic silicon nitride.–I. Tanaka, F. Oba, T. Sekine, E. Ito, A. Kubo, K. Tatsumi, H. Adachi, and T. Yamamoto; **17**(4), 731–733.

Ito, T.–X-ray photoelectron spectroscopy characterization and morphology of MgO thin films grown on single-crystalline diamond (100).–S.M. Lee, T. Ito, and H. Murakami; **17**(8), 1914–1922.

Itoh, Masayoshi–Synthesis of silicon carbide films from partially oxidized polyvinylsilane by carbon tetrachloride solution casting.–Masaki Narisawa, Takeshi Hasegawa, Kiyohito Okamura, Masayoshi Itoh, Thomas Apple, Kevin V. Moraes, and Leonard V. Interrante; **17**(1), 214–223.

Itoh, Yoshifumi–Agglomerate-free $BaTiO_3$ particles by salt-assisted spray pyrolysis.–Yoshifumi Itoh, I. Wuled Lenggoro, Sotiris E. Pratsinis, and Kikuo Okuyama; **17**(12), 3222–3229.

Ivanenko, L.–Magnetic properties of undoped and Co-doped *n*-type β–$FeSi_{2.5}$ single crystals.–E. Arushanov, L. Ivanenko, D. Eckert, G. Behr, U.K. Rößler, K-H. Müller, C. Schneider, and J. Schumann; **17**(11), 2960–2965.

Ivanov, Ivan P.–Growth and characterization of $Na_{0.5}K_{0.5}NbO_3$ thin films on polycrystalline $Pt_{80}Ir_{20}$ substrates.–Xin Wang, Sveinn Olafsson, Lynnette D. Madsen, Staffan Rudner, Ivan P. Ivanov, Alex Grishin, and Ulf Helmersson; **17**(5), 1183–1191.

Iwamoto, Yuji–Interfaces between solution-derived $LiMn_2O_4$ thin films and MgO and Au/MgO substrates.–Yumi H. Ikuhara, Xiuliang Ma, Yuji Iwamoto, Yuichi Ikuhara, Koichi Kikuta, and Shinichi Hirano; **17**(2), 358–366.

Iyer, R.S.–Subcritical crack growth in single-crystal silicon using micromachined specimens.–A.M. Fitzgerald, R.S. Iyer, R.H. Dauskardt, and T.W. Kenny; **17**(3), 683–692.

Iyi, Nobuo–Intercalation of rhodamine 6G and oxazine 4 into oriented clay films and their alignment.–Guangming Chen, Nobuo Iyi, Ryo Sasai, Taketoshi Fujita, and Kenji Kitamura; **17**(5), 1035–1040.

Izumi, T.–Mechanism of liquid-phase epitaxy growth of $NdBa_2Cu_3O_{7-x}$ film from low-peritectic-temperature $YBa_2Cu_3O_{7-x}$ seed film.–D.X. Huang, X. Yao, K. Nomura, Y. Wu, Y. Nakamura, T. Izumi, and Y. Shiohara; **17**(4), 747–754.

–Crystallization mechanism of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ and $YBa_2Cu_3O_{7-y}$ films deposited by metalorganic deposition method using trifluoroacetates.–Junko Shibata, Tetsuji Honjo, Hiroshi Fuji, Takeshi Araki, Izumi Hirabayashi, Tsukasa Hirayama, Teruo Izumi, Yuh Shiohara, Takahisa Yamamoto, and Yuichi Ikuhara; **17**(6), 1266–1275.

J

James, N.L.–Nanoindentation studies of brittle thin films on a titanium alloy substrate.–N. Fujisawa, M.V. Swain, N.L. James, R.N. Tarrant, J.C. Woodard, and D.R. McKenzie; **17**(4), 861–870.

Jan, D.B.–*In vacuo* pulsed laser ablation of $YBa_2Cu_3O_{7-x}$ target for the formation of Y_2O_3 nanostructures.–D.B. Jan, Q.X. Jia, M.E. Hawley, G.W. Browne, C.J. Wetteland, H.P. Sun, and X.Q. Pan; **17**(3), 697–700.

Jang, Ho G.–Chemical vapor deposition of cobalt using novel cobalt(I) precursors.–Hyungsoo Choi, Sungho Park, and Ho G. Jang; **17**(2), 267–270(L).

–Low-temperature fabrication of high-quality $(Ba,Sr)TiO_3$ films using charged liquid cluster beam method.–Hyungsoo Choi, Sungho Park, Yi Yang, HoChul Kang, Kyekyoon (Kevin) Kim, M.Y. Sung, and Ho G. Jang; **17**(8), 1888–1891(L).

Jang, Hyun M.–Fatigue-free La-modified $Pb(Zr,Ti)O_3$ capacitors using a seed layer.–Santiranjan R. Shannigrahi, Sun-Hwa Lee, and Hyun M. Jang; **17**(8), 1884–1887(L).

Jang, J.W.–Morphology, kinetics, and thermodynamics of solid-state aging of eutectic SnPb and Pb-free solders (Sn–3.5Ag, Sn–3.8Ag–0.7Cu and Sn–0.7Cu) on Cu.–T.Y. Lee, W.J. Choi, K.N. Tu, J.W. Jang, S.M. Kuo, J.K. Lin, D.R. Frear, K. Zeng, and J.K. Kivilahti; **17**(2), 291–301.

Jang, Se-Young–Grain morphology of intermetallic compounds at solder joints.–Won Kyoung Choi, Se-Young Jang, Jong Hoon Kim, Kyung-Wook Paik, and Hyuck Mo Lee; **17**(3), 597–599.

Janicskó-Csáthy, J.–Comparative study of single crystals and laser-grown films of V_2O_5.–J. Janicskó-Csáthy, A. Nagy, L. Nánai, W. Marine, S.P. Souto, M. Balkanski, and T.F. George; **17**(5), 1096–1101.

Jawahar, Isuhak Naseemabeevi–Microwave dielectric properties of $MO–La_2O_3–TiO_2$ (M = Ca, Sr, Ba) ceramics.–Isuhak Naseemabeevi Jawahar, Narayana Iyer Santha, Mailadil Thomas Sebastian, and Pezholil Mohanan; **17**(12), 3084–3089.

Je, Jung Ho–Synchrotron radiography and x-ray topography studies of hexagonal habitus SiC bulk crystals.–T.S. Argunova, M.Yu. Gutkin, Jung Ho Je, H.S. Kang, Y. Hwu, W-L. Tsai, and G. Margaritondo; **17**(10), 2705–2711.

Jean, Jau-Ho–Sintering of a crystallizable $K_2O–CaO–SrO–BaO–B_2O_3–SiO_2$ glass with titania present.–Jau-Ho Jean, Yu-Ching Fang, Steve X. Dai, David L. Wilcox, Sr.; **17**(7), 1772–1778.

Jeon, Young-Ah–Improvement in tunability and dielectric loss of $(Ba_{0.5}Sr_{0.5})TiO_3$ capacitors using seed layers on $Pt/Ti/SiO_2/Si$ substrates.–Young-Ah Jeon, Woong-Chul Shin, Tae-Suck Seo, and Soon-Gil Yoon; **17**(11), 2831–2836.

Jeong, D.S.–Preparation of epitaxial $Pb(Mg_{1/3}Ta_{2/3})O_3$ thin film by chemical solution deposition.–D.S. Jeong, J-H. Moon, B-T. Lee, and J.H. Kim; **17**(11), 2884–2887.

Jeong, H.G.–High-strain-rate superplastic flow in 6061 Al composite enhanced by liquid phase.–W.J. Kim, S.H. Hong, H.G. Jeong, and S.H. Min; **17**(1), 65–74.

Jeong, Sang Won–Interfacial microstructure and joint strength of Sn–3.5Ag–X (X = Cu, In, Ni) solder joint.–Won Kyoung Choi, Jong Hoon Kim, Sang Won Jeong, and Hyuck Mo Lee; **17**(1), 43–51.

Jeong, Seehwa–Oxidation behavior of TiAlN barrier layers with and without thin metal overlayers for memory capacitor applications.–Jaewon Song, Hye Ryeong Kim, Jaehoo Park, Seehwa Jeong, and Cheol Seong Hwang; **17**(7), 1789–1794.

Jesse, S.–Etching-enhanced ablation and the formation of a microstructure in silicon by laser irradiation in an SF_6 atmosphere.–S. Jesse, A.J. Pedraza, J.D. Fowlkes, and J.D. Budai; **17**(5), 1002–1013.

Jia, C.L.–Dislocations in $SrTiO_3$ thin films grown on $LaAlO_3$ substrates.–Y.L. Qin, C.L. Jia, K. Urban, J.H. Hao, and X.X. Xi; **17**(12), 3117–3126.

Jia, Q.X.–*In vacuo* pulsed laser ablation of $YBa_2Cu_3O_{7-x}$ target for the formation of Y_2O_3 nanostructures.–D.B. Jan, Q.X. Jia, M.E. Hawley, G.W. Browne, C.J. Wetteland, H.P. Sun, and X.Q. Pan; **17**(3), 697–700.

–Characterization of superconducting $SmBa_2Cu_3O_7$ films grown by pulsed laser deposition.–Q.X. Jia, S.R. Foltyn, J.Y. Coulter, J.F. Smith, and M.P. Maley; **17**(10), 2599–2603.

Jiang, D.L.–Aqueous processing of SiC green sheets I: Dispersant.–J.X. Zhang, D.L. Jiang, S.H. Tan, L.H. Gui, and M.L. Ruan; **17**(8), 2012–2018.

–Aqueous processing of SiC green sheets II: Binder and plasticizer.–J.X. Zhang, D.L. Jiang, S.H. Tan, L.H. Gui, and M.L. Ruan; **17**(8), 2019–2025.

Jiang, Dongliang–Evaluation of weak interface effect on the residual stresses in layered SiC/TiC composites by the finite element method and x-ray diffraction.–Shuyi Qin, Dongliang Jiang, Jingxian Zhang, and Jining Qin; **17**(5), 1118–1124.

–Nickel–alumina nanocomposite powders prepared by novel *in situ* chemical reduction.–Zheng-Ren Huang, Dongliang Jiang, Daniel Michel, Léo Mazerolles, Alain Ferrand, Thomas di Costanzo, and Jean-Louis Vignes; **17**(12), 3177–3181.

Jiang, Feng-Zhi–Preparation and properties of novel aerodynamic pressure-sensitive paint via the sol-gel method.–Feng-Zhi Jiang, Ren Xu, Duo-Yuan Wang, Xing-De Dong, Gui-Chun Li, Dao-Ben Zhu, and Lei Jiang; **17**(6), 1312–1319.

Jiang, J.C.–Direct conversion of TiO_2 sol to nanocrystalline anatase at 85 °C.–K.I. Gnanasekar, V. Subramanian, J. Robinson, J.C. Jiang, Fanney E. Posey, and B. Rambabu; **17**(6), 1507–1512.

Jiang, Lei–Preparation and properties of novel aerodynamic pressure-sensitive paint via the sol-gel method.–Feng-Zhi Jiang, Ren Xu, Duo-Yuan Wang, Xing-De Dong, Gui-Chun Li, Dao-Ben Zhu, and Lei Jiang; **17**(6), 1312–1319.

Jiang, W.–Disordering behavior and helium diffusion in He^+ irradiated 6H–SiC.–W. Jiang, W.J. Weber, C.M. Wang, and Y. Zhang; **17**(2), 271–274(L).

–Defect clustering in GaN irradiated with O^+ ions.–C.M. Wang, W. Jiang, W.J. Weber, and L.E. Thomas; **17**(11), 2945–2952.

Jiang, X.–Deposition of diamond/β–SiC gradient composite films by microwave plasma-assisted chemical vapor deposition.–Yulong Shi, Minhui Tan, and X. Jiang; **17**(6), 1241–1243(L).

Jiao, T.–Deformation and failure of $Zr_{57}Ti_5Cu_{20}Ni_8Al_{10}$ bulk metallic glass under quasi-static and dynamic compression.–T.C. Hufnagel, T. Jiao, Y. Li, L-Q. Xing, and K.T. Ramesh; **17**(6), 1441–1445.

Jiménez, C.–Aerosol-gel-derived microcrystalline hydroxyapatite coatings.–M. Manso, J.M. Martínez-Duart, M. Langlet, C. Jiménez, P. Herrero, and E. Millon; **17**(6), 1482–1489.

Jiménez, J.–Optical characterization of GaAs/Si layers grown by the conformal method (confined lateral epitaxial growth).–A.M. Ardila, O. Martínez, M. Avella, J. Jiménez, E. Gil-Lafon, and B. Gérard; **17**(6), 1341–1349.

Jin, C.–Epitaxial growth of ZnO films on Si(111).–Ashutosh Tiwari, M. Park, C. Jin, H. Wang, D. Kumar, and J. Narayan; **17**(10), 2480–2483(L).

Jin, C-Q.–High critical current density of a MgB_2 bulk superconductor high-pressure synthesized directly from the elements.–C-Q. Jin, S-C. Li, J-L. Zhu, F-Y. Li, Z-X. Liu, and R-C. Yu; **17**(3), 525–527(L).

Jin, Moon-Seog–Optical properties of Ho^{3+}-, Er^{3+}-, and Tm^{3+}-doped $BaIn_2S_4$ and $BaIn_2Se_4$ single crystals.–Sang-An Park, Mi-Yang Kim, Wha-Tek Kim, Moon-Seog Jin, Sung-Hyu Choe, Tae-Young Park, Kwang-Ho Park, and Duck-Tae Kim; **17**(8), 2147–2152.

Jin, Qiang–Grain boundary faceting in $YBa_2Cu_3O_{7-x}$ bicrystal thin films on $SrTiO_3$ substrates.–Qiang Jin and Siu-Wai Chan; **17**(2), 323–335.

Jin, X.H.–Microstructure and mechanical properties of SiC/zirconia-toughened mullite nanocomposites prepared from mixtures of mullite gel, 2Y-TZP, and SiC nanopowders.–X.H. Jin, L. Gao, L.H. Gui, and J.K. Guo; **17**(5), 1024–1029.

Jing, Zhi–Crystalline structure and dielectric behavior of (Ce,Ba)TiO_3 ceramics.–Zhi Jing, Zhi Yu, and Chen Ang; **17**(11), 2787–2793.

Johnson, Noble M.–Continuous-wave InGaN laser diodes on copper and diamond substrates.–William S. Wong, Michael Kneissl, David W. Treat, Mark Teepe, Naoko Miyashita, Alberto Salleo, and Noble M. Johnson; **17**(4), 890–894.

Jones, Howard–Electron field emission from Ar^+ ion-treated thick-film carbon paste.–Gillian A.M. Reynolds, Lap-Tak Cheng, Robert Bouchard, Paul Moffett, Howard Jones, Linda F. Robinson, S. Ismat Shah, and Daniel I. Amey; **17**(10), 2590–2598.

Jonsson-Akerman, Johan–Kinetics of subsurface hydrogen adsorbed on niobium: Thermal desorption studies.–A.L. Cabrera, J. Espinosa-Gangas, Johan Jonsson-Akerman, and Ivan K. Schuller; **17**(10), 2698–2704.

Jordan, Eric H.–Mechanisms of ceramic coating deposition in solution-precursor plasma spray.–Tania Bhatia, Alper Ozturk, Liangde Xie, Eric H. Jordan, Baki M. Cetegen, Maurice Gell, Xinqin Ma, and Nitin P. Padture; **17**(9), 2363–2372.

Juárez, Ricardo E.–Synthesis of nanocrystalline CeO_2–Y_2O_3 powders by a nitrate–glycine gel-combustion process.–Mario F. Bianchetti, Ricardo E. Juárez, Diego G. Lamas, Noemí E. Walsöe de Reca, Lidia Pérez, and Edgardo Cabanillas; **17**(9), 2185–2188(L).

Jung, Donggeun–Effects of a nanothin Al_2O_3 cathode buffer layer on the characteristics of organic light-emitting diodes with sputter-deposited cathodes.–Samil Kho, Sungjun Bae, and Donggeun Jung; **17**(6), 1248–1250(L).

–Effects of postdeposition *in situ* heat treatment on the properties of low dielectric constant plasma polymer films deposited using decahydronaphthalene and tetraethyl orthosilicate as the precursors.–Jaeyoung Yang, Cheonman Shim, and Donggeun Jung; **17**(6), 1371–1375.

Jung, Ha-Kyun–Synthesis and characterization of red phosphor (Y,Gd)BO_3:Eu by the coprecipitation method.–Kyung Nam Kim, Ha-Kyun Jung, Hee Dong Park, and Dojin Kim; **17**(4), 907–910.

Jung, Hyun-Suk–Influence of substrates on the crystal structure of pulsed laser deposited $Pb(Mg_{1/3}Nb_{2/3})O_3$–29% $PbTiO_3$ thin films.–Jung-Kun Lee, Hyun-Suk Jung, Dong-Wan Kim, Chang-Hoon Kim, and Kug Sun Hong; **17**(5), 1030–1034.

Juppo, Marika–*Tert*-butylamine and allylamine as reductive nitrogen sources in atomic layer deposition of TaN thin films.–Petra Alén, Marika Juppo, Mikko Ritala, Markku Leskelä, Timo Sajavaara, and Juhani Keinonen; **17**(1), 107–114.

K

Kaburagi, Y.–Negative transverse magnetoresistance of boron-doped graphite at liquid-nitrogen temperature in relation to 3D weak localization.–Y. Hishiyama, T. Matustani, M. Suzuki, Y. Kaburagi, and K. Sugihara; **17**(1), 75–82.

–Ferromagnetism discovered on heat-treating the aromatic polyimide film Kapton.–Yutaka Kaburagi and Yoshihiro Hishiyama; **17**(8), 2000–2006.

Kagawa, Yutaka–Effect of total particle surface area on the light transmittance of glass particle-dispersed epoxy matrix optical composites.–Tamaki Naganuma and Yutaka Kagawa; **17**(12), 3237–3241.

Kageyama, Hiroyuki–Preparation of fine-grained $BaTiO_3$ ceramics by spark plasma sintering.–Tomonari Takeuchi, Claudio Capiglia, Nalini Balakrishnan, Yasuo Takeda, Hiroyuki Kageyama; **17**(3), 575–581.

Kahn, H.–Thermal expansion of low-pressure chemical vapor deposition polysilicon films.–H. Kahn, R. Ballarini, and A.H. Heuer; **17**(7), 1855–1862.

Kaiser, U.–Transmission electron microscopy study of Ge implanted into SiC.–T. Gorelik, U. Kaiser, Ch. Schubert, W. Wesch, and U. Glatzel; **17**(2), 479–486.

Kakemoto, H.–Phase transition behaviors of $BaTiO_3$–$BaZrO_3$ solid solutions under high direct current bias fields.–S. Wada, H. Adachi, H. Kakemoto, H. Chazono, Y. Mizuno, H. Kishi, and T. Tsurumi; **17**(2), 456–464.

–Dielectric properties of $BaTiO_3$–$BaZrO_3$ ceramics under a high electric field.–T. Tsurumi, Y. Yamamoto, H. Kakemoto, S. Wada, H. Chazono, and H. Kishi; **17**(4), 755–759.

Kalinin, Sergei V.–Contrast mechanism maps for piezoresponse force microscopy.–Sergei V. Kalinin and Dawn A. Bonnell; **17**(5), 936–939(L).

Kalita, S.J.–Porous calcium aluminate ceramics for bone-graft applications.–S.J. Kalita, S. Bose, A. Bandyopadhyay, and H.L. Hosick; **17**(12), 3042–3049.

Kamiya, Kanichi–Second harmonic generation from $CsLiB_6O_{10}$-containing glass-ceramics.–Yoshitsugu Yamamoto, Tomohiro Hashimoto, Hiroyuki Nasu, Tadanori Hashimoto, Kanichi Kamiya; **17**(12), 3110–3116.

Kan, Akinori–Crystal structure–microwave dielectric property relations in R_2BaZnO_5 (R = Sm, Eu, Gd, Dy, Ho, Er, and Tm) ceramics.–Akinori Kan and Hirotaka Ogawa; **17**(7), 1803–1807.

Kaneno, Y.–Plastic flow instabilities of $L1_2$ $Ni_3(Si,Ti)$ alloys at intermediate temperature.–H. Honjo, Y. Kaneno, H. Inoue, and T. Takasugi; **17**(3), 705–711.

–Cold rolling and recrystallization textures in $L1_2$-type Co_3Ti ordered alloys.–Yasuyuki Kaneno, Itsuko Nakaaki, and Takayuki Takasugi; **17**(10), 2567–2577.

Kang, B.W.–Chemical solution deposition of lanthanum zirconate buffer layers on biaxially textured Ni–1.7% Fe–3% W alloy substrates for coated-conductor fabrication.–S. Sathyamurthy, M. Paranthaman, T. Aytug, B.W. Kang, P.M. Martin, A. Goyal, D.M. Kroeger, and D.K. Christen; **17**(6), 1543–1549.

–Comparative study of thickness dependence of critical current density of $YBa_2Cu_3O_{7-\delta}$ on (100) $SrTiO_3$ and on rolling-assisted biaxially textured substrates.–B.W. Kang, A. Goyal, D.F. Lee, J.E. Mathis, E.D. Specht, P.M. Martin, D.M. Kroeger, M. Paranthaman, and S. Sathyamurthy; **17**(7), 1750–1757.

–Quantification and control of the sulfur $c(2 \times 2)$ superstructure on {100}⟨100⟩ Ni for optimization of YSZ, CeO_2, and $SrTiO_3$ seed layer texture.–C. Cantoni, D.K. Christen, L. Heatherly, M.M. Kowalewski, F.A. List, A. Goyal, G.W. Ownby, D.M. Zehner, B.W. Kang, and D.M. Kroeger; **17**(10), 2549–2554.

Kang, Byeongdoo–Electrolyzed water as an alternative for environmentally benign semiconductor cleaning.–Kunkul Ryoo, Byeongdoo Kang, and Osao Sumita; **17**(6), 1298–1304.

Kang, Byung Sung–Diffuse dielectric anomaly in MnO_2-doped $Pb_{0.9}La_{0.1}TiO_3$ ceramic in the temperature range of 400–700 °C.–Byung Sung Kang and Si Kyung Choi; **17**(1), 127–132.

Kang, H.S.–Synchrotron radiography and x-ray topography studies of hexagonal habitus SiC bulk crystals.–T.S. Argunova, M.Yu. Gutkin, Jung Ho Je, H.S. Kang, Y. Hwu, W-L. Tsai, and G. Margaritondo; **17**(10), 2705–2711.

Kang, HoChul–Low-temperature fabrication of high-quality (Ba,Sr)TiO_3 films using charged liquid cluster beam method.–Hyungsoo Choi, Sungho Park, Yi Yang, HoChul Kang, Kyekyoon (Kevin) Kim, M.Y. Sung, and Ho G. Jang; **17**(8), 1888–1891(L).

Kang, Junyong–Threading dislocations with edge components in GaN epilayers grown on Al_2O_3 substrates.–Junyong Kang and Tomoya Ogawa; **17**(2), 512(E).

–Dislocations around precipitates in AlGaN epilayers.–Junyong Kang, Shin Tsunekawa, and Atsuo Kasuya; **17**(8), 2007–2011.

Kang, Shinhoo–Active metal brazing for reliable ceramic joints using TiN coating.–Chulsoo Yoon, Tae Woo Kim, Osung Seo, and Shinhoo Kang; **17**(1), 246–252.

Kang, Sung K.–Ag_3Sn plate formation in the solidification of near ternary eutectic Sn–Ag–Cu alloys.–Donald W. Henderson, Timothy Gosselin, Amit Sarkhel, Sung K. Kang, Won-Kyoung Choi, Da-Yuan Shih, Charles Goldsmith, and Karl J. Puttlitz; **17**(11), 2775–2778(L).

Kang, T.W.–Dependence of the Au/Ni/Si/Ni contact properties on the Si-layer thickness and the annealing temperature in *p*-type GaN epilayers.–S.J. Yang, T.W. Kang, T.W. Kim, and K.S. Chung; **17**(5), 1019–1023.

Kannan, T.S.–Nitride-bonded silicon nitride from slip-cast Si + Si_3N_4 compacts.–R. Ramachandra Rao and T.S. Kannan; **17**(2), 386–395.

Kannewurf, Carl R.–Growth, microstructure, charge transport, and transparency of random polycrystalline and heteroepitaxial metal-organic chemical vapor deposition-derived gallium–indium–oxide thin films.–Anchuan Wang, Nikki L. Edleman, Jason R. Babcock, Tobin J. Marks, Melissa A. Lane, Paul R. Brazis, and Carl R. Kannewurf; **17**(12), 3155–3162.

Kao, C.R.–Effect of Cu concentration on the interfacial reactions between Ni and Sn–Cu solders.–W.T. Chen, C.E. Ho, and C.R. Kao; **17**(2), 263–266(L).

Kasper, N.V.–Magnetic structure of $TbBaCo_2O_{5.4}$ perovskite.–D.D. Khalyavin, I.O. Troyanchuk, N.V. Kasper, Q. Huang, J.W. Lynn, and H. Szymczak; **17**(4), 838–843.

Kasuga, Toshihiro–Biomimetic apatite formation on poly(lactic acid) composites containing calcium carbonates.–Hirotaka Maeda, Toshihiro Kasuga, Masayuki Nogami, Yoshitaka Hibino, Kenichiro Hata, Minoru Ueda, and Yoshio Ota; **17**(4), 727–730(L).

Kasuya, Atsuo–Dislocations around precipitates in AlGaN epilayers.–Junyong Kang, Shin Tsunekawa, and Atsuo Kasuya; **17**(8), 2007–2011.

Katardjiev, I.V.–Reactive sputter deposition of highly oriented AlN films at room temperature.–G.F. Iriarte, F. Engelmark, and I.V. Katardjiev; **17**(6), 1469–1475.

Kawamura, Y.–Rate dependence of serrated flow during nanoindentation of a bulk metallic glass.–C.A. Schuh, T.G. Nieh, and Y. Kawamura; **17**(7), 1651–1654.

Kaya, C.–Microstructural variations in mullite ceramics derived from diphasic sols using different forming techniques.–C. Kaya and A.R. Boccaccini; **17**(12), 3000–3003(L).

Keinonen, Juhani–*Tert*-butylamine and allylamine as reductive nitrogen sources in atomic layer deposition of TaN thin films.–Petra Alén, Marika Juppo, Mikko Ritala, Markku Leskelä, Timo Sajavaara, and Juhani Keinonen; **17**(1), 107–114.

Kelly, P.M.–Surface alloying of AZ91D alloy by diffusion coating.–M-X. Zhang and P.M. Kelly; **17**(10), 2477–2479(L).

Kenane, S.–Electrochemical self-assembly of Cu/Cu_2O nanowires.–S. Kenane and L. Piraux; **17**(2), 401–406.

Kenny, T.W.–Subcritical crack growth in single-crystal silicon using micromachined specimens.–A.M. Fitzgerald, R.S. Iyer, R.H. Dauskardt, and T.W. Kenny; **17**(3), 683–692.

Kerr, E.–Grain growth, stress, and impurities in electroplated copper.–S.H. Brongersma, E. Kerr, I. Vervoort, A. Saerens, and K. Maex; **17**(3), 582–589.

Kershen, K.–Adhesion of Cu and low-k dielectric thin films with tungsten carbide.–A.M. Lemonds, K. Kershen, J. Bennett, K. Pfeifer, Y-M. Sun, J.M. White, and J.G. Ekerdt; **17**(6), 1320–1328.

Khalyavin, D.D.–Magnetic structure of $TbBaCo_2O_{5.4}$ perovskite.–D.D. Khalyavin, I.O. Troyanchuk, N.V. Kasper, Q. Huang, J.W. Lynn, and H. Szymczak; **17**(4), 838–843.

Kho, Samil–Effects of a nanothin Al_2O_3 cathode buffer layer on the characteristics of organic light-emitting diodes with sputter-deposited cathodes.–Samil Kho, Sungjun Bae, and Donggeun Jung; **17**(6), 1248–1250(L).

Kholkin, A.L.–Dielectric behavior of Mn-doped morphotropic phase boundary composition in the $Pb(Zn_{1/3}Nb_{2/3})O_3$–$BaTiO_3$–$PbTiO_3$ system.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, and J.L. Baptista; **17**(5), 1192–1198.

–Effect of lanthanum-doping on the dielectric properties of $Pb(Fe_{1/2}Ta_{1/2})O_3$ relaxor ferroelectrics.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, and J.L. Baptista; **17**(7), 1779–1784.

–Phase diagram of the W-doped $Pb(Zn_{1/3}Nb_{2/3})O_3$–$BaTiO_3$–$PbTiO_3$ system around a morphotropic phase boundary composition.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, and J.L. Baptista; **17**(5), 1085–1091.

Kikuta, Koichi–Interfaces between solution-derived $LiMn_2O_4$ thin films and MgO and Au/MgO substrates.–Yumi H. Ikuhara, Xiuliang Ma, Yuji Iwamoto, Yuichi Ikuhara, Koichi Kikuta, and Shinichi Hirano; **17**(2), 358–366.

Kim, C-U.–Analysis of the reservoir length and its effect on electromigration lifetime.–H.A. Le, Larry Ting, N.C. Tso, and C-U. Kim; **17**(1), 167–171.

Kim, Chang Hae–Optimization of red phosphor for plasma display panel by the combinatorial chemistry method.–Kee-Sun Sohn, Chang Hae Kim, Joon Taik Park, and Hee Dong Park; **17**(12), 3201–3205.

Kim, Chang-Hoon–Influence of substrates on the crystal structure of pulsed laser deposited $Pb(Mg_{1/3}Nb_{2/3})O_3$–29% $PbTiO_3$ thin films.–Jung-Kun Lee, Hyun-Suk Jung, Dong-Wan Kim, Chang-Hoon Kim, and Kug Sun Hong; **17**(5), 1030–1034.

Kim, Chang-Jin–Micromachining of mesoporous oxide films for microelectromechanical system structures.–Jong-Ah Paik, Shih-Kang Fan, Chang-Jin Kim, Ming C. Wu, and Bruce Dunn; **17**(8), 2121–2129.

Kim, D.H.–Formation and stability of quasicrystalline and hexagonal approximant phases in an Al–Mn–Be alloy.–G.S. Song, E. Fleury, S.H. Kim, W.T. Kim, D.H. Kim; **17**(7), 1671–1677.

Kim, Do-Hyang–Sliding friction and wear behavior of Al–Ni–Co–Si quasicrystalline coatings deposited by the high-velocity oxy-fuel spraying technique.–Eric Fleury, Yu-Chan Kim, Jae-Soo Kim, Hyo-Sok Ahn, Sang-Mok Lee, Won-Tae Kim, and Do-Hyang Kim; **17**(2), 492–501.

Kim, Do Kyung–Overview: Damage in brittle layer structures from concentrated loads.–Brian R. Lawn, Yan Deng, Pedro Miranda, Antonia Pajares, Herzl Chai, and Do Kyung Kim; **17**(12), 3019–3036(R).

Kim, Dojin–Synthesis and characterization of red phosphor $(Y,Gd)BO_3$:Eu by the coprecipitation method.–Kyung Nam Kim, Ha-Kyun Jung, Hee Dong Park, and Dojin Kim; **17**(4), 907–910.

Kim, Dong-Wan–Influence of substrates on the crystal structure of pulsed laser deposited $Pb(Mg_{1/3}Nb_{2/3})O_3$–29% $PbTiO_3$ thin films.–Jung-Kun Lee, Hyun-Suk Jung, Dong-Wan Kim, Chang-Hoon Kim, and Kug Sun Hong; **17**(5), 1030–1034.

Kim, Duck-Tae–Optical properties of Ho^{3+}-, Er^{3+}-, and Tm^{3+}-doped $BaIn_2S_4$ and $BaIn_2Se_4$ single crystals.–Sang-An Park, Mi-Yang Kim, Wha-Tek Kim, Moon-Seog Jin, Sung-Hyu Choe, Tae-Young Park, Kwang-Ho Park, and Duck-Tae Kim; **17**(8), 2147–2152.

Kim, Hae-Won–Improvement of oxidation resistance of Si_3N_4 by heat treatment in a wet H_2 atmosphere.–Young-Hag Koh, Hae-Won Kim, and Hyoun-Ee Kim; **17**(9), 2321–2326.

Kim, Hai-Doo–Effect of Si_2N_2O content on the microstructure, properties, and erosion of silicon nitride–Si_2N_2O *in situ* composites.–Dong-Soo Park, Hyun-Ju Choi, Byung-Dong Han, Hai-Doo Kim, and Dae-Soon Lim; **17**(9), 2275–2280.

Kim, Hong-Suk–Phase evolution of turbostratic boron nitride during the deposition of cubic boron nitride film.–Hong-Suk Kim, In-Hoon Choi, and Young-Joon Baik; **17**(5), 944–947(L).

Kim, Hye Ryeong–Oxidation behavior of TiAlN barrier layers with and without thin metal overlayers for memory capacitor applications.–Jaewon Song, Hye Ryeong Kim, Jaehoo Park, Seehwa Jeong, and Cheol Seong Hwang; **17**(7), 1789–1794.

Kim, Hyoun-Ee–Preparation and improvement in the electrical properties of lead-zinc-niobate–based ceramics by thermal treatments.–Huiqing Fan, Gun-Tae Park, Jong-Jin Choi, Jungho Ryu, Hyoun-Ee Kim; **17**(1), 180–185.

–Improvement of oxidation resistance of Si_3N_4 by heat treatment in a wet H_2 atmosphere.–Young-Hag Koh, Hae-Won Kim, and Hyoun-Ee Kim; **17**(9), 2321–2326.

Kim, Hyoung Seop–Evaluation of strain rate during equal-channel angular pressing.–Hyoung Seop Kim; **17**(1), 172–179.

Kim, Hyung-Kook–Synchrotron x-ray scattering study of SnO_2 thin film grown on sapphire.–Gi-Hong Rue, Dae Hwang Yoo, Yoon Hwae Hwang, and Hyung-Kook Kim; **17**(9), 2417–2422.

Kim, I.W.–Structures of AlN/VN superlattices with different AlN layer thicknesses.–Quan Li, I.W. Kim, S.A. Barnett, and L.D. Marks; **17**(5), 1224–1231.

Kim, J.C.–Epitaxial growth of antiperovskite $GaCMn_3$ film on perovskite $LaAlO_3$ substrate.–H.S. Choi, W.S. Kim, J.C. Kim, and N.H. Hur; **17**(10), 2640–2643.

Kim, J.H.–Preparation of epitaxial $Pb(Mg_{1/3}Ta_{2/3})O_3$ thin film by chemical solution deposition.–D.S. Jeong, J-H. Moon, B-T. Lee, and J.H. Kim; **17**(11), 2884–2887.

Kim, Jae-Soo–Sliding friction and wear behavior of Al–Ni–Co–Si quasicrystalline coatings deposited by the high-velocity oxy-fuel spraying technique.–Eric Fleury, Yu-Chan Kim, Jae-Soo Kim, Hyo-Sok Ahn, Sang-Mok Lee, Won-Tae Kim, and Do-Hyang Kim; **17**(2), 492–501.

Kim, Jong Hoon–Interfacial microstructure and joint strength of Sn–3.5Ag–X (X = Cu, In, Ni) solder joint.–Won Kyoung Choi, Jong Hoon Kim, Sang Won Jeong, and Hyuck Mo Lee; **17**(1), 43–51.

–Grain morphology of intermetallic compounds at solder joints.–Won Kyoung Choi, Se-Young Jang, Jong Hoon Kim, Kyung-Wook Paik, and Hyuck Mo Lee; **17**(3), 597–599.

Kim, Kyekyoon (Kevin)–Low-temperature fabrication of high-quality $(Ba,Sr)TiO_3$ films using charged liquid cluster beam method.–Hyungsoo Choi, Sungho Park, Yi Yang, HoChul Kang, Kyekyoon (Kevin) Kim, M.Y. Sung, and Ho G. Jang; **17**(8), 1888–1891(L).

Kim, Kyong Hon–Tb L_3-edge x-ray absorption near-edge structure spectroscopic analysis of terbium-doped phosphor compounds for plasma display panel applications.–Yong Gyu Choi, Kee-Sun Sohn, Kyong Hon Kim, and Hee Dong Park; **17**(1), 31–35.

Kim, Kyung Nam–Synthesis and characterization of red phosphor $(Y,Gd)BO_3$:Eu by the coprecipitation method.–Kyung Nam Kim, Ha-Kyun Jung, Hee Dong Park, and Dojin Kim; **17**(4), 907–910.

Kim, Mi-Yang–Optical properties of Ho^{3+}-, Er^{3+}-, and Tm^{3+}-doped $BaIn_2S_4$ and $BaIn_2Se_4$ single crystals.–Sang-An Park, Mi-Yang Kim, Wha-Tek Kim, Moon-Seog Jin, Sung-Hyu Choe, Tae-Young Park, Kwang-Ho Park, and Duck-Tae Kim; **17**(8), 2147–2152.

Kim, S.H.–Formation and stability of quasicrystalline and hexagonal approximant phases in an Al–Mn–Be alloy.–G.S. Song, E. Fleury, S.H. Kim, W.T. Kim, and D.H. Kim; **17**(7), 1671–1677.

Kim, Sang Sub–Change of growth orientation in Pt films epitaxially grown on MgO(001) substrates by sputtering.–Kun Ho Ahn, Sunggi Baik, and Sang Sub Kim; **17**(9), 2334–2338.

Kim, Seock-Sam–Tribological behavior of CrN coating on aluminum alloys deposited by arc ion plating.–Fei Zhou, Chang-Min Suh, Seock-Sam Kim, and Ri-ichi Murakami; **17**(12), 3133–3138.

Kim, Seung-Hyun–Effects of IrO_2/Pt hybrid electrodes on the crystallization and ferroelectric performances of sol-gel-derived Pb(Zr, Ti)O_3 thin film capacitors.–Seung-Hyun Kim, Dong-Yeon Park, Hyun-Jung Woo, Dong-Soo Lee, Jowoong Ha, and Cheol Song Hwang; **17**(7), 1735–1742.

Kim, Si-Jung–Microstructure and adhesion properties of Sn–0.7Cu/Cu solder joints.–Kyoo-Sik Bae and Si-Jung Kim; **17**(4), 743–746.

Kim, Sungtae–Kinetics of $PbTiO_3$ perovskite phase formation via an interfacial reaction.–Yun-Mo Sung, Woo-Chul Kwak, and Sungtae Kim; **17**(2), 407–412.

Kim, T.W.–Dependence of the Au/Ni/Si/Ni contact properties on the Si-layer thickness and the annealing temperature in *p*-type GaN epilayers.–S.J. Yang, T.W. Kang, T.W. Kim, and K.S. Chung; **17**(5), 1019–1023.

Kim, Tae Woo–Active metal brazing for reliable ceramic joints using TiN coating.–Chulsoo Yoon, Tae Woo Kim, Osung Seo, and Shinhoo Kang; **17**(1), 246–252.

Kim, W.J.–High-strain-rate superplastic flow in 6061 Al composite enhanced by liquid phase.–W.J. Kim, S.H. Hong, H.G. Jeong, and S.H. Min; **17**(1), 65–74.

Kim, W.S.–Epitaxial growth of antiperovskite $GaCMn_3$ film on perovskite $LaAlO_3$ substrate.–H.S. Choi, W.S. Kim, J.C. Kim, and N.H. Hur; **17**(10), 2640–2643.

Kim, W.T.–Formation and stability of quasicrystalline and hexagonal approximant phases in an Al–Mn–Be alloy.–G.S. Song, E. Fleury, S.H. Kim, W.T. Kim, and D.H. Kim; **17**(7), 1671–1677.

Kim, Wha-Tek–Optical properties of Ho^{3+}-, Er^{3+}-, and Tm^{3+}-doped $BaIn_2S_4$ and $BaIn_2Se_4$ single crystals.–Sang-An Park, Mi-Yang Kim, Wha-Tek Kim, Moon-Seog Jin, Sung-Hyu Choe, Tae-Young Park, Kwang-Ho Park, and Duck-Tae Kim; **17**(8), 2147–2152.

Kim, Won-Tae–Sliding friction and wear behavior of Al–Ni–Co–Si quasicrystalline coatings deposited by the high-velocity oxy-fuel spraying technique.–Eric Fleury, Yu-Chan Kim, Jae-Soo Kim, Hyo-Sok Ahn, Sang-Mok Lee, Won-Tae Kim, and Do-Hyang Kim; **17**(2), 492–501.

Kim, Yu-Chan–Sliding friction and wear behavior of Al–Ni–Co–Si quasicrystalline coatings deposited by the high-velocity oxy-fuel spraying technique.–Eric Fleury, Yu-Chan Kim, Jae-Soo Kim, Hyo-Sok Ahn, Sang-Mok Lee, Won-Tae Kim, and Do-Hyang Kim; **17**(2), 492–501.

Kimura, Hisamichi–Electrochemical and thermal properties of hydrogen-absorbed $Mg_{67}Ni_{28}Pd_5$ amorphous alloy.–Shin-ichi Yamaura, Keita Isogai, Hisamichi Kimura, and Akihisa Inoue; **17**(1), 60–64.

–Hydrogen absorption of nanoscale Pd particles embedded in ZrO_2 matrix prepared from Zr–Pd amorphous alloys.–Shin-ichi Yamaura, Ken-ichiro Sasamori, Hisamichi Kimura, Akihisa Inoue, Yue Chang Zhang, and Yoshiaki Arata; **17**(6), 1329–1334.

King, Alexander H.–Low-cost manufacturing process for nanostructured metals and alloys.–Travis L. Brown, Srinivasan Swaminathan,,Srinivasan Chandrasekar, W. Dale Compton, Alexander H. King, and Kevin P. Trumble; **17**(10), 2484–2488(L).

Kingon, A.I.–Crystallization in SiO_2–metal oxide alloys.–J-P. Maria, D. Wickaksana, J. Parrette, and A.I. Kingon; **17**(7), 1571–1579.

Kisailus, D.J.–Grain growth of precursor-derived nanocrystalline gallium nitride powder.–M. Puchinger, D.J. Kisailus, F.F. Lange, and T. Wagner; **17**(2), 353–357.

–Chemical solution deposited GaN films from oxygen- and nitrogen-based precursors.–David Kisailus, Joon Hwan Choi, and F.F. Lange; **17**(10), 2540–2548.

Kishi, H.–Phase transition behaviors of $BaTiO_3$–$BaZrO_3$ solid solutions under high direct current bias fields.–S. Wada, H. Adachi, H. Kakemoto, H. Chazono, Y. Mizuno, H. Kishi, and T. Tsurumi; **17**(2), 456–464.

–Dielectric properties of $BaTiO_3$–$BaZrO_3$ ceramics under a high electric field.–T. Tsurumi, Y. Yamamoto, H. Kakemoto, S. Wada, H. Chazono, and H. Kishi; **17**(4), 755–759.

Kitamura, Kenji–Intercalation of rhodamine 6G and oxazine 4 into oriented clay films and their alignment.–Guangming Chen, Nobuo Iyi, Ryo Sasai, Taketoshi Fujita, Kenji Kitamura; **17**(5), 1035–1040.

Kivilahti, J.K.–Morphology, kinetics, and thermodynamics of solid-state aging of eutectic SnPb and Pb-free solders (Sn–3.5Ag, Sn–3.8Ag–0.7Cu and Sn–0.7Cu) on Cu.–T.Y. Lee, W.J. Choi, K.N. Tu, J.W. Jang, S.M. Kuo, J.K. Lin, D.R. Frear, K. Zeng, and J.K. Kivilahti; **17**(2), 291–301.

Klapperich, C.–Nanomechanical properties of energetically treated polyethylene surfaces.–C. Klapperich, L. Pruitt, and K. Komvopoulos; **17**(2), 423–430.

Klemens, Paul G.–Thermal conductivity of ceramics in the ZrO_2-$GdO_{1.5}$ system.–Jie Wu, Nitin P. Padture, Paul G. Klemens, Maurice Gell, Eugenio García, Pilar Miranzo, and Maria I. Osendi; **17**(12), 3193–3200.

Kneissl, Michael–Continuous-wave InGaN laser diodes on copper and diamond substrates.–William S. Wong, Michael Kneissl, David W. Treat, Mark Teepe, Naoko Miyashita, Alberto Salleo, and Noble M. Johnson; **17**(4), 890–894.

Kobayashi, Takeshi–Fabrication of β–BaB_2O_4 thin films with (00*l*) preferred orientation through the chemical solution deposition technique.–Takeshi Kobayashi, Ryo Ogawa, Kun'ichi Miyazawa, and Makoto Kuwabara; **17**(4), 844–851.

Koh, Young-Hag–Improvement of oxidation resistance of Si_3N_4 by heat treatment in a wet H_2 atmosphere.–Young-Hag Koh, Hae-Won Kim, and Hyoun-Ee Kim; **17**(9), 2321–2326.

Kohl, Paul A.–Thermal decomposition kinetics of functionalized polynorbornene.–Michael D. Wedlake and Paul A. Kohl; **17**(3), 632–640.

Koinuma, Michio–Thermally-induced phase changes in electrophoretically deposited titanate and niobate layered oxides.–Ugur Unal, Dan Matsuo, Yasumichi Matsumoto, and Michio Koinuma; **17**(10), 2644–2651.

Kolis, J.–Transport in the $Al_{71}Pd_{21}Mn_{8-x}Re_x$ quasicrystalline system.–A.L. Pope, T.M. Tritt, R. Gagnon, J. Strom-Olsen, S. Legault, R. Schneidmiller, and J. Kolis; **17**(7), 1814–1819.

Kolodiazhnyi, T.–Synthesis and dielectric properties of barium tantalates and niobates with complex perovskite structure.–T. Kolodiazhnyi, A. Petric, A. Belous, O. V'yunov, and O. Yanchevskij; **17**(12), 3182–3189.

Komarneni, Sridhar–Selenium oxyanions: Highly selective uptake by a novel anion exchanger.–Naofumi Kozai, Toshihiko Ohnuki, and Sridhar Komarneni; **17**(12), 2993–2996(L).

Komazaki, Shin-Ichi–Evaluation of thermal aging embrittlement of austenitic stainless steels JN1, JJ1, and JK2 by cryogenic small-punch testing.–Maribel L. Saucedo-Muñoz, Shi Cheng Liu, Shin-Ichi Komazaki, Il-Hyun Kwon, Toshiyuki Hashida, Hideaki Takahashi, and Hideo Nakajima; **17**(4), 852–860.

–Creep property measurement of service-exposed SUS 316 austenitic stainless steel by the small-punch creep-testing technique.–Maribel L. Saucedo-Muñoz, Shin-ichi Komazaki, Toru Takahashi, Toshiyuki Hashida, and Tetsuo Shoji; **17**(8), 1945–1953.

Komvopoulos, K.–Nanomechanical properties of energetically treated polyethylene surfaces.–C. Klapperich, L. Pruitt, and K. Komvopoulos; **17**(2), 423–430.

Kong, L.B.–Lead zirconate titanate thick film prepared by electrophoretic deposition from oxide mixture.–R.F. Zhang, J. Ma, and L.B. Kong; **17**(5), 933–935(L).

–Transparent lead lanthanum zirconate titanate ceramics derived from oxide mixture via a repeated annealing process.–L.B. Kong, J. Ma, T.S. Zhang, and R.F. Zhang; **17**(5), 929–932(L).

Kong, L.T.–Prediction of possible metastable alloy phases in an equilibrium immiscible Y–Mo system by *ab initio* calculation.–L.T. Kong, J.B. Liu, and B.X. Liu; **17**(3), 528–531(L).

Koops, U.–High-temperature oxidation of CoGa: Influence of the crystallographic orientation on the oxidation rate.–U. Koops, D. Hesse, and M. Martin; **17**(10), 2489–2498.

Kopylov, N.–Novel ferroelectric ceram-glass of $[(SrO)_{(y)}(BaO)_{(1-y)}(Nb_2O_5)]_{(1-x)}$ tellurite.–A.R. Kortan, N. Kopylov, B.I. Greene, and A.M. Glass; **17**(5), 1208–1212.

Kortan, A.R.–Novel ferroelectric ceram-glass of $[(SrO)_{(y)}(BaO)_{(1-y)}(Nb_2O_5)]_{(1-x)}$ tellurite.–A.R. Kortan, N. Kopylov, B.I. Greene, and A.M. Glass; **17**(5), 1208–1212.

Kosarev, Andrey–Effect of substrate pregrowth treatments on characteristics of low-temperature diamondlike carbon films prepared by very-high-frequency chemical vapor deposition.–Zafar Waqar, Alexander Nikolaivech Titkov, Alexander Nikolaivech Andronov, Andrey Kosarev, and Igor Makarenko; **17**(2), 451–455.

Kosmac, T.–Preparation of alumina ceramics from aqueous suspensions employing the hydrolysis of aluminum nitride.–S. Novak and T. Kosmac; **17**(2), 445–450.

Kousar, Y.–Novel time-modulated chemical vapor deposition process for growing diamond films.–Q.H. Fan, N. Ali, Y. Kousar, W. Ahmed, and J. Gracio; **17**(7), 1563–1566(L).

Kowalewski, M.M.–Quantification and control of the sulfur $c(2 \times 2)$ superstructure on {100}⟨100⟩ Ni for optimization of YSZ, CeO_2, and $SrTiO_3$ seed layer texture.–C. Cantoni, D.K. Christen, L. Heatherly, M.M. Kowalewski, F.A. List, A. Goyal, G.W. Ownby, D.M. Zehner, B.W. Kang, and D.M. Kroeger; **17**(10), 2549–2554.

Kozai, Naofumi–Selenium oxyanions: Highly selective uptake by a novel anion exchanger.–Naofumi Kozai, Toshihiko Ohnuki, and Sridhar Komarneni; **17**(12), 2993–2996(L).

Kraft, O.–Grain-boundary voiding in self-passivated Cu–1 at.% Al alloy films on Si substrates.–D. Weiss, O. Kraft, and E. Arzt; **17**(6), 1363–1370.

Kramer, M.J.–Synthesis of $Cu_{47}Ti_{34}Zr_{11}Ni_8$ bulk metallic glass by warm extrusion of gas atomized powders.–D.J. Sordelet, E. Rozhkova, P. Huang, P.B. Wheelock, M.F. Besser, M.J. Kramer, M. Calvo-Dahlborg, and U. Dahlborg; **17**(1), 186–198.

Krishna, L. Rama–Thermal spray coating of aluminum nitride utilizing the detonation spray technique.–L. Rama Krishna, D. Sen, Y. Srinivasa Rao, G.V. Narasimha Rao, and G. Sundararajan; **17**(10), 2514–2523.

Kriven, Waltraud M.–Hot-stage transmission electron microscopy study of phase transformations in hexacelsian ($BaAl_2Si_2O_8$).–Zhengkui Xu, James L. Shull, Jr., and Waltraud M. Kriven; **17**(6), 1287–1297.

Kroeger, D.M.–Chemical solution deposition of lanthanum zirconate buffer layers on biaxially textured Ni–1.7% Fe–3% W alloy substrates for coated-conductor fabrication.–S. Sathyamurthy, M. Paranthaman, T. Aytug, B.W. Kang, P.M. Martin, A. Goyal, D.M. Kroeger, and D.K. Christen; **17**(6), 1543–1549.

–Comparative study of thickness dependence of critical current density of $YBa_2Cu_3O_{7-\delta}$ on (100) $SrTiO_3$ and on rolling-assisted biaxially textured substrates.–B.W. Kang, A. Goyal, D.F. Lee, J.E. Mathis, E.D. Specht, P.M. Martin, D.M. Kroeger, M. Paranthaman, and S. Sathyamurthy; **17**(7), 1750–1757.

–Quantification and control of the sulfur $c(2 \times 2)$ superstructure on {100}⟨100⟩ Ni for optimization of YSZ, CeO_2, and $SrTiO_3$ seed layer texture.–C. Cantoni, D.K. Christen, L. Heatherly, M.M. Kowalewski, F.A. List, A. Goyal, G.W. Ownby, D.M. Zehner, B.W. Kang, and D.M. Kroeger; **17**(10), 2549–2554.

Krupa, J-C.–Irradiation-disorder creation in $SrTiO_3$.–S. Soulet, J. Chaumont, C. Sabathier, and J-C. Krupa; **17**(1), 9–13.

Krzanowski, J.E.–Structural and mechanical properties of TiC/Ti and TiC/B_4C multilayers deposited by pulsed laser deposition.–A.R. Phani, J.E. Krzanowski, and J.J. Nainaparampil; **17**(6), 1390–1398.

Krzanowski, James E.–Nanostructure and mechanical properties of WC–SiC thin films.–Jose L. Endrino and James E. Krzanowski; **17**(12), 3163–3167.

Kubo, A.–Hardness of cubic silicon nitride.–I. Tanaka, F. Oba, T. Sekine, E. Ito, A. Kubo, K. Tatsumi, H. Adachi, and T. Yamamoto; **17**(4), 731–733.

Kumakura, H.–Improved critical current in MgB_2 tapes sheathed with carbon steels.–H. Fujii, H. Kumakura, and K. Togano; **17**(9), 2339–2345.

Kumar, A.–Effects of gamma radiation on poly(methyl methacrylate)/single-wall nanotube composites.–P.A. O'Rourke Muisener, L. Clayton, J. D'Angelo, J.P. Harmon, A.K. Sikder, A. Kumar, A.M. Cassell, and M. Meyyappan; **17**(10), 2507–2513.

Kumar, D.–Improved magnetic properties of self-assembled epitaxial nickel nanocrystallites in thin-film ceramic matrix.–D. Kumar, H. Zhou, T.K. Nath, Alex V. Kvit, J. Narayan, V. Craciun, and Rajiv K. Singh; **17**(4), 738–742.

–Epitaxial growth of ZnO films on Si(111).–Ashutosh Tiwari, M. Park, C. Jin, H. Wang, D. Kumar, and J. Narayan; **17**(10), 2480–2483(L).

Kumar, V. Ganesh–Influence of pH on the structure of the aqueous sonolysis products of manganese(III) acetylacetonate.–V. Ganesh Kumar, D. Aurbach, and A. Gedanken; **17**(7), 1706–1710.

Kung, P.W-C.–Toward rational design of fast ion conductors: Molecular dynamics modeling of interfaces of nanoscale planar heterostructures.–J-J. Liang and P.W-C. Kung; **17**(7), 1686–1691.

Kuo, S.M.–Morphology, kinetics, and thermodynamics of solid-state aging of eutectic SnPb and Pb-free solders (Sn–3.5Ag, Sn–3.8Ag–0.7Cu and Sn–0.7Cu) on Cu.–T.Y. Lee, W.J. Choi, K.N. Tu, J.W. Jang, S.M. Kuo, J.K. Lin, D.R. Frear, K. Zeng, and J.K. Kivilahti; **17**(2), 291–301.

Kurashima, Keiji–Ductile-to-brittle transition in superplastic silicon nitride ceramics.–Guo-Dong Zhan, Mamoru Mitomo, Rong-Jun Xie, and Keiji Kurashima; **17**(1), 149–155.

Kuribayashi, Kazuhiko–Microstructure formation and phase selection in the solidification of Al_2O_3–5 at% SiO_2 melts by splat quenching.–Mingjun Li, Kosuke Nagashio, and Kazuhiko Kuribayashi; **17**(8), 2026–2032.

Kuwabara, M.–C_{60} nanowhiskers formed by the liquid–liquid interfacial precipitation method.–K. Miyazawa, Y. Kuwasaki, A. Obayashi, and M. Kuwabara; **17**(1), 83–88.

–Fabrication of β–BaB_2O_4 thin films with (00*l*) preferred orientation through the chemical solution deposition technique.–Takeshi Kobayashi, Ryo Ogawa, Kun'ichi Miyazawa, and Makoto Kuwabara; **17**(4), 844–851.

Kuwasaki, Y.–C_{60} nanowhiskers formed by the liquid–liquid interfacial precipitation method.–K. Miyazawa, Y. Kuwasaki, A. Obayashi, and M. Kuwabara; **17**(1), 83–88.

Kvit, Alex V.–Improved magnetic properties of self-assembled epitaxial nickel nanocrystallites in thin-film ceramic matrix.–D. Kumar, H. Zhou, T.K. Nath, Alex V. Kvit, J. Narayan, V. Craciun, and Rajiv K. Singh; **17**(4), 738–742.

Kwak, Woo-Chul–Kinetics of $PbTiO_3$ perovskite phase formation via an interfacial reaction.–Yun-Mo Sung, Woo-Chul Kwak, and Sungtae Kim; **17**(2), 407–412.

–Crystallization kinetics of sol-gel-derived $(1-x)SrBi_2Ta_2O_9$–xBi_3TiTaO_9 ferroelectric thin films.–Woo-Chul Kwak and Yun-Mo Sung; **17**(6), 1463–1468.

Kwon, Dongil–Residual stresses in DLC/Si and Au/Si systems: Application of a stress-relaxation model to the nanoindentation technique.–Yun-Hee Lee and Dongil Kwon; **17**(4), 901–906.

Kwon, Il-Hyun–Evaluation of thermal aging embrittlement of austenitic stainless steels JN1, JJ1, and JK2 by cryogenic small-punch testing.–Maribel L. Saucedo-Muñoz, Shi Cheng Liu, Shin-Ichi Komazaki, Il-Hyun Kwon, Toshiyuki Hashida, Hideaki Takahashi, and Hideo Nakajima; **17**(4), 852–860.

L

Lahr, Bernd–Raman spectroscopy and conductivity measurements on polymer-multiwalled carbon nanotubes composites.–Christophe Stéphan, Thien Phap Nguyen, Bernd Lahr, Werner Blau, Serge Lefrant, and Olivier Chauvet; **17**(2), 396–400.

Lai, J.K.L.–Microstructure investigation of rapidly solidified Al–V–Fe alloys.–G. He, C.H. Shek, Joseph K.L. Lai, Z. Bian, X.D. Hui, and G.L. Chen; **17**(4), 814–820.

–Effect of thermal aging on the Néel temperature of a Fe–Cr–Ni–Mo alloy.–C.H. Shek, M.W. Lai, and J.K.L. Lai; **17**(4), 879–883.

Lai, M.W.–Effect of thermal aging on the Néel temperature of a Fe–Cr–Ni–Mo alloy.–C.H. Shek, M.W. Lai, and J.K.L. Lai; **17**(4), 879–883.

Lamas, Diego G.–Synthesis of nanocrystalline CeO_2–Y_2O_3 powders by a nitrate–glycine gel-combustion process.–Mario F. Bianchetti, Ricardo E. Juárez, Diego G. Lamas, Noemí E. Walsöe de Reca, Lidia Pérez, and Edgardo Cabanillas; **17**(9), 2185–2188(L).

Lan, C.W.–Crystal structure and properties of a new organic nonlinear optical material.–R.N. Rai and C.W. Lan; **17**(7), 1587–1591.

Lanagan, Michael T.–Bi_2O_3 solubility of Bi-based pyrochlores and related phases.–Juan C. Nino, Hyuk J. Youn, Michael T. Lanagan, and Clive A. Randall; **17**(5), 1178–1182.

–Crystal structure of the compound $Bi_2Zn_{2/3}Nb_{4/3}O_7$.–Igor Levin, Tammy G. Amos, Juan C. Nino, Terrell A. Vanderah, Ian M. Reaney, Clive A. Randall, and Michael T. Lanagan; **17**(6), 1406–1411.

–Dielectric relaxation and microwave dielectric properties of Bi_2O_3–ZnO–Ta_2O_5 ceramics.–Hyuk-Joon Youn, Clive Randall, Ang Chen, Tom Shrout, Michael T. Lanagan; **17**(6), 1502–1506.

Lancok, J.–*In situ* laser recrystallization of Si layers during low-pressure chemical vapor deposition: Recrystallization dynamics and influence of the seed layer.–D. Della Sala, A. Santoni, L. Fornarini, J. Lancok, S. Loreti, I. Menicucci, and C. Minarini; **17**(11), 2966–2973.

Lane, Melissa A.–Growth, microstructure, charge transport, and transparency of random polycrystalline and heteroepitaxial metal-organic chemical vapor deposition-derived gallium–indium–oxide thin films.–Anchuan Wang, Nikki L. Edleman, Jason R. Babcock, Tobin J. Marks, Melissa A. Lane, Paul R. Brazis, and Carl R. Kannewurf; **17**(12), 3155–3162.

Lange, F.F.–Grain growth of precursor-derived nanocrystalline gallium nitride powder.–M. Puchinger, D.J. Kisailus, F.F. Lange, and T. Wagner; **17**(2), 353–357.

–Textured ZnO thin films on (0001) sapphire produced by chemical solution deposition.–B. Wessler, F.F. Lange, and W. Mader; **17**(7), 1644–1650.

–Chemical solution deposited GaN films from oxygen- and nitrogen-based precursors.–David Kisailus, Joon Hwan Choi, and F.F. Lange; **17**(10), 2540–2548.

–Hydrothermal epitaxy of $KTaO_3$ thin films.–Gregory K.L. Goh, Carlos G. Levi, and Fred F. Lange; **17**(11), 2852–2858.

–Hydrothermal synthesis of perovskite and pyrochlore powders of potassium tantalate.–Gregory K.L. Goh, Sossina M. Haile, Carlos G. Levi, and Fred F. Lange; **17**(12), 3168–3176.

Langlet, M.–Aerosol-gel-derived microcrystalline hydroxyapatite coatings.–M. Manso, J.M. Martínez-Duart, M. Langlet, C. Jiménez, P. Herrero, and E. Millon; **17**(6), 1482–1489.

Lannutti, John J.–Cold isostatic compaction of nano-size powders: Surface densification and dimensional asymmetry.–Wenxia Li and John J. Lannutti; **17**(11), 2794–2801.

Lau, M.L.–Microstructural evolution in nanocrystalline Ni coatings.–M.L. Lau, J. He, A.J. Melmed, T.A. Lusby, R. Schweinfest, M. Rühle, and E.J. Lavernia; **17**(5), 1041–1049.

Lau, S.P.–Synthesis of superhard and elastic carbon nitride films by filtered cathodic vacuum arc combined with radio frequency ion beam source.–Y.H. Cheng, B.K. Tay, S.P. Lau, X. Shi, X.L. Qiao, J.G. Chen, Y.P. Wu, Z.H. Sun, and C.S. Xie; **17**(3), 521–524(L).

Lauer, St.–Investigation of mechanical alloying of Ti–Al compounds using perturbed γγ-angular correlation spectroscopy, x-ray diffraction, and differential scanning calorimetry.–St. Lauer, Z. Guan, H. Wolf, and Th. Wichert; **17**(8), 2130–2139.

Lavernia, E.J.–Numerical analyses of fluid dynamics of an atomization configuration.–Q. Xu, D. Cheng, G. Trapaga, N. Yang, E.J. Lavernia; **17**(1), 156–166.

–Microstructural evolution in nanocrystalline Ni coatings.–M.L. Lau, J. He, A.J. Melmed, T.A. Lusby, R. Schweinfest, M. Rühle, and E.J. Lavernia; **17**(5), 1041–1049.

–Decomposition and thermodynamic property of metastable Fe–Zn solid solutions produced by mechanical alloying.–F. Zhou, Y.T. Chou, and E.J. Lavernia; **17**(12), 3230–3236.

Law, C.M.T.–Improvements of microstructure, wettability, tensile and creep strength of eutectic Sn–Ag alloy by doping with rare-earth elements.–C.M.L. Wu, D.Q. Yu, C.M.T. Law, and L. Wang; **17**(12), 3146–3154.

Lawn, Brian R.–Cracking in ceramic/metal/polymer trilayer systems.–Hong Zhao, Pedro Miranda, Brian R. Lawn, and Xiaozhi Hu; **17**(5), 1102–1111.

–Overview: Damage in brittle layer structures from concentrated loads.–Brian R. Lawn, Yan Deng, Pedro Miranda, Antonia Pajares, Herzl Chai, and Do Kyung Kim; **17**(12), 3019–3036(R).

Le, H.A.–Analysis of the reservoir length and its effect on electromigration lifetime.–H.A. Le, Larry Ting, N.C. Tso, and C-U. Kim; **17**(1), 167–171.

Leach, C.–Synchrotron x-ray diffraction study of $Ba_{4.5}Nd_9Ti_{18}O_{54}$ microwave dielectric ceramics at 10–295 K.–C.C. Tang, M.A. Roberts, F. Azough, C. Leach, and R. Freer; **17**(3), 675–682.

Lee, B-T.–Preparation of epitaxial $Pb(Mg_{1/3}Ta_{2/3})O_3$ thin film by chemical solution deposition.–D.S. Jeong, J-H. Moon, B-T. Lee, and J.H. Kim; **17**(11), 2884–2887.

Lee, Byeong-Joo–Monte Carlo simulation of phase separation behavior in a Cu–Co alloy nanoparticle.–Jae-Hyeok Shim, Byeong-Joo Lee, Jae-Pyoung Ahn, Young Whan Cho, and Jong-Ku Park; **17**(5), 925–928(L).

Lee, C.S.–Microstructures and mechanical behavior of bulk nanocrystalline γ–Ni–Fe produced by a mechanochemical method.–X.Y. Qin, J.S. Lee, and C.S. Lee; **17**(5), 991–1001.

Lee, D.F.–Comparative study of thickness dependence of critical current density of $YBa_2Cu_3O_{7-\delta}$ on (100) $SrTiO_3$ and on rolling-assisted biaxially textured substrates.–B.W. Kang, A. Goyal, D.F. Lee, J.E. Mathis, E.D. Specht, P.M. Martin, D.M. Kroeger, M. Paranthaman, and S. Sathyamurthy; **17**(7), 1750–1757.

Lee, Dong-Soo–Effects of IrO_2/Pt hybrid electrodes on the crystallization and ferroelectric performances of sol-gel-derived Pb(Zr, Ti)O_3 thin film capacitors.–Seung-Hyun Kim, Dong-Yeon Park, Hyun-Jung Woo, Dong-Soo Lee, Jowoong Ha, and Cheol Song Hwang; **17**(7), 1735–1742.

Lee, Hyuck Mo–Interfacial microstructure and joint strength of Sn–3.5Ag–X (X = Cu, In, Ni) solder joint.–Won Kyoung Choi, Jong Hoon Kim, Sang Won Jeong, and Hyuck Mo Lee; **17**(1), 43–51.

–Grain morphology of intermetallic compounds at solder joints.–Won Kyoung Choi, Se-Young Jang, Jong Hoon Kim, Kyung-Wook Paik, Hyuck Mo Lee; **17**(3), 597–599.

Lee, J.H.–Self-propagating high-temperature synthesis of nano-sized titanium carbide powder.–H.H. Nersisyan, J.H. Lee, and C.W. Won; **17**(11), 2859–2864.

Lee, J.S.–Microstructures and mechanical behavior of bulk nanocrystalline γ–Ni–Fe produced by a mechanochemical method.–X.Y. Qin, J.S. Lee, and C.S. Lee; **17**(5), 991–1001.

Lee, Jeon-Kook–(200)-predominant growth of radio-frequency sputtered $SrBi_2Ta_2O_9$ thin films.–Si-Hyung Lee, Jeon-Kook Lee, and Ki Hyun Yoon; **17**(6), 1455–1462.

Lee, Jung-Kun–Influence of substrates on the crystal structure of pulsed laser deposited $Pb(Mg_{1/3}Nb_{2/3})O_3$–29% $PbTiO_3$ thin films.–Jung-Kun Lee, Hyun-Suk Jung, Dong-Wan Kim, Chang-Hoon Kim, and Kug Sun Hong; **17**(5), 1030–1034.

Lee, S.M.–X-ray photoelectron spectroscopy characterization and morphology of MgO thin films grown on single-crystalline diamond (100).–S.M. Lee, T. Ito, and H. Murakami; **17**(8), 1914–1922.

Lee, Sanboh–Effect of buffer on the optical properties of irradiated hydroxyethyl methacrylate copolymer.–K.F. Chou, C.C. Han, and Sanboh Lee; **17**(5), 1199–1207.

–Thermally-induced crack healing in poly(methyl methacrylate).–Jane-Sang Shen, Julie P. Harmon, and Sanboh Lee; **17**(6), 1335–1340.

–Transmission in irradiated hydroxyethyl methacrylate copolymer at elevated temperatures.–K-P. Lu, Sanboh Lee, and C.C. Han; **17**(9), 2260–2265.

Lee, Sang-Mok–Sliding friction and wear behavior of Al–Ni–Co–Si quasicrystalline coatings deposited by the high-velocity oxy-fuel spraying technique.–Eric Fleury, Yu-Chan Kim, Jae-Soo Kim, Hyo-Sok Ahn, Sang-Mok Lee, Won-Tae Kim, and Do-Hyang Kim; **17**(2), 492–501.

Lee, Sea-Hoon–Effects of powder bed conditions on the liquid-phase sintering of Si_3N_4.–Sea-Hoon Lee, Georg Rixecker, Fritz Aldinger, Sung-Churl Choi, and Keun-Ho Auh; **17**(2), 465–472.

Lee, Sergey–Kinetic study of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ phase formation in KCl flux.–Sergey Lee, Ayako Yamamoto, and Setsuko Tajima; **17**(9), 2281–2285.

–Crystal growth of $Bi_2Sr_2Ca_2Cu_3O_{10+x}$ and $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ by the KCl flux method.–Sergey Lee, Ayako Yamamoto, and Setsuko Tajima; **17**(9), 2286–2293.

Lee, Seung-Ho–Chemical mechanical polishing of thermal oxide films using silica particles coated with ceria.–Seung-Ho Lee, Zhenyu Lu, S.V. Babu, and Egon Matijević; **17**(10), 2744–2749.

Lee, Sheng-Long–Effects of manganese on microstructure and mechanical properties of A206 alloys containing iron.–Chien-Jung Tseng, Sheng-Long Lee, Sheng-Chuan Tsai, and Chia-Jen Cheng; **17**(9), 2243–2250.

Lee, Si-Hyung–(200)-predominant growth of radio-frequency sputtered $SrBi_2Ta_2O_9$ thin films.–Si-Hyung Lee, Jeon-Kook Lee, and Ki Hyun Yoon; **17**(6), 1455–1462.

Lee, Sun-Hwa–Fatigue-free La-modified $Pb(Zr,Ti)O_3$ capacitors using a seed layer.–Santiranjan R. Shannigrahi, Sun-Hwa Lee, and Hyun M. Jang; **17**(8), 1884–1887(L).

Lee, T.Y.–Morphology, kinetics, and thermodynamics of solid-state aging of eutectic SnPb and Pb-free solders (Sn–3.5Ag, Sn–3.8Ag–0.7Cu and Sn–0.7Cu) on Cu.–T.Y. Lee, W.J. Choi, K.N. Tu, J.W. Jang, S.M. Kuo, J.K. Lin, D.R. Frear, K. Zeng, and J.K. Kivilahti; **17**(2), 291–301.

Lee, W.E.–Tunability of τ_f in perovskites and related compounds.–P.L. Wise, I.M. Reaney, W.E. Lee, D.M. Iddles, D.S. Cannell, and T.J. Price; **17**(8), 2033–2040.

Lee, Yongjae–Comparison of citrate–nitrate gel combustion and precursor plasma spray processes for the synthesis of yttrium aluminum garnet.–P. Sujatha Devi, Yongjae Lee, Joshua Margolis, John B. Parise, Sanjay Sampath, Herbert Herman, and Jonathan C. Hanson; **17**(11), 2846–2851.

Lee, Yun-Hee–Residual stresses in DLC/Si and Au/Si systems: Application of a stress-relaxation model to the nanoindentation technique.–Yun-Hee Lee and Dongil Kwon; **17**(4), 901–906.

Lefrant, Serge–Raman spectroscopy and conductivity measurements on polymer-multiwalled carbon nanotubes composites.–Christophe Stéphan, Thien Phap Nguyen, Bernd Lahr, Werner Blau, Serge Lefrant, and Olivier Chauvet; **17**(2), 396–400.

Legault, S.–Transport in the $Al_{71}Pd_{21}Mn_{8-x}Re_x$ quasicrystalline system.–A.L. Pope, T.M. Tritt, R. Gagnon, J. Strom-Olsen, S. Legault, R. Schneidmiller, and J. Kolis; **17**(7), 1814–1819.

Lei, C.H.–Microstructural investigation of $BaTiO_3$ thin films deposited on (001) MgO.–C.H. Lei, G. Van Tendeloo, M. Siegert, and J. Schubert; **17**(8), 1923–1931.

Lemonds, A.M.–Adhesion of Cu and low-k dielectric thin films with tungsten carbide.–A.M. Lemonds, K. Kershen, J. Bennett, K. Pfeifer, Y-M. Sun, J.M. White, and J.G. Ekerdt; **17**(6), 1320–1328.

Lenggoro, I. Wuled–Agglomerate-free $BaTiO_3$ particles by salt-assisted spray pyrolysis.–Yoshifumi Itoh, I. Wuled Lenggoro, Sotiris E. Pratsinis, and Kikuo Okuyama; **17**(12), 3222–3229.

Leskelä, Markku–*Tert*-butylamine and allylamine as reductive nitrogen sources in atomic layer deposition of TaN thin films.–Petra Alén, Marika Juppo, Mikko Ritala, Markku Leskelä, Timo Sajavaara, and Juhani Keinonen; **17**(1), 107–114.

Levi, Carlos G.–Hydrothermal epitaxy of $KTaO_3$ thin films.–Gregory K.L. Goh, Carlos G. Levi, and Fred F. Lange; **17**(11), 2852–2858.

–Hydrothermal synthesis of perovskite and pyrochlore powders of potassium tantalate.–Gregory K.L. Goh, Sossina M. Haile, Carlos G. Levi, and Fred F. Lange; **17**(12), 3168–3176.

Levin, Igor–Crystal structure of the compound $Bi_2Zn_{2/3}Nb_{4/3}O_7$.–Igor Levin, Tammy G. Amos, Juan C. Nino, Terrell A. Vanderah, Ian M. Reaney, Clive A. Randall, and Michael T. Lanagan; **17**(6), 1406–1411.

–Phase equilibria and dielectric properties in perovskite-like $(1-x)LaCa_{0.5}Zr_{0.5}O_3$–$xATiO_3$ (A = Ca, Sr) ceramics.–Igor Levin, Terrell A. Vanderah, Rachel Coutts, and Steven M. Bell; **17**(7), 1729–1734.

Li, Bin–Preparation and tribological investigation of thin silicone films.–Weimin Liu, Feng Zhou, Laigui Yu, Miao Chen, Bin Li, and Guohong Zhao; **17**(9), 2357–2362.

Li, Chundong–Effect of electron exposure on optical properties of aluminized polyimide film.–Chundong Li, Dezhuang Yang, Shiyu He, and M.M. Mikhailov; **17**(9), 2442–2446.

Li, Chunfei–Formation of $Zr_{70}Ni_{23}Ti_7$ glassy alloy and phase transformation upon annealing.–Limin Wang, Chunfei Li, Liqun Ma, and Akihisa Inoue; **17**(3), 693–696.

Li, D.X.–Microstructural investigation of four kinds of γ'–Fe_4N nitrides in ion-nitrided pure iron.–Z.Q. Liu, Z.K. Hei, and D.X. Li; **17**(10), 2621–2627.

–The effect of doping Ag on the microstructure of $La_{2/3}Sr_{1/3}MnO_3$ films.–Q. Zhan, R. Yu, L.L. He, D.X. Li, J. Li, and C.K. Ong; **17**(10), 2712–2719.

–Boron nitride nanotubes filled with zirconium oxide nanorods.–Z.Q. Shen, L.L. He, E.D. Wu, Y.Y. Fan, J.F. He, H.M. Cheng, D.X. Li, and H.Q. Ye; **17**(11), 2761–2764(L).

Li, Donglin–Low-temperature chemical synthesis of nanocrystalline $KTiOPO_4$.–Donglin Li, Zhihong Wang, Liangying Zhang, Xi Yao, and Haoshen Zhou; **17**(4), 723–726(L).

Li, Douxing–Formation of a nanostructure in a low-carbon steel under high current density electropulsing.–Yizhou Zhou, Wei Zhang, Manling Sui, Douxing Li, Guanhu He, and Jingdong Guo; **17**(5), 921–924(L).

Li, F.M.–Electron cyclotron resonance plasma–assisted reactive pulsed laser deposition of compound films.–J. Sun, J.D. Wu, H. Ling, W. Shi, Z.F. Ying, and F.M. Li; **17**(7), 1692–1697.

Li, F-Y.–High critical current density of a MgB_2 bulk superconductor high-pressure synthesized directly from the elements.–C-Q. Jin, S-C. Li, J-L. Zhu, F-Y. Li, Z-X. Liu, and R-C. Yu; **17**(3), 525–527(L).

Li, G.H.–Synthesis of Y-branching multiwalled carbon nanotubes with a bamboolike structure.–P. Gu, J.H. Zhao, and G.H. Li; **17**(11), 2768–2770(L).

Li, G.S.–Superplasticity in NiAl and NiAl-based alloys.–J.T. Guo, X.H. Du, L.Z. Zhou, B.D. Zhou, Y.H. Qi, and G.S. Li; **17**(9), 2346–2356.

Li, Gong–Wear behavior of bulk $Zr_{41}Ti_{14}Cu_{12.5}Ni_{10}Be_{22.5}$ metallic glasses.–Gong Li, Y.Q. Wang, Li Min Wang, Yun Peng Gao, R.J. Zhang, Zai Ji Zhan, Li Ling Sun, Jun Zhang, and Wen Kui Wang; **17**(8), 1877–1880(L).

Li, Gui-Chun–Preparation and properties of novel aerodynamic pressure-sensitive paint via the sol-gel method.–Feng-Zhi Jiang, Ren Xu, Duo-Yuan Wang, Xing-De Dong, Gui-Chun Li, Dao-Ben Zhu, and Lei Jiang; **17**(6), 1312–1319.

Li, H.P.–Investigation of propagation modes and temperature/velocity variation on unstable combustion synthesis.–H.P. Li; **17**(12), 3213–3221.

Li, J.–The effect of doping Ag on the microstructure of $La_{2/3}Sr_{1/3}MnO_3$ films.–Q. Zhan, R. Yu, L.L. He, D.X. Li, J. Li, and C.K. Ong; **17**(10), 2712–2719.

Li, Long Tu–Direct current-voltage failure in lead magnesium niobate-based multilayer ceramic capacitors.–Jiang Li Cao, Long Tu Li, Ning Xin Zhang, and Zhi Lun Gui; **17**(4), 779–783.

Li, M.–Interfacial microstructure evolution between eutectic SnAgCu solder and Al/Ni(V)/Cu thin films.–M. Li, F. Zhang, W.T. Chen, K. Zeng, K.N. Tu, H. Balkan, and P. Elenius; **17**(7), 1612–1621.

–Influence of substrate metallization on diffusion and reaction at the under-bump metallization/solder interface in flip-chip packages.–F. Zhang, M. Li, C.C. Chum, and K.N. Tu; **17**(11), 2757–2760(L).

Li, Mingjun–Microstructure formation and phase selection in the solidification of Al_2O_3–5 at% SiO_2 melts by splat quenching.–Mingjun Li, Kosuke Nagashio, and Kazuhiko Kuribayashi; **17**(8), 2026–2032.

Li, Quan–Structures of AlN/VN superlattices with different AlN layer thicknesses.–Quan Li, I.W. Kim, S.A. Barnett, and L.D. Marks; **17**(5), 1224–1231.

Li, S-C.–High critical current density of a MgB_2 bulk superconductor high-pressure synthesized directly from the elements.–C-Q. Jin, S-C. Li, J-L. Zhu, F-Y. Li, Z-X. Liu, and R-C. Yu; **17**(3), 525–527(L).

Li, Tie Jin–Novel hybrid inorganic–organic film based on the tungstophosphate acid–polyacrylamide system: Photochromic behavior and mechanism.–Wei Feng, Tie Rui Zhang, Yan Liu, Li Wei, Ran Lu, Tie Jin Li, Ying Ying Zhao, and Jian Nian Yao; **17**(1), 133–136.

Li, Wenxia–Cold isostatic compaction of nano-size powders: Surface densification and dimensional asymmetry.–Wenxia Li and John J. Lannutti; **17**(11), 2794–2801.

Li, Y.–Deformation and failure of $Zr_{57}Ti_5Cu_{20}Ni_8Al_{10}$ bulk metallic glass under quasi-static and dynamic compression.–T.C. Hufnagel, T. Jiao, Y. Li, L-Q. Xing, and K.T. Ramesh; **17**(6), 1441–1445.

Li, Zhi Hong–Synthesis of phenyl-MSU-1 and bi-functionalized silica mesophases.–Yan Jun Gong, Zhi Hong Li, Dong Wu, Yu Han Sun, Feng Deng, Qing Luo, and Yong Yue; **17**(2), 431–437.

Lian, Jie–Plasma deposition and characterization of acrylic acid thin film on ZnO nanoparticles.–Donglu Shi, Peng He, Jie Lian, Lumin Wang, and Wim J. van Ooij; **17**(10), 2555–2560.

Liang, J-J.–Toward rational design of fast ion conductors: Molecular dynamics modeling of interfaces of nanoscale planar heterostructures.–J-J. Liang and P.W-C. Kung; **17**(7), 1686–1691.

Lim, Dae-Soon–Effect of Si_2N_2O content on the microstructure, properties, and erosion of silicon nitride–Si_2N_2O *in situ* composites.–Dong-Soo Park, Hyun-Ju Choi, Byung-Dong Han, Hai-Doo Kim, Dae-Soon Lim; **17**(9), 2275–2280.

Lin, J.K.–Morphology, kinetics, and thermodynamics of solid-state aging of eutectic SnPb and Pb-free solders (Sn–3.5Ag, Sn–3.8Ag–0.7Cu and Sn–0.7Cu) on Cu.–T.Y. Lee, W.J. Choi, K.N. Tu, J.W. Jang, S.M. Kuo, J.K. Lin, D.R. Frear, K. Zeng, and J.K. Kivilahti; **17**(2), 291–301.

Lin, Kwang-Lung–Microstructural evolution of Sn–Ag–Cu–Al solder with respect to Al content and heat treatment.–Kwang-Lung Lin, Chih-Chun Hsiao, and Kaug-I Chen; **17**(9), 2386–2393.

Lin, Shang-Wei–Dissolution kinetics of spinel lithium manganate and its relation to capacity fading in lithium ion batteries.–Chung-Hsin Lu and Shang-Wei Lin; **17**(6), 1476–1481.

Lin, Su-Jien–Squeeze casting of SiC_p/Al-alloy composites with various contents of reinforcements.–Liang-Guang Chen, Kung-Hsien Shue, Shou-Yi Chang, and Su-Jien Lin; **17**(2), 376–385.

Lin, Wen-Tai–Effects of an interposed Cu layer on the enhanced thermal stability of C49 $TiSi_2$.–Ming-Jun Wang, Wen-Tai Lin, and F.M. Pan; **17**(2), 343–347.

Ling, H.–Electron cyclotron resonance plasma–assisted reactive pulsed laser deposition of compound films.–J. Sun, J.D. Wu, H. Ling, W. Shi, Z.F. Ying, and F.M. Li; **17**(7), 1692–1697.

List, F.A.–Quantification and control of the sulfur $c(2 \times 2)$ superstructure on {100}⟨100⟩ Ni for optimization of YSZ, CeO_2, and $SrTiO_3$ seed layer texture.–C. Cantoni, D.K. Christen, L. Heatherly, M.M. Kowalewski, F.A. List, A. Goyal, G.W. Ownby, D.M. Zehner, B.W. Kang, and D.M. Kroeger; **17**(10), 2549–2554.

Liu, B.X.–Prediction of possible metastable alloy phases in an equilibrium immiscible Y–Mo system by *ab initio* calculation.–L.T. Kong, J.B. Liu, and B.X. Liu; **17**(3), 528–531(L).

–Comparative study of nonequilibrium phase of A_3B and AB_3 types in the Ni–Mo system by first principles and thermodynamic calculations.–J.B. Liu, R.F. Zhang, and B.X. Liu; **17**(10), 2720–2726.

Liu, Chin-Lin–Interfacial structure and electrical characteristics of $LaNiO_3$/Si contacts.–Tai-Bor Wu, Chin-Lin Liu, and Yu-Wen Liu; **17**(6), 1350–1355.

Liu, J.B.–Prediction of possible metastable alloy phases in an equilibrium immiscible Y–Mo system by *ab initio* calculation.–L.T. Kong, J.B. Liu, and B.X. Liu; **17**(3), 528–531(L).

–Comparative study of nonequilibrium phase of A_3B and AB_3 types in the Ni–Mo system by first principles and thermodynamic calculations.–J.B. Liu, R.F. Zhang, and B.X. Liu; **17**(10), 2720–2726.

Liu, J.P.–Effects of germanium on the electronic transport mechanism in $Co_{20}(Cu_{1-x}Ge_x)_{80}$ nanogranular ribbons.–J. He, Z.D. Zhang, J.P. Liu, and D.J. Sellmyer; **17**(12), 3050–3055.

Liu, Ruchuan–Ultraviolet photoluminescence from 4H–SiC nanocrystalline films deposited on silicon substrate.–Zhengping Fu, Beifang Yan, Ruchuan Liu, and Yaozhong Ruan; **17**(3), 570–574.

Liu, Shi Cheng–Evaluation of thermal aging embrittlement of austenitic stainless steels JN1, JJ1, and JK2 by cryogenic small-punch testing.–Maribel L. Saucedo-Muñoz, Shi Cheng Liu, Shin-Ichi Komazaki, Il-Hyun Kwon, Toshiyuki Hashida, Hideaki Takahashi, and Hideo Nakajima; **17**(4), 852–860.

Liu, W.J.–Room-temperature oxidation of ultrathin TiB_2 films.–Feng Huang, W.J. Liu, J.F. Sullivan, J.A. Barnard, and M.L. Weaver; **17**(4), 805–813.

Liu, Weimin–Preparation and tribological investigation of thin silicone films.–Weimin Liu, Feng Zhou, Laigui Yu, Miao Chen, Bin Li, and Guohong Zhao; **17**(9), 2357–2362.

Liu, Wenxia–Poly(meta-phenylene isophthalamide) nanofibers: Coating and post processing.–Wenxia Liu, Matthew Graham, Edward A. Evans, and Darrell H. Reneker; **17**(12), 3206–3212.

Liu, X.–Optical absorption of copper nanoparticles dispersed within pores of monolithic mesoporous silica.–Xiong Liu, Weiping Cai, and Huijuan Bi; **17**(5), 1125–1128.

–Strong quantum confinement in ordered PbSe nanowire arrays.–X.S. Peng, G.W. Meng, J. Zhang, X.F. Wang, C.Z. Wang, X. Liu, and L.D. Zhang; **17**(6), 1283–1286.

Liu, X.H.–Cellular automaton model to simulate nucleation and growth of ferrite grains for low-carbon steels.–L. Zhang, C.B. Zhang, Y.M. Wang, X.H. Liu, and G.D. Wang; **17**(9), 2251–2259.

Liu, Xianghua–Fabrication of device-grade separation-by-implantation-of-oxygen materials by optimizing dose-energy match.–Meng Chen, Yuehui Yu, Xi Wang, Xiang Wang, Jing Chen, Xianghua Liu, and Yeming Dong; **17**(7), 1634–1643.

Liu, Xuesong–Growth and characterization of series Nd:$Gd_xLa_{1-x}VO_4$ (x = 0.80, 0.60, 0.45) crystals.–Huaijin Zhang, Changqing Wang, Li Zhu, Xuesong Liu, Guanghui Zhang, Wentao Yu, Xianlin Meng, and Y.T. Chow; **17**(3), 556–562.

Liu, Yan–Novel hybrid inorganic–organic film based on the tungstophosphate acid–polyacrylamide system: Photochromic behavior and mechanism.–Wei Feng, Tie Rui Zhang, Yan Liu, Li Wei, Ran Lu, Tie Jin Li, Ying Ying Zhao, and Jian Nian Yao; **17**(1), 133–136.

Liu, Ye–Preparation and enhanced off-resonance optical nonlinearities of CdS-capped gold nanoparticles embedded in $BaTiO_3$ thin films.–Yong Yang, Jianlin Shi, Hangrong Chen, Shugang Dai, Weiming Huang, and Ye Liu; **17**(11), 2802–2808.

Liu, Yu-Wen–Interfacial structure and electrical characteristics of $LaNiO_3$/Si contacts.–Tai-Bor Wu, Chin-Lin Liu, and Yu-Wen Liu; **17**(6), 1350–1355.

Liu, Z.Q.–Microstructural investigation of four kinds of γ′–Fe_4N nitrides in ion-nitrided pure iron.–Z.Q. Liu, Z.K. Hei, and D.X. Li; **17**(10), 2621–2627.

Liu, Z-X.–High critical current density of a MgB_2 bulk superconductor high-pressure synthesized directly from the elements.–C-Q. Jin, S-C. Li, J-L. Zhu, F-Y. Li, Z-X. Liu, and R-C. Yu; **17**(3), 525–527(L).

Lloyd, Isabel K.–Microwave sintering of high-density, high thermal conductivity AlN.–Geng-fu Xu, Tayo Olorunyolemi, Otto C. Wilson, Isabel K. Lloyd, and Yuval Carmel; **17**(11), 2837–2845.

Lockman, Zainovia–Rapid growth of $Nd_{2-x}Ce_xCuO_4$ thick films as a buffer for the growth of rare-earth barium cuprate–coated conductors.–Xiaoding Qi, Masood Soorie, Zainovia Lockman, and Judith L. MacManus-Driscoll; **17**(1), 1–4(L).

Loi, E.–Fabrication, characterization, and leach testing of hollandite, $(Ba,Cs)(Al,Ti)_2Ti_6O_{16}$.–M.L. Carter, E.R. Vance, D.R.G. Mitchell, J.V. Hanna, Z. Zhang, and E. Loi; **17**(10), 2578–2589.

Lombardo, Stephen J.–Pressure distribution during binder burnout in three-dimensional porous ceramic bodies with anisotropic permeability.–Stephen J. Lombardo and Z.C. Feng; **17**(6), 1434–1440.

Long, Y.–Properties of porous AlN multilayered ceramic sandwich substrates.–F.Y.C. Boey, A.I.Y. Tok, Y. Long, and H.Y. Yeong; **17**(5), 1061–1068.

López-Esteban, S.–Mechanical performance of 3Y-TZP/Ni composites: Tensile, bending, and uniaxial fatigue tests.–S. López-Esteban, J.F. Bartolomé, J.S. Moya, and T. Tanimoto; **17**(7), 1592–1600.

López-Navarrete, E.–Low-temperature preparation and structural characterization of Pr-doped ceria solid solutions.–E. López-Navarrete, A. Caballero, A.R. González-Elipe, and M. Ocaña; **17**(4), 797–804.

Loreti, S.–*In situ* laser recrystallization of Si layers during low-pressure chemical vapor deposition: Recrystallization dynamics and influence of the seed layer.–D. Della Sala, A. Santoni, L. Fornarini, J. Lancok, S. Loreti, I. Menicucci, and C. Minarini; **17**(11), 2966–2973.

Löser, W.–Enhanced plasticity in a Ti-based bulk metallic glass-forming alloy by *in situ* formation of a composite microstructure.–G. He, W. Löser, J. Eckert, and L. Schultz; **17**(12), 3015–3018(L).

Louzguine, D.V.–Investigation of structure and properties of the Al–Y–Ni–Co–Cu metallic glasses.–Dmitri V. Louzguine and Akihisa Inoue; **17**(5), 1014–1018.

–Nanocrystallization of Cu–(Zr or Hf)–Ti metallic glasses.–D.V. Louzguine and A. Inoue; **17**(8), 2112–2120.

Lowe, T.C.–Paradox of strength and ductility in metals processed by severe plastic deformation.–R.Z. Valiev, I.V. Alexandrov, Y.T. Zhu, and T.C. Lowe; **17**(1), 5–8(L).

Lu, C.J.–Microstructure and microstructural evolution in $BaTiO_3$ films fabricated using the precursor method.–L.A. Bendersky, C.J. Lu, J.H. Scott, K. Chang, and I. Takeuchi; **17**(10), 2499–2506.

Lu, Chung-Hsin–Dissolution kinetics of spinel lithium manganate and its relation to capacity fading in lithium ion batteries.–Chung-Hsin Lu and Shang-Wei Lin; **17**(6), 1476–1481.

Lu, G.W.–Raman measurement and thermal properties of $SmCa_4O(BO_3)_3$ crystals.–H.R. Xia, G.W. Lu, S.J. Zhang, and Z.X. Cheng; **17**(9), 2465–2470.

Lu, H.B.–Multilayered structures of $SrNb_{0.1}Ti_{0.9}O_3/La_{0.8}Sr_{0.2}MnO_3/SrTiO_3$ prepared by laser molecular beam epitaxy.–X.L. Ma, H.B. Lu, F. Chen, Z.H. Chen, and G.Z. Yang; **17**(3), 600–608.

Lu, Jun–Electrorheological properties of suspensions based on polyaniline-montmorillonite clay nanocomposite.–Jun Lu and Xiaopeng Zhao; **17**(6), 1513–1519.

Lu, K.–Nanoindentation measurement of hardness and modulus anisotropy in Ni_3Al single crystals.–W. Wang and K. Lu; **17**(9), 2314–2320.

Lu, K-P.–Transmission in irradiated hydroxyethyl methacrylate copolymer at elevated temperatures.–K-P. Lu, Sanboh Lee, and C.C. Han; **17**(9), 2260–2265.

Lu, Ran–Novel hybrid inorganic–organic film based on the tungstophosphate acid–polyacrylamide system: Photochromic behavior and mechanism.–Wei Feng, Tie Rui Zhang, Yan Liu, Li Wei, Ran Lu, Tie Jin Li, Ying Ying Zhao, and Jian Nian Yao; **17**(1), 133–136.

Lu, Y.F.–Fabrication of TiNi shape memory alloy thin films by pulsed-laser deposition.–X.Y. Chen, Y.F. Lu, Z.M. Ren, and S. Zhu; **17**(2), 279–283.

Lu, Zhenyu–Chemical mechanical polishing of thermal oxide films using silica particles coated with ceria.–Seung-Ho Lee, Zhenyu Lu, S.V. Babu, and Egon Matijević; **17**(10), 2744–2749.

Luecke, William E.–Creep of lanthanum gallate.–William E. Luecke and Timothy R. Armstrong; **17**(3), 532–541.

Luo, Qing–Synthesis of phenyl-MSU-1 and bi-functionalized silica mesophases.–Yan Jun Gong, Zhi Hong Li, Dong Wu, Yu Han Sun, Feng Deng, Qing Luo, and Yong Yue; **17**(2), 431–437.

Lusby, T.A.–Microstructural evolution in nanocrystalline Ni coatings.–M.L. Lau, J. He, A.J. Melmed, T.A. Lusby, R. Schweinfest, M. Rühle, and E.J. Lavernia; **17**(5), 1041–1049.

Lynn, J.W.–Magnetic structure of $TbBaCo_2O_{5.4}$ perovskite.–D.D. Khalyavin, I.O. Troyanchuk, N.V. Kasper, Q. Huang, J.W. Lynn, and H. Szymczak; **17**(4), 838–843.

M

Ma, E.–Mechanically alloyed amorphous $Ti_{50}(Cu_{0.45}Ni_{0.55})_{44-x}Al_xSi_4B_2$ alloys with supercooled liquid region.–L.C. Zhang, J. Xu, and E. Ma; **17**(7), 1743–1749.

–Nanocrystalline grain structures developed in commercial purity Cu by low-temperature cold rolling.–Y.M. Wang, M.W. Chen, H.W. Sheng, and E. Ma; **17**(12), 3004–3007(L).

Ma, J.–Lead zirconate titanate thick film prepared by electrophoretic deposition from oxide mixture.–R.F. Zhang, J. Ma, and L.B. Kong; **17**(5), 933–935(L).

–Transparent lead lanthanum zirconate titanate ceramics derived from oxide mixture via a repeated annealing process.–L.B. Kong, J. Ma, T.S. Zhang, and R.F. Zhang; **17**(5), 929–932(L).

Ma, Liqun–Formation of $Zr_{70}Ni_{23}Ti_7$ glassy alloy and phase transformation upon annealing.–Limin Wang, Chunfei Li, Liqun Ma, and Akihisa Inoue; **17**(3), 693–696.

Ma, X.L.–Multilayered structures of $SrNb_{0.1}Ti_{0.9}O_3/La_{0.8}Sr_{0.2}MnO_3/SrTiO_3$ prepared by laser molecular beam epitaxy.–X.L. Ma, H.B. Lu, F. Chen, Z.H. Chen, and G.Z. Yang; **17**(3), 600–608.

Ma, Xinqin–Mechanisms of ceramic coating deposition in solution-precursor plasma spray.–Tania Bhatia, Alper Ozturk, Liangde Xie, Eric H. Jordan, Baki M. Cetegen, Maurice Gell, Xinqin Ma, and Nitin P. Padture; **17**(9), 2363–2372.

Ma, Xiuliang–Interfaces between solution-derived $LiMn_2O_4$ thin films and MgO and Au/MgO substrates.–Yumi H. Ikuhara, Xiuliang Ma, Yuji Iwamoto, Yuichi Ikuhara, Koichi Kikuta, and Shinichi Hirano; **17**(2), 358–366.

Ma, Z.Y.–Creep behavior of *in situ* dual-scale particles-TiB whisker and TiC particulate-reinforced titanium composites.–Z.Y. Ma, S.C. Tjong, and X.M. Meng; **17**(9), 2307–2313.

Mabuchi, M.–Novel titanium foam for bone tissue engineering.–C.E. Wen, Y. Yamada, K. Shimojima, Y. Chino, H. Hosokawa, and M. Mabuchi; **17**(10), 2633–2639.

–Solid-state recycling from machined scraps to a cellular solid.–Yasumasa Chino, Koji Shimojima, Hiroyuki Hosokawa, Yasuo Yamada, Cui'e Wen, and Mamoru Mabuchi; **17**(11), 2783–2786(L).

MacManus-Driscoll, Judith L.–Rapid growth of $Nd_{2-x}Ce_xCuO_4$ thick films as a buffer for the growth of rare-earth barium cuprate–coated conductors.–Xiaoding Qi, Masood Soorie, Zainovia Lockman, and Judith L. MacManus-Driscoll; **17**(1), 1–4(L).

Mader, W.–Textured ZnO thin films on (0001) sapphire produced by chemical solution deposition.–B. Wessler, F.F. Lange, and W. Mader; **17**(7), 1644–1650.

Mädler, L.–Flame-made ceria nanoparticles.–L. Mädler, W.J. Stark, and S.E. Pratsinis; **17**(6), 1356–1362.

Madsen, Lynnette D.–Growth and characterization of $Na_{0.5}K_{0.5}NbO_3$ thin films on polycrystalline $Pt_{80}Ir_{20}$ substrates.–Xin Wang, Sveinn Olafsson, Lynnette D. Madsen, Staffan Rudner, Ivan P. Ivanov, Alex Grishin, and Ulf Helmersson; **17**(5), 1183–1191.

Madurga, V.–Structure and magnetic properties of Ni films obtained by pulsed laser ablation deposition.–J. Vergara and V. Madurga; **17**(8), 2099–2104.

Maeda, Hirotaka–Biomimetic apatite formation on poly(lactic acid) composites containing calcium carbonates.–Hirotaka Maeda, Toshihiro Kasuga, Masayuki Nogami, Yoshitaka Hibino, Kenichiro Hata, Minoru Ueda, and Yoshio Ota; **17**(4), 727–730(L).

Maeder, Marlyse Demartin–Piezoelectric properties of $SrBi_4Ti_4O_{15}$ ferroelectric ceramics.–Marlyse Demartin Maeder, Dragan Damjanovic, Cyril Voisard, and Nava Setter; **17**(6), 1376–1384.

Maex, K.–Grain growth, stress, and impurities in electroplated copper.–S.H. Brongersma, E. Kerr, I. Vervoort, A. Saerens, K. Maex; **17**(3), 582–589.

Maglia, Filippo–Combustion synthesis of mechanically activated powders in the Nb–Si system.–Filippo Maglia, Chiara Milanese, Umberto Anselmi-Tamburini, Stefania Doppiu, and Giorgio Cocco; **17**(8), 1992–1999.

Maguire, John–Predictions of strontium accommodation in $A_2B_2O_7$ pyrochlores.–Mohsin Pirzada, Robin W. Grimes, John Maguire, and Kurt Sickafus; **17**(8), 2041–2047.

Mahamuni, Shailaja–Formation of single-phase CuO quantum particles.–Kavita Borgohain and Shailaja Mahamuni; **17**(5), 1220–1223.

Majewski, Peter J.–Chemical synthesis of crystalline, pure or Mn-doped $ZnGa_2O_4$ powders at 90 °C.–A. Cuneyt Tas, Peter J. Majewski, and Fritz Aldinger; **17**(6), 1425–1433.

Makarenko, Igor–Effect of substrate pregrowth treatments on characteristics of low-temperature diamondlike carbon films prepared by very-high-frequency chemical vapor deposition.–Zafar Waqar, Alexander Nikolaivech Titkov, Alexander Nikolaivech Andronov, Andrey Kosarev, Igor Makarenko; **17**(2), 451–455.

Makovec, Darko–Positive temperature coefficient of resistivity effect in Pb-doped $KNbO_3$.–Irena Pribošič, Darko Makovec, and Miha Drofenik; **17**(12), 2989–2992(L).

Mal, A.K.–Stress relaxation of a patterned microstructure on a diaphragm.–D.W. Zheng, X.H. Wang, K. Shyu, C. Chen, C-T. Chang, K.N. Tu, A.K. Mal, and Y.F. Guo; **17**(7), 1795–1802.

Maley, M.P.–Characterization of superconducting $SmBa_2Cu_3O_7$ films grown by pulsed laser deposition.–Q.X. Jia, S.R. Foltyn, J.Y. Coulter, J.F. Smith, M.P. Maley; **17**(10), 2599–2603.

Malzbender, J.–Fracture toughness and adhesion energy of sol-gel coatings on glass.–Jaap den Toonder, Jürgen Malzbender, Gijsbertus de With, and Ruud Balkenende; **17**(1), 224–233.

–Indentation load–displacement curve, plastic deformation, and energy.–J. Malzbender and G. de With; **17**(2), 502–511.

Mann, M.–Morphological and phase composition changes during sintering of ultralight Al_2O_3/TiO_2 foams.–M. Mann, G.E. Shter, and G.S. Grader; **17**(4), 831–837.

Manoharan, Solomon Sundar–Influence of hole carrier density and sintering temperature on the electronic properties of magnetoresistive $La_{0.7}Pb_{0.3}Mn_{1-x}Ru_xO_3$ ($0.0 \leq x \leq 0.4$).–Ranjan Kumar Sahu, Manju Lato Rao, Solomon Sundar Manoharan, Dieter Elefant, Peter Verges, A. Gueth, and Claus M. Schneider; **17**(12), 3090–3097.

Manso, M.–Aerosol-gel-derived microcrystalline hydroxyapatite coatings.–M. Manso, J.M. Martínez-Duart, M. Langlet, C. Jiménez, P. Herrero, and E. Millon; **17**(6), 1482–1489.

Mantas, P.Q.–Phase diagram of the W-doped $Pb(Zn_{1/3}Nb_{2/3})O_3$–$BaTiO_3$–$PbTiO_3$ system around a morphotropic phase boundary composition.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, and J.L. Baptista; **17**(5), 1085–1091.

–Dielectric behavior of Mn-doped morphotropic phase boundary composition in the $Pb(Zn_{1/3}Nb_{2/3})O_3$–$BaTiO_3$–$PbTiO_3$ system.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, and J.L. Baptista; **17**(5), 1192–1198.

–Effect of lanthanum-doping on the dielectric properties of $Pb(Fe_{1/2}Ta_{1/2})O_3$ relaxor ferroelectrics.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, and J.L. Baptista; **17**(7), 1779–1784.

Margaritondo, G.–Synchrotron radiography and x-ray topography studies of hexagonal habitus SiC bulk crystals.–T.S. Argunova, M.Yu. Gutkin, Jung Ho Je, H.S. Kang, Y. Hwu, W-L. Tsai, and G. Margaritondo; **17**(10), 2705–2711.

Margolis, Joshua–Single-step deposition of Eu-doped Y_2O_3 phosphor coatings through a precursor plasma spraying technique.–P. Sujatha Devi, Joshua Margolis, John B. Parise, Clare P. Grey, Sanjay Sampath, Herbert Herman, and Harry D. Gafney; **17**(11), 2771–2774(L).

–Comparison of citrate–nitrate gel combustion and precursor plasma spray processes for the synthesis of yttrium aluminum garnet.–P. Sujatha Devi, Yongjae Lee, Joshua Margolis, John B. Parise, Sanjay Sampath, Herbert Herman, and Jonathan C. Hanson; **17**(11), 2846–2851.

Maria, J-P.–Crystallization in SiO_2–metal oxide alloys.–J-P. Maria, D. Wickaksana, J. Parrette, and A.I. Kingon; **17**(7), 1571–1579.

Marine, W.–Comparative study of single crystals and laser-grown films of V_2O_5.–J. Janicskó-Csáthy, A. Nagy, L. Nánai, W. Marine, S.P. Souto, M. Balkanski, and T.F. George; **17**(5), 1096–1101.

Marks, L.D.–Structures of AlN/VN superlattices with different AlN layer thicknesses.–Quan Li, I.W. Kim, S.A. Barnett, and L.D. Marks; **17**(5), 1224–1231.

Marks, Tobin J.–Growth, microstructure, charge transport, and transparency of random polycrystalline and heteroepitaxial metalorganic chemical vapor deposition-derived gallium–indium–oxide thin films.–Anchuan Wang, Nikki L. Edleman, Jason R. Babcock, Tobin J. Marks, Melissa A. Lane, Paul R. Brazis, and Carl R. Kannewurf; **17**(12), 3155–3162.

Martin, M.–Fundamental relations used in nanoindentation: Critical examination based on experimental measurements.–M. Martin and M. Troyon; **17**(9), 2227–2234.

–High-temperature oxidation of CoGa: Influence of the crystallographic orientation on the oxidation rate.–U. Koops, D. Hesse, and M. Martin; **17**(10), 2489–2498.

Martin, P.M.–Chemical solution deposition of lanthanum zirconate buffer layers on biaxially textured Ni–1.7% Fe–3% W alloy substrates for coated-conductor fabrication.–S. Sathyamurthy, M. Paranthaman, T. Aytug, B.W. Kang, P.M. Martin, A. Goyal, D.M. Kroeger, and D.K. Christen; **17**(6), 1543–1549.

–Comparative study of thickness dependence of critical current density of $YBa_2Cu_3O_{7-\delta}$ on (100) $SrTiO_3$ and on rolling-assisted biaxially textured substrates.–B.W. Kang, A. Goyal, D.F. Lee, J.E. Mathis, E.D. Specht, P.M. Martin, D.M. Kroeger, M. Paranthaman, and S. Sathyamurthy; **17**(7), 1750–1757.

–Lanthanum zirconate: A single buffer layer processed by solution deposition for coated conductor fabrication.–S. Sathyamurthy, M. Paranthaman, H-Y. Zhai, H.M. Christen, P.M. Martin, and A. Goyal; **17**(9), 2181–2184(L).

Martinetto, P.–Structure of milled galena (PbS) particles as a result of grinding: Observations by electron microscopy.–P. Martinetto, J. Castaing, P. Walter, P. Penhoud, and P. Veyssière; **17**(7), 1601–1611.

Martínez, O.–Optical characterization of GaAs/Si layers grown by the conformal method (confined lateral epitaxial growth).–A.M. Ardila, O. Martínez, M. Avella, J. Jiménez, E. Gil-Lafon, and B. Gérard; **17**(6), 1341–1349.

Martínez-Duart, J.M.–Aerosol-gel-derived microcrystalline hydroxyapatite coatings.–M. Manso, J.M. Martínez-Duart, M. Langlet, C. Jiménez, P. Herrero, and E. Millon; **17**(6), 1482–1489.

Mason, T.O.–Dielectric properties of epitaxial $KNbO_3$ ferroelectric thin films.–Soma Chattopadhyay, B.M. Nichols, Jin-Ha Hwang, T.O. Mason, and B.W. Wessels; **17**(2), 275–278(L).

–Diffuse phase transition in epitaxial $BaTiO_3$ thin films.–Soma Chattopadhyay, A.R. Teren, Jin-Ha Hwang, T.O. Mason, and B.W. Wessels; **17**(3), 669–674.

Massons, J.–Growth of $KTiOPO_4$ films on $KTi_{1-x}Ge_xOPO_4$ substrates by liquid-phase epitaxy.–R. Solé, V. Nikolov, A. Vilalta, J.J. Carvajal, J. Massons, Jna. Gavaldà, M. Aguiló, and F. Díaz; **17**(3), 563–569.

Mata, M.–Contact deformation regimes around sharp indentations and the concept of the characteristic strain.–M. Mata, M. Anglada, and J. Alcalá; **17**(5), 964–976.

Mathis, J.E.–Comparative study of thickness dependence of critical current density of $YBa_2Cu_3O_{7-\delta}$ on (100) $SrTiO_3$ and on rolling-assisted biaxially textured substrates.–B.W. Kang, A. Goyal, D.F. Lee, J.E. Mathis, E.D. Specht, P.M. Martin, D.M. Kroeger, M. Paranthaman, and S. Sathyamurthy; **17**(7), 1750–1757.

Mathur, B.K.–Icosahedral phase formation domain in Al–Cu–Fe system by mechanical alloying.–P. Barua, B.S. Murty, B.K. Mathur, and V. Srinivas; **17**(3), 653–659.

Mathur, S.–Fractography, elastic modulus, and oxidation resistance of Novel metal–intermetallic Ni/Ni_3Al multilayer films.–X.K. Meng, H. Shen, H. Vehoff, S. Mathur, and A.H.W. Ngan; **17**(4), 790–796.

Matijević, Egon–Chemical mechanical polishing of thermal oxide films using silica particles coated with ceria.–Seung-Ho Lee, Zhenyu Lu, S.V. Babu, and Egon Matijević; **17**(10), 2744–2749.

Matsubara, Ichiro–High-temperature thermoelectric properties of the $Ca_{1-x}Bi_xMnO_3$ system.–Gaojie Xu, Ryoji Funahashi, Ichiro Matsubara, Masahiro Shikano, and Yuqin Zhou; **17**(5), 1092–1095.

Matsuda, Hiroshi–Preparation and characteristics of 90° rotated biepitaxial Fe_3O_4 thin films.–Hiroshi Matsuda, Hiroshi Sakakima, Hideaki Adachi, Akihiro Odagawa, and Kentaro Setsune; **17**(8), 1985–1991.

Matsuda, Motohide–Preparation and characterization of zinc-doped gallophosphate molecular sieve.–Masatoshi Yoshino, Motohide Matsuda, and Michihiro Miyake; **17**(10), 2672–2678.

Matsumoto, Toshitatsu–Thermal stability of nanometer-sized NiO and Sm-doped ceria powders.–Yoshihiro Okawa, Toshitatsu Matsumoto, Toshiya Doi, and Yoshihiro Hirata; **17**(9), 2266–2274.

Matsumoto, Yasumichi–Preparation of titanium(IV) oxide film on a hard alumite substrate.–Yoshie Ishikawa, Yasunori Hayashi, and Yasumichi Matsumoto; **17**(9), 2373–2378.

–Thermally-induced phase changes in electrophoretically deposited titanate and niobate layered oxides.–Ugur Unal, Dan Matsuo, Yasumichi Matsumoto, and Michio Koinuma; **17**(10), 2644–2651.

Matsuo, Dan–Thermally-induced phase changes in electrophoretically deposited titanate and niobate layered oxides.–Ugur Unal, Dan Matsuo, Yasumichi Matsumoto, and Michio Koinuma; **17**(10), 2644–2651.

Matustani, T.–Negative transverse magnetoresistance of boron-doped graphite at liquid-nitrogen temperature in relation to 3D weak localization.–Y. Hishiyama, T. Matustani, M. Suzuki, Y. Kaburagi, and K. Sugihara; **17**(1), 75–82.

Mayo, Merrilea J.–Green density-based sintering predictions.–Sean M. Sweeney and Merrilea J. Mayo; **17**(1), 89–97.

Mazerolles, Léo–Nickel–alumina nanocomposite powders prepared by novel *in situ* chemical reduction.–Zheng-Ren Huang, Dongliang Jiang, Daniel Michel, Léo Mazerolles, Alain Ferrand, Thomas di Costanzo, and Jean-Louis Vignes; **17**(12), 3177–3181.

McAndrew, James–Characteristics of copper films produced via atomic layer deposition.–Jinshan Huo, Raj Solanki, and James McAndrew; **17**(9), 2394–2398.

McCalla, Eric–Amorphization of crystalline orthoboric acid on a vitreous B_2O_3 substrate.–Eric McCalla and Ralf Brüning; **17**(12), 3098–3104.

McKenzie, D.R.–Nanoindentation studies of brittle thin films on a titanium alloy substrate.–N. Fujisawa, M.V. Swain, N.L. James, R.N. Tarrant, J.C. Woodard, and D.R. McKenzie; **17**(4), 861–870.

Mei, Sen–Hydrothermal synthesis of well-dispersed TiO_2 nanocrystals.–Juan Yang, Sen Mei, and José M.F. Ferreira; **17**(9), 2197–2200(L).

Melmed, A.J.–Microstructural evolution in nanocrystalline Ni coatings.–M.L. Lau, J. He, A.J. Melmed, T.A. Lusby, R. Schweinfest, M. Rühle, and E.J. Lavernia; **17**(5), 1041–1049.

Mendelev, M.I.–Interface mobility under different driving forces.–M.I. Mendelev, D.J. Srolovitz, L.S. Shvindlerman, and G. Gottstein; **17**(1), 234–245.

Meng, G.W.–Strong quantum confinement in ordered PbSe nanowire arrays.–X.S. Peng, G.W. Meng, J. Zhang, X.F. Wang, C.Z. Wang, X. Liu, and L.D. Zhang; **17**(6), 1283–1286.

Meng, W.J.–Microstructure and mechanical properties of Ti–Si–N coatings.–W.J. Meng, X.D. Zhang, B. Shi, R.C. Tittsworth, L.E. Rehn, and P.M. Baldo; **17**(10), 2628–2632.

Meng, X.K.–Fractography, elastic modulus, and oxidation resistance of Novel metal–intermetallic Ni/Ni_3Al multilayer films.–X.K. Meng, H. Shen, H. Vehoff, S. Mathur, and A.H.W. Ngan; **17**(4), 790–796.

Meng, X.M.–Creep behavior of *in situ* dual-scale particles-TiB whisker and TiC particulate-reinforced titanium composites.–Z.Y. Ma, S.C. Tjong, and X.M. Meng; **17**(9), 2307–2313.

Meng, Xianlin–Growth and characterization of series $Nd:Gd_xLa_{1-x}VO_4$ (x = 0.80, 0.60, 0.45) crystals.–Huaijin Zhang, Changqing Wang, Li Zhu, Xuesong Liu, Guanghui Zhang, Wentao Yu, Xianlin Meng, and Y.T. Chow; **17**(3), 556–562.

Menicucci, I.–*In situ* laser recrystallization of Si layers during low-pressure chemical vapor deposition: Recrystallization dynamics and influence of the seed layer.–D. Della Sala, A. Santoni, L. Fornarini, J. Lancok, S. Loreti, I. Menicucci, and C. Minarini; **17**(11), 2966–2973.

Mercader, R.C.–Grinding assistance in the transformation of gibbsite to corundum.–Rosa M. Torres Sánchez, A. Boix, and R.C. Mercader; **17**(3), 712–717.

Messing, Gary L.–Dielectric and piezoelectric properties of textured $Sr_{0.53}Ba_{0.47}Nb_2O_6$ ceramics prepared by templated grain growth.–Cihangir Duran, Susan Trolier-McKinstry, and Gary L. Messing; **17**(9), 2399–2409.[a)]

Métraux, C.–Filling of chrysotile nanotubes with metals.–C. Métraux, B. Grobéty, and P. Ulmer; **17**(5), 1129–1135.

Meyer, III, H.M.–Laser-induced nanoparticle ordering.–A.J. Pedraza, J.D. Fowlkes, D.A. Blom, H.M. Meyer, III; **17**(11), 2815–2822.

Meyyappan, M.–Effects of gamma radiation on poly(methyl methacrylate)/single-wall nanotube composites.–P.A. O'Rourke Muisener, L. Clayton, J. D'Angelo, J.P. Harmon, A.K. Sikder, A. Kumar, A.M. Cassell, and M. Meyyappan; **17**(10), 2507–2513.

Miao, Shu–High-energy electron irradiation study of relaxor ferroelectric $Pb(Mg_{1/3}Nb_{2/3})O_3$ and $Pb_{1-x}La_x[Mg_{(1+x)/3}Nb_{(2-x)/3}]O_3$ by transmission electron microscopy.–Shu Miao, Jing Zhu, X.W. Zhang, and X.H. Chen; **17**(10), 2615–2620.

Michel, Daniel–Nickel–alumina nanocomposite powders prepared by novel *in situ* chemical reduction.–Zheng-Ren Huang, Dongliang Jiang, Daniel Michel, Léo Mazerolles, Alain Ferrand, Thomas di Costanzo, and Jean-Louis Vignes; **17**(12), 3177–3181.

Mihara, Toshiyuki–Perovskite crystallization of sol-gel processed $(Pb,La_{0.06},Gd_{0.02})(Zr_{0.65},Ti_{0.35})O_3$ thin films: Dielectric, ferroelectric and optical properties.–Reji Thomas, Shoichi Mochizuki, Toshiyuki Mihara, and Tadashi Ishida; **17**(10), 2652–2659.

Mikhailov, M.M.–Effect of electron exposure on optical properties of aluminized polyimide film.–Chundong Li, Dezhuang Yang, Shiyu He, and M.M. Mikhailov; **17**(9), 2442–2446.

[a)]The correct version of this article appears in the January 2003 issue.

Milanese, Chiara–Combustion synthesis of mechanically activated powders in the Nb–Si system.–Filippo Maglia, Chiara Milanese, Umberto Anselmi-Tamburini, Stefania Doppiu, and Giorgio Cocco; **17**(8), 1992–1999.

Millon, E.–Aerosol-gel-derived microcrystalline hydroxyapatite coatings.–M. Manso, J.M. Martínez-Duart, M. Langlet, C. Jiménez, P. Herrero, and E. Millon; **17**(6), 1482–1489.

Milne, Steven J.–Microstructural evolution during pyrolysis of triol-based sol-gel single-layer $Pb(Zr_{0.53}Ti_{0.47})O_3$ thin films.–Zhaoxia Zhou, Ian M. Reaney, David Hind, Steven J. Milne, Andy P. Brown, and Rik Brydson; **17**(8), 2066–2074.

Min, S.H.–High-strain-rate superplastic flow in 6061 Al composite enhanced by liquid phase.–W.J. Kim, S.H. Hong, H.G. Jeong, and S.H. Min; **17**(1), 65–74.

Minarini, C.–*In situ* laser recrystallization of Si layers during low-pressure chemical vapor deposition: Recrystallization dynamics and influence of the seed layer.–D. Della Sala, A. Santoni, L. Fornarini, J. Lancok, S. Loreti, I. Menicucci, and C. Minarini; **17**(11), 2966–2973.

Miranda, Pedro–Cracking in ceramic/metal/polymer trilayer systems.–Hong Zhao, Pedro Miranda, Brian R. Lawn, and Xiaozhi Hu; **17**(5), 1102–1111.

–Overview: Damage in brittle layer structures from concentrated loads.–Brian R. Lawn, Yan Deng, Pedro Miranda, Antonia Pajares, Herzl Chai, and Do Kyung Kim; **17**(12), 3019–3036(R).

Miranzo, Pilar–Thermal conductivity of ceramics in the ZrO_2-$GdO_{1.5}$ system.–Jie Wu, Nitin P. Padture, Paul G. Klemens, Maurice Gell, Eugenio García, Pilar Miranzo, and Maria I. Osendi; **17**(12), 3193–3200.

Mishra, S.K.–Microstructure evolution during sintering of self-propagating high-temperature synthesis produced ZrB_2 powder.–S.K. Mishra, S. Das, and P. Ramchandrarao; **17**(11), 2809–2814.

Mishra (Pathak), S.K.–Sintering characteristics of Y–Ba–Cu oxide–Ag_x superconductors under argon atmosphere.–L.C. Pathak, S.K. Mishra (Pathak), and S. Srikanth; **17**(4), 895–900.

Mitchell, Brian S.–The use of polymeric milling media in the reduction of contamination during mechanical attrition.–Claudio L. De Castro and Brian S. Mitchell; **17**(12), 2997–2999(L).

Mitchell, D.R.G.–Fabrication, characterization, and leach testing of hollandite, $(Ba,Cs)(Al,Ti)_2Ti_6O_{16}$.–M.L. Carter, E.R. Vance, D.R.G. Mitchell, J.V. Hanna, Z. Zhang, and E. Loi; **17**(10), 2578–2589.

Mitomo, Mamoru–Ductile-to-brittle transition in superplastic silicon nitride ceramics.–Guo-Dong Zhan, Mamoru Mitomo, Rong-Jun Xie, and Keiji Kurashima; **17**(1), 149–155.

–Effects of heat treatment and sintering additives on thermal conductivity and electrical resistivity in fine-grained SiC ceramics.–Guo-Dong Zhan, Mamoru Mitomo, and Amiya K. Mukherjee; **17**(9), 2327–2333.

Miyake, Michihiro–Preparation and characterization of zinc-doped gallophosphate molecular sieve.–Masatoshi Yoshino, Motohide Matsuda, and Michihiro Miyake; **17**(10), 2672–2678.

Miyamoto, Y.–Joining of Ti_3SiC_2 with Ti–6Al–4V alloy.–N.F. Gao and Y. Miyamoto; **17**(1), 52–59.

Miyashita, Naoko–Continuous-wave InGaN laser diodes on copper and diamond substrates.–William S. Wong, Michael Kneissl, David W. Treat, Mark Teepe, Naoko Miyashita, Alberto Salleo, and Noble M. Johnson; **17**(4), 890–894.

Miyazawa, K.–C_{60} nanowhiskers formed by the liquid–liquid interfacial precipitation method.–K. Miyazawa, Y. Kuwasaki, A. Obayashi, and M. Kuwabara; **17**(1), 83–88.

–Fabrication of β–BaB_2O_4 thin films with (00*l*) preferred orientation through the chemical solution deposition technique.–Takeshi Kobayashi, Ryo Ogawa, Kun'ichi Miyazawa, and Makoto Kuwabara; **17**(4), 844–851.

–Formation of iodine-doped C_{60} whiskers by the use of liquid–liquid interfacial precipitation method.–Kun'ichi Miyazawa and Koichi Hamamoto; **17**(9), 2205–2208(L).

Mizuno, Y.–Phase transition behaviors of $BaTiO_3$–$BaZrO_3$ solid solutions under high direct current bias fields.–S. Wada, H. Adachi, H. Kakemoto, H. Chazono, Y. Mizuno, H. Kishi, and T. Tsurumi; **17**(2), 456–464.

Mochizuki, Shoichi–Perovskite crystallization of sol-gel processed $(Pb,La_{0.06},Gd_{0.02})(Zr_{0.65},Ti_{0.35})O_3$ thin films: Dielectric, ferroelectric and optical properties.–Reji Thomas, Shoichi Mochizuki, Toshiyuki Mihara, and Tadashi Ishida; **17**(10), 2652–2659.

Moffett, Paul–Electron field emission from Ar^+ ion-treated thick-film carbon paste.–Gillian A.M. Reynolds, Lap-Tak Cheng, Robert Bouchard, Paul Moffett, Howard Jones, Linda F. Robinson, S. Ismat Shah, and Daniel I. Amey; **17**(10), 2590–2598.

Mohamed, Mohamed A.–Surface and bulk properties of alumina recovered under various conditions from aluminum dross tailings chemical waste versus bauxite ore.–Ezzat A. El-Katatny, Samih A. Halawy, Mohamed A. Mohamed, and Mohamed I. Zaki; **17**(7), 1721–1728.

Mohanan, Pezholil–Microwave dielectric properties of $RETiTaO_6$ (RE = La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Y, Er, Yb, Al, and In) ceramics.–Kuzhichalil Peethambaran Surendran, Sam Solomon, Manoj Raama Varma, Pezholil Mohanan, and Mailadil Thomas Sebastian; **17**(10), 2561–2566.

–Microwave dielectric properties of MO–La_2O_3–TiO_2 (M = Ca, Sr, Ba) ceramics.–Isuhak Naseemabeevi Jawahar, Narayana Iyer Santha, Mailadil Thomas Sebastian, and Pezholil Mohanan; **17**(12), 3084–3089.

Monthioux, M.–Catalytic effects on carbon/carbon composites fabricated by a film boiling chemical vapor infiltration process.–H. Okuno, M. Trinquecoste, A. Derré, M. Monthioux, and P. Delhaès; **17**(8), 1904–1913.

Moon, J-H.–Preparation of epitaxial $Pb(Mg_{1/3}Ta_{2/3})O_3$ thin film by chemical solution deposition.–D.S. Jeong, J-H. Moon, B-T. Lee, and J.H. Kim; **17**(11), 2884–2887.

Moraes, Kevin V.–Synthesis of silicon carbide films from partially oxidized polyvinylsilane by carbon tetrachloride solution casting.–Masaki Narisawa, Takeshi Hasegawa, Kiyohito Okamura, Masayoshi Itoh, Thomas Apple, Kevin V. Moraes, and Leonard V. Interrante; **17**(1), 214–223.

Morais, P.J.–Preparation and isolation of gold nanoparticles coated with a stabilizer and sol-gel compatible agent.–R. Trbojevich, N. Pellegri, A. Frattini, O. de Sanctis, P.J. Morais, and R.M. Almeida; **17**(8), 1973–1980.

Morales, M.P.–Iron and iron-oxide on silica nanocomposites prepared by the sol-gel method.–G. Ennas, M.F. Casula, G. Piccaluga, S. Solinas, M.P. Morales, and C.J. Serna; **17**(3), 590–596.

Morales, R.–Mechanical and structural characterization of uniaxially cold-pressed Fe_2Mo powders.–R. Morales, S. Seetharaman, and V. Agarwala; **17**(8), 1954–1959.

Morell, G.–Synthesizing nanocrystalline carbon thin films by hot filament chemical vapor deposition and controlling their microstructure.–S. Gupta, B.R. Weiner, and G. Morell; **17**(7), 1820–1833.

Mori, Katsunori–Thermal conductivity of AlN ceramic with a very low amount of grain boundary phase at 4 to 1000 K.–Koji Watari, Hiromi Nakano, Kazuyori Urabe, Kozo Ishizaki, Shixun Cao, and Katsunori Mori; **17**(11), 2940–2944.

Moropoulou, Antonia–Oxidation and resulting mechanical properties of Ni/8Y_2O_3-stabilized zirconia anode substrate for solid-oxide fuel cells.–George Stathis, Dimitrios Simwonis, Frank Tietz, Antonia Moropoulou, and Aristides Naoumides; **17**(5), 951–958.

Morris, Dylan J.–Depth-sensing indentation at macroscopic dimensions.–Jeremy Thurn, Dylan J. Morris, and Robert F. Cook; **17**(10), 2679–2690.

Mosser, A.–Elastic recovery measurements performed by atomic force microscopy and standard nanoindentation on a Co(10.1) monocrystal.–J.C. Arnault, A. Mosser, M. Zamfirescu, and H. Pelletier; **17**(6), 1258–1265.

Moya, J.S.–Mechanical performance of 3Y-TZP/Ni composites: Tensile, bending, and uniaxial fatigue tests.–S. López-Esteban, J.F. Bartolomé, J.S. Moya, and T. Tanimoto; **17**(7), 1592–1600.

Muisener, P.A. O'Rourke–Effects of gamma radiation on poly(methyl methacrylate)/single-wall nanotube composites.–P.A. O'Rourke Muisener, L. Clayton, J. D'Angelo, J.P. Harmon, A.K. Sikder, A. Kumar, A.M. Cassell, and M. Meyyappan; **17**(10), 2507–2513.

Mukherjee, Amiya K.–Effects of heat treatment and sintering additives on thermal conductivity and electrical resistivity in fine-grained SiC ceramics.–Guo-Dong Zhan, Mamoru Mitomo, and Amiya K. Mukherjee; **17**(9), 2327–2333.

Mukherjee, P.K.–Growth of silver nanowires using mica structure as a template and ultrahigh dielectric permittivity of the nanocomposite.–P.K. Mukherjee and D. Chakravorty; **17**(12), 3127–3132.

Müller, K-H.–Magnetic properties of undoped and Co-doped *n*-type β–$FeSi_{2.5}$ single crystals.–E. Arushanov, L. Ivanenko, D. Eckert, G. Behr, U.K. Rößler, K-H. Müller, C. Schneider, and J. Schumann; **17**(11), 2960–2965.

Munir, Zuhair A.–Simultaneous synthesis and consolidation of nanostructured $MoSi_2$.–Christophe Gras, Frédéric Bernard, Frédéric Charlot, Eric Gaffet, Zuhair A. Munir; **17**(3), 542–549.

–Electric field enhanced synthesis of nanostructured tantalum carbide.–Olivia A. Graeve and Zuhair A. Munir; **17**(3), 609–613.

Murakami, H.–X-ray photoelectron spectroscopy characterization and morphology of MgO thin films grown on single-crystalline diamond (100).–S.M. Lee, T. Ito, and H. Murakami; **17**(8), 1914–1922.

Murakami, Ri-ichi–Tribological behavior of CrN coating on aluminum alloys deposited by arc ion plating.–Fei Zhou, Chang-Min Suh, Seock-Sam Kim, and Ri-ichi Murakami; **17**(12), 3133–3138.

Murty, B.S.–Icosahedral phase formation domain in Al–Cu–Fe system by mechanical alloying.–P. Barua, B.S. Murty, B.K. Mathur, and V. Srinivas; **17**(3), 653–659.

Myers, Todd–Layered lead zirconate titanate and lanthanum-doped lead zirconate titanate ceramic thin films.–Todd Myers, Parag Banerjee, Susmita Bose, and Amit Bandyopadhyay; **17**(9), 2379–2385.

N

N.-Gamo, Mikka–Synthesis of aligned carbon nanotubes in organic liquids.–Yafei Zhang, Mikka N.-Gamo, Kiyoharu Nakagawa, and Toshihiro Ando; **17**(9), 2457–2464.

Naganuma, Tamaki–Effect of total particle surface area on the light transmittance of glass particle-dispersed epoxy matrix optical composites.–Tamaki Naganuma and Yutaka Kagawa; **17**(12), 3237–3241.

Nagasawa, Shigeru–Interface shape effects on the tensile strength for T-type structure bonded dissimilar materials.–Shigeru Nagasawa, Yuji Yokoyama, Yasushi Fukuzawa, and Masayoshi Tateno; **17**(1), 20–25.

Nagashio, Kosuke–Microstructure formation and phase selection in the solidification of Al_2O_3–5 at% SiO_2 melts by splat quenching.–Mingjun Li, Kosuke Nagashio, and Kazuhiko Kuribayashi; **17**(8), 2026–2032.

Nagy, A.–Comparative study of single crystals and laser-grown films of V_2O_5.–J. Janicskó-Csáthy, A. Nagy, L. Nánai, W. Marine, S.P. Souto, M. Balkanski, and T.F. George; **17**(5), 1096–1101.

Nainaparampil, J.J.–Structural and mechanical properties of TiC/Ti and TiC/B_4C multilayers deposited by pulsed laser deposition.–A.R. Phani, J.E. Krzanowski, and J.J. Nainaparampil; **17**(6), 1390–1398.

Nakaaki, Itsuko–Cold rolling and recrystallization textures in $L1_2$-type Co_3Ti ordered alloys.–Yasuyuki Kaneno, Itsuko Nakaaki, and Takayuki Takasugi; **17**(10), 2567–2577.

Nakagawa, Kiyoharu–Synthesis of aligned carbon nanotubes in organic liquids.–Yafei Zhang, Mikka N.-Gamo, Kiyoharu Nakagawa, and Toshihiro Ando; **17**(9), 2457–2464.

Nakajima, Hideo–Evaluation of thermal aging embrittlement of austenitic stainless steels JN1, JJ1, and JK2 by cryogenic small-punch testing.–Maribel L. Saucedo-Muñoz, Shi Cheng Liu, Shin-Ichi Komazaki, Il-Hyun Kwon, Toshiyuki Hashida, Hideaki Takahashi, and Hideo Nakajima; **17**(4), 852–860.

Nakamura, Y.–Novel understanding of the $YBa_2Cu_3O_{7-x}$ thin film growth.–D.X. Huang, Y. Nakamura, Y. Yamada, and I. Hirabayshi; **17**(2), 302–305.

–Mechanism of liquid-phase epitaxy growth of $NdBa_2Cu_3O_{7-x}$ film from low-peritectic-temperature $YBa_2Cu_3O_{7-x}$ seed film.–D.X. Huang, X. Yao, K. Nomura, Y. Wu, Y. Nakamura, T. Izumi, and Y. Shiohara; **17**(4), 747–754.

Nakano, Hiromi–Thermal conductivity of AlN ceramic with a very low amount of grain boundary phase at 4 to 1000 K.–Koji Watari, Hiromi Nakano, Kazuyori Urabe, Kozo Ishizaki, Shixun Cao, and Katsunori Mori; **17**(11), 2940–2944.

Nakano, Y.–Elastoplastic load–depth hysteresis in pyramidal indentation.–M. Sakai and Y. Nakano; **17**(8), 2161–2173.

Nakayama, Yoshikazu–Growth and density control of carbon tubule nanocoils using catalyst of iron compounds.–Lujun Pan, Taichi Hayashida, and Yoshikazu Nakayama; **17**(1), 145–148.

Nánai, L.–Comparative study of single crystals and laser-grown films of V_2O_5.–J. Janicskó-Csáthy, A. Nagy, L. Nánai, W. Marine, S.P. Souto, M. Balkanski, and T.F. George; **17**(5), 1096–1101.

Naoumides, Aristides–Oxidation and resulting mechanical properties of Ni/8Y_2O_3-stabilized zirconia anode substrate for solid-oxide fuel cells.–George Stathis, Dimitrios Simwonis, Frank Tietz, Antonia Moropoulou, Aristides Naoumides; **17**(5), 951–958.

Narayan, J.–Improved magnetic properties of self-assembled epitaxial nickel nanocrystallites in thin-film ceramic matrix.–D. Kumar, H. Zhou, T.K. Nath, Alex V. Kvit, J. Narayan, V. Craciun, and Rajiv K. Singh; **17**(4), 738–742.

–Epitaxial growth of ZnO films on Si(111).–Ashutosh Tiwari, M. Park, C. Jin, H. Wang, D. Kumar, and J. Narayan; **17**(10), 2480–2483(L).

Narisawa, Masaki–Synthesis of silicon carbide films from partially oxidized polyvinylsilane by carbon tetrachloride solution casting.–Masaki Narisawa, Takeshi Hasegawa, Kiyohito Okamura, Masayoshi Itoh, Thomas Apple, Kevin V. Moraes, and Leonard V. Interrante; **17**(1), 214–223.

Nastasi, Michael–Thermal stability and wetting properties of Cr–O–C coatings synthesized by plasma immersion ion processing.–Xiao-Ming He, Marko Hakovirta, Kevin C. Walter, Mitchell Trkula, Michael Nastasi; **17**(1), 14–19.

Nasu, Hiroyuki–Second harmonic generation from $CsLiB_6O_{10}$-containing glass-ceramics.–Yoshitsugu Yamamoto, Tomohiro Hashimoto, Hiroyuki Nasu, Tadanori Hashimoto, and Kanichi Kamiya; **17**(12), 3110–3116.

Nath, T.K.–Improved magnetic properties of self-assembled epitaxial nickel nanocrystallites in thin-film ceramic matrix.–D. Kumar, H. Zhou, T.K. Nath, Alex V. Kvit, J. Narayan, V. Craciun, and Rajiv K. Singh; **17**(4), 738–742.

Neri, G.–Preparation, characterization, and micropatterning of laser-dye-doped sol-gel films.–A. Arena, S. Patanè, G. Saitta, G. Rizzo, S. Galvagno, and G. Neri; **17**(8), 2095–2098.

Nersisyan, H.H.–Self-propagating high-temperature synthesis of nano-sized titanium carbide powder.–H.H. Nersisyan, J.H. Lee, and C.W. Won; **17**(11), 2859–2864.

Neubrand, Achim–Residual stresses in functionally graded plates.–Achim Neubrand, Tai-Joo Chung, Jürgen Rödel, Eric D. Steffler, and Theo Fett; **17**(11), 2912–2920.

Ng, H.P.–An *in situ* transmission electron microscope investigation into grain growth and ordering of sputter-deposited nanocrystalline Ni_3Al thin films.–H.P. Ng and A.H.W. Ngan; **17**(8), 2085–2094.

Ngan, A.H.W.–Effects of creep and thermal drift on modulus measurement using depth-sensing indentation.–G. Feng and A.H.W. Ngan; **17**(3), 660–668.

–Fractography, elastic modulus, and oxidation resistance of Novel metal–intermetallic Ni/Ni_3Al multilayer films.–X.K. Meng, H. Shen, H. Vehoff, S. Mathur, A.H.W. Ngan; **17**(4), 790–796.

–An *in situ* transmission electron microscope investigation into grain growth and ordering of sputter-deposited nanocrystalline Ni_3Al thin films.–H.P. Ng and A.H.W. Ngan; **17**(8), 2085–2094.

–Viscoelastic effects during unloading in depth-sensing indentation.–A.H.W. Ngan and B. Tang; **17**(10), 2604–2610.

Nguyen, T.–Correlation of resistance and interfacial reaction of contacts to *n*-type InP.–J.S. Huang, C.B. Vartuli, T. Nguyen, N. Bar-Chaim, J. Shearer, C. Fisher, and S. Anderson; **17**(11), 2929–2934.

Nguyen, Thien Phap–Raman spectroscopy and conductivity measurements on polymer-multiwalled carbon nanotubes composites.–Christophe Stéphan, Thien Phap Nguyen, Bernd Lahr, Werner Blau, Serge Lefrant, and Olivier Chauvet; **17**(2), 396–400.

Nichols, B.M.–Dielectric properties of epitaxial $KNbO_3$ ferroelectric thin films.–Soma Chattopadhyay, B.M. Nichols, Jin-Ha Hwang, T.O. Mason, and B.W. Wessels; **17**(2), 275–278(L).

Nieh, T.G.–Rate dependence of serrated flow during nanoindentation of a bulk metallic glass.–C.A. Schuh, T.G. Nieh, and Y. Kawamura; **17**(7), 1651–1654.

Nikolov, V.–Growth of $KTiOPO_4$ films on $KTi_{1-x}Ge_xOPO_4$ substrates by liquid-phase epitaxy.–R. Solé, V. Nikolov, A. Vilalta, J.J. Carvajal, J. Massons, Jna. Gavaldà, M. Aguiló, and F. Díaz; **17**(3), 563–569.

Nino, Juan C.–Bi_2O_3 solubility of Bi-based pyrochlores and related phases.–Juan C. Nino, Hyuk J. Youn, Michael T. Lanagan, and Clive A. Randall; **17**(5), 1178–1182.

–Crystal structure of the compound $Bi_2Zn_{2/3}Nb_{4/3}O_7$.–Igor Levin, Tammy G. Amos, Juan C. Nino, Terrell A. Vanderah, Ian M. Reaney, Clive A. Randall, and Michael T. Lanagan; **17**(6), 1406–1411.

Nogami, Masayuki–Biomimetic apatite formation on poly(lactic acid) composites containing calcium carbonates.–Hirotaka Maeda, Toshihiro Kasuga, Masayuki Nogami, Yoshitaka Hibino, Kenichiro Hata, Minoru Ueda, and Yoshio Ota; **17**(4), 727–730(L).

–Nanocrystalline SnO_2 particles and twofold-coordinated Sn defect centers in sol-gel-derived SnO_2–SiO_2 glasses.–Tomokatsu Hayakawa, Takehiro Enomoto, and Masayuki Nogami; **17**(6), 1305–1311.

–Redox equilibrium and spectral hole burning in Sm^{2+}-doped Al_2O_3–SiO_2 glasses.–Masayuki Nogami, Toyonori Eto, Kazuhiro Suzuki, and Tomokatsu Hayakawa; **17**(8), 2053–2058.

Nomura, K.–Mechanism of liquid-phase epitaxy growth of $NdBa_2Cu_3O_{7-x}$ film from low-peritectic-temperature $YBa_2Cu_3O_{7-x}$ seed film.–D.X. Huang, X. Yao, K. Nomura, Y. Wu, Y. Nakamura, T. Izumi, and Y. Shiohara; **17**(4), 747–754.

Novak, S.–Preparation of alumina ceramics from aqueous suspensions employing the hydrolysis of aluminum nitride.–S. Novak and T. Kosmac; **17**(2), 445–450.

Nucci, J.A.–Growth of electromigration-induced hillocks in Al interconnects.–J.A. Nucci, A. Straub, E. Bischoff, E. Arzt, and C.A. Volkert; **17**(10), 2727–2735.

Nygren, Mats–Formation of *in-situ* reinforced microstructure in α–sialon ceramics I: Stoichiometric oxygen-rich compositions.–Zhijian Shen, Hong Peng, and Mats Nygren; **17**(2), 336–342.

–Formation of *in situ* reinforced microstructures in α-sialon ceramics: Part II. In the presence of a liquid phase.–Hong Peng, Zhijian Shen, and Mats Nygren; **17**(5), 1136–1142.

O

Oba, F.–Hardness of cubic silicon nitride.–I. Tanaka, F. Oba, T. Sekine, E. Ito, A. Kubo, K. Tatsumi, H. Adachi, and T. Yamamoto; **17**(4), 731–733.

Obayashi, A.–C_{60} nanowhiskers formed by the liquid–liquid interfacial precipitation method.–K. Miyazawa, Y. Kuwasaki, A. Obayashi, and M. Kuwabara; **17**(1), 83–88.

Ocaña, M.–Low-temperature preparation and structural characterization of Pr-doped ceria solid solutions.–E. López-Navarrete, A. Caballero, A.R. González-Elipe, and M. Ocaña; **17**(4), 797–804.

Odagawa, Akihiro–Preparation and characteristics of 90° rotated biepitaxial Fe_3O_4 thin films.–Hiroshi Matsuda, Hiroshi Sakakima, Hideaki Adachi, Akihiro Odagawa, and Kentaro Setsune; **17**(8), 1985–1991.

Ogawa, Hirotaka–Crystal structure–microwave dielectric property relations in R_2BaZnO_5 (R = Sm, Eu, Gd, Dy, Ho, Er, and Tm) ceramics.–Akinori Kan and Hirotaka Ogawa; **17**(7), 1803–1807.

Ogawa, Ryo–Fabrication of β–BaB_2O_4 thin films with (00*l*) preferred orientation through the chemical solution deposition technique.–Takeshi Kobayashi, Ryo Ogawa, Kun'ichi Miyazawa, and Makoto Kuwabara; **17**(4), 844–851.

Ogawa, Tomoya–Threading dislocations with edge components in GaN epilayers grown on Al_2O_3 substrates.–Junyong Kang and Tomoya Ogawa; **17**(2), 512(E).

Ohashi, Naoki–Isothermal capacitance transient spectroscopy for deep levels in Co- and Mn-doped ZnO single crystals.–Naoki Ohashi, Junzo Tanaka, Takeshi Ohgaki, Hajime Haneda, Mio Ozawa, and Takaaki Tsurumi; **17**(6), 1529–1535.

Ohgaki, Takeshi–Isothermal capacitance transient spectroscopy for deep levels in Co- and Mn-doped ZnO single crystals.–Naoki Ohashi, Junzo Tanaka, Takeshi Ohgaki, Hajime Haneda, Mio Ozawa, and Takaaki Tsurumi; **17**(6), 1529–1535.

Ohnuki, Toshihiko–Selenium oxyanions: Highly selective uptake by a novel anion exchanger.–Naofumi Kozai, Toshihiko Ohnuki, and Sridhar Komarneni; **17**(12), 2993–2996(L).

Ohtani, Motoko–Preparation and oxidation of Al_4SiC_4.–Osamu Yamamoto, Motoko Ohtani, and Tadashi Sasamoto; **17**(4), 774–778.

Okamura, Kiyohito–Synthesis of silicon carbide films from partially oxidized polyvinylsilane by carbon tetrachloride solution casting.–Masaki Narisawa, Takeshi Hasegawa, Kiyohito Okamura, Masayoshi Itoh, Thomas Apple, Kevin V. Moraes, and Leonard V. Interrante; **17**(1), 214–223.

Okawa, Yoshihiro–Thermal stability of nanometer-sized NiO and Sm-doped ceria powders.–Yoshihiro Okawa, Toshitatsu Matsumoto, Toshiya Doi, and Yoshihiro Hirata; **17**(9), 2266–2274.

Okuno, H.–Catalytic effects on carbon/carbon composites fabricated by a film boiling chemical vapor infiltration process.–H. Okuno, M. Trinquecoste, A. Derré, M. Monthioux, and P. Delhaès; **17**(8), 1904–1913.

Okuyama, Kikuo–Agglomerate-free $BaTiO_3$ particles by salt-assisted spray pyrolysis.–Yoshifumi Itoh, I. Wuled Lenggoro, Sotiris E. Pratsinis, and Kikuo Okuyama; **17**(12), 3222–3229.

Olafsson, Sveinn–Growth and characterization of $Na_{0.5}K_{0.5}NbO_3$ thin films on polycrystalline $Pt_{80}Ir_{20}$ substrates.–Xin Wang, Sveinn Olafsson, Lynnette D. Madsen, Staffan Rudner, Ivan P. Ivanov, Alex Grishin, and Ulf Helmersson; **17**(5), 1183–1191.

Oliveira, M.–Reactions at the interface between Al_2O_3–SiO_2 ceramics with additives of alkaline-earth oxides and liquid Al–Si alloy.–M. Oliveira, S. Agathopoulos, and J.M.F. Ferreira; **17**(3), 641–647.

Olorunyolemi, Tayo–Microwave sintering of high-density, high thermal conductivity AlN.–Geng-fu Xu, Tayo Olorunyolemi, Otto C. Wilson, Isabel K. Lloyd, and Yuval Carmel; **17**(11), 2837–2845.

Onderka, B.–Thermodynamics and phase stability in the In–N system.–B. Onderka, J. Unland, and R. Schmid-Fetzer; **17**(12), 3065–3083.

Ong, C.K.–The effect of doping Ag on the microstructure of $La_{2/3}Sr_{1/3}MnO_3$ films.–Q. Zhan, R. Yu, L.L. He, D.X. Li, J. Li, and C.K. Ong; **17**(10), 2712–2719.

Ong, Keat G.–Highly ordered nanoporous alumina films: Effect of pore size and uniformity on sensing performance.–Oomman K. Varghese, Dawei Gong, Maggie Paulose, Keat G. Ong, Craig A. Grimes, and Elizabeth C. Dickey; **17**(5), 1162–1171.

Ong, R.J.–Chemical solution deposition of <100>-oriented $SrTiO_3$ buffer layers on Ni substrates.–J.T. Dawley, R.J. Ong, and P.G. Clem; **17**(7), 1678–1685.

Ono, Satomi–Processing of highly oriented lithium tantalate films by chemical solution deposition.–Satomi Ono and Shin-ichi Hirano; **17**(10), 2532–2539.

Ooij, Wim J. van–Interfacial particle bonding via an ultrathin polymer film on Al_2O_3 nanoparticles by plasma polymerization.–Donglu Shi, Peng He, S.X. Wang, Wim J. van Ooij, L.M. Wang, Jiangang Zhao, and Zhou Yu; **17**(5), 981–990.

–Plasma deposition and characterization of acrylic acid thin film on ZnO nanoparticles.–Donglu Shi, Peng He, Jie Lian, Lumin Wang, Wim J. van Ooij; **17**(10), 2555–2560.

Osendi, Maria I.–Thermal conductivity of ceramics in the ZrO_2-$GdO_{1.5}$ system.–Jie Wu, Nitin P. Padture, Paul G. Klemens, Maurice Gell, Eugenio García, Pilar Miranzo, and Maria I. Osendi; **17**(12), 3193–3200.

Ota, Yoshio–Biomimetic apatite formation on poly(lactic acid) composites containing calcium carbonates.–Hirotaka Maeda, Toshihiro Kasuga, Masayuki Nogami, Yoshitaka Hibino, Ken-ichiro Hata, Minoru Ueda, and Yoshio Ota; **17**(4), 727–730(L).

Oteo, J.L.–Surface characterization of carbon fibers by inverse gas chromatography at low pressures.–J. Rubio, F. Rubio, J.L. Fierro, M.C. Gutierrez, J.L. Oteo; **17**(2), 413–422.

Ovenstone, James–Luminescence in europium-doped titania: Part II. High concentration range of Eu^{3+}.–James Ovenstone, Philip J. Titler, Robert Withnall, and Jack Silver; **17**(10), 2524–2531.

Overmyer, D.L.–Improving sol-gel $YBa_2Cu_3O_{7-\delta}$ film morphology using high-boiling-point solvents.–J.T. Dawley, P.G. Clem, M.P. Siegal, D.R. Tallant, D.L. Overmyer; **17**(8), 1900–1903(L).

Ownby, G.W.–Quantification and control of the sulfur $c(2 \times 2)$ superstructure on {100}⟨100⟩ Ni for optimization of YSZ, CeO_2, and $SrTiO_3$ seed layer texture.–C. Cantoni, D.K. Christen, L. Heatherly, M.M. Kowalewski, F.A. List, A. Goyal, G.W. Ownby, D.M. Zehner, B.W. Kang, and D.M. Kroeger; **17**(10), 2549–2554.

Ozawa, Mio–Isothermal capacitance transient spectroscopy for deep levels in Co- and Mn-doped ZnO single crystals.–Naoki Ohashi, Junzo Tanaka, Takeshi Ohgaki, Hajime Haneda, Mio Ozawa, and Takaaki Tsurumi; **17**(6), 1529–1535.

Ozturk, Alper–Mechanisms of ceramic coating deposition in solution-precursor plasma spray.–Tania Bhatia, Alper Ozturk, Liangde Xie, Eric H. Jordan, Baki M. Cetegen, Maurice Gell, Xinqin Ma, and Nitin P. Padture; **17**(9), 2363–2372.

P

Padture, Nitin P.–Mechanisms of ceramic coating deposition in solution-precursor plasma spray.–Tania Bhatia, Alper Ozturk, Liangde Xie, Eric H. Jordan, Baki M. Cetegen, Maurice Gell, Xinqin Ma, and Nitin P. Padture; **17**(9), 2363–2372.

–Thermal conductivity of ceramics in the ZrO_2-$GdO_{1.5}$ system.–Jie Wu, Nitin P. Padture, Paul G. Klemens, Maurice Gell, Eugenio García, Pilar Miranzo, and Maria I. Osendi; **17**(12), 3193–3200.

Paik, Jong-Ah–Micromachining of mesoporous oxide films for microelectromechanical system structures.–Jong-Ah Paik, Shih-Kang Fan, Chang-Jin Kim, Ming C. Wu, and Bruce Dunn; **17**(8), 2121–2129.

Paik, Kyung-Wook–Grain morphology of intermetallic compounds at solder joints.–Won Kyoung Choi, Se-Young Jang, Jong Hoon Kim, Kyung-Wook Paik, and Hyuck Mo Lee; **17**(3), 597–599.

Paiva-Santos, C.O.–Effect of barium titanate seed particles on the sintering and lattice parameters in $PbMg_{1/3}Nb_{2/3}O_3$ ceramics.–P.D. Spagnol, M.A. Zaghete, C.O. Paiva-Santos, A.V.C. Andrade, A.A. Cavalheiro, S.M. Tebcherani, and J.A. Varela; **17**(3), 620–624.

Pajares, Antonia–Overview: Damage in brittle layer structures from concentrated loads.–Brian R. Lawn, Yan Deng, Pedro Miranda, Antonia Pajares, Herzl Chai, and Do Kyung Kim; **17**(12), 3019–3036(R).

Paladino, Jay–Preparation and microstructure evolution of both free-standing and supported TiO_2 thin films.–Chen-Lung Fan, Daniel Ciardullo, Jay Paladino, and Wayne Huebner; **17**(6), 1520–1528.

Pan, A.–Structural and optical properties of lithium bismuthate glasses.–A. Pan and A. Ghosh; **17**(8), 1941–1944.

Pan, Chih-Yi–Synthesis and properties of lead zirconate titanate thin films via metalorganic chemical vapor deposition.–Chih-Yi Pan, Yin-Lang Chen, and Dah-Shyang Tsai; **17**(6), 1536–1542.

Pan, Dengyu–Hydrothermal preparation of long nanowires of vanadium oxide.–Dengyu Pan, Zhang Shuyuan, Yiqing Chen, and J.G. Hou; **17**(8), 1981–1984.

Pan, F.M.–Effects of an interposed Cu layer on the enhanced thermal stability of C49 $TiSi_2$.–Ming-Jun Wang, Wen-Tai Lin, and F.M. Pan; **17**(2), 343–347.

Pan, Fusheng–Reactive wetting of a metal/ceramic system.–Jian Chen, Mingyuan Gu, and Fusheng Pan; **17**(4), 911–917.

Pan, Lujun–Growth and density control of carbon tubule nanocoils using catalyst of iron compounds.–Lujun Pan, Taichi Hayashida, and Yoshikazu Nakayama; **17**(1), 145–148.

Pan, M.X.–Stability of ZrTiCuNiBe bulk metallic glass upon isothermal annealing near the glass transition temperature.–Wei Hua Wang, Ru Ju Wang, W.T. Yang, B.C. Wei, P. Wen, D.Q. Zhao, and M.X. Pan; **17**(6), 1385–1389.

Pan, X.Q.–*In vacuo* pulsed laser ablation of $YBa_2Cu_3O_{7-x}$ target for the formation of Y_2O_3 nanostructures.–D.B. Jan, Q.X. Jia, M.E. Hawley, G.W. Browne, C.J. Wetteland, H.P. Sun, and X.Q. Pan; **17**(3), 697–700.

Pang, Shujie–Formation of bulk glassy $Fe_{75-x-y}Cr_xMo_yC_{15}B_{10}$ alloys and their corrosion behavior.–Shujie Pang, Tao Zhang, Katsuhiko Asami, and Akihisa Inoue; **17**(3), 701–704.

Pantleon, Wolfgang–Disorientations in dislocation structures: Formation and spatial correlation.–Wolfgang Pantleon; **17**(9), 2433–2441.

Paranthaman, M.–Chemical solution deposition of lanthanum zirconate buffer layers on biaxially textured Ni–1.7% Fe–3% W alloy substrates for coated-conductor fabrication.–S. Sathyamurthy, M. Paranthaman, T. Aytug, B.W. Kang, P.M. Martin, A. Goyal, D.M. Kroeger, and D.K. Christen; **17**(6), 1543–1549.

–Comparative study of thickness dependence of critical current density of $YBa_2Cu_3O_{7-\delta}$ on (100) $SrTiO_3$ and on rolling-assisted biaxially textured substrates.–B.W. Kang, A. Goyal, D.F. Lee, J.E. Mathis, E.D. Specht, P.M. Martin, D.M. Kroeger, M. Paranthaman, and S. Sathyamurthy; **17**(7), 1750–1757.

–Lanthanum zirconate: A single buffer layer processed by solution deposition for coated conductor fabrication.–S. Sathyamurthy, M. Paranthaman, H-Y. Zhai, H.M. Christen, P.M. Martin, and A. Goyal; **17**(9), 2181–2184(L).

–Single buffer layers of $LaMnO_3$ or $La_{0.7}Sr_{0.3}MnO_3$ for the development of $YBa_2Cu_3O_{7-\delta}$-coated conductors: A comparative study.–T. Aytug, M. Paranthaman, H.Y. Zhai, H.M. Christen, S. Sathyamurthy, D.K. Christen, and R.E. Ericson; **17**(9), 2193–2196(L).

Parise, John B.–Single-step deposition of Eu-doped Y_2O_3 phosphor coatings through a precursor plasma spraying technique.–P. Sujatha Devi, Joshua Margolis, John B. Parise, Clare P. Grey, Sanjay Sampath, Herbert Herman, and Harry D. Gafney; **17**(11), 2771–2774(L).

–Comparison of citrate–nitrate gel combustion and precursor plasma spray processes for the synthesis of yttrium aluminum garnet.–P. Sujatha Devi, Yongjae Lee, Joshua Margolis, John B. Parise, Sanjay Sampath, Herbert Herman, and Jonathan C. Hanson; **17**(11), 2846–2851.

Park, Dong-Soo–Effect of Si_2N_2O content on the microstructure, properties, and erosion of silicon nitride–Si_2N_2O *in situ* composites.–Dong-Soo Park, Hyun-Ju Choi, Byung-Dong Han, Hai-Doo Kim, and Dae-Soon Lim; **17**(9), 2275–2280.

Park, Dong-Yeon–Effects of IrO_2/Pt hybrid electrodes on the crystallization and ferroelectric performances of sol-gel-derived Pb(Zr, Ti)O_3 thin film capacitors.–Seung-Hyun Kim, Dong-Yeon Park, Hyun-Jung Woo, Dong-Soo Lee, Jowoong Ha, and Cheol Song Hwang; **17**(7), 1735–1742.

Park, Gun-Tae–Preparation and improvement in the electrical properties of lead-zinc-niobate–based ceramics by thermal treatments.–Huiqing Fan, Gun-Tae Park, Jong-Jin Choi, Jungho Ryu, and Hyoun-Ee Kim; **17**(1), 180–185.

Park, Hee Dong–Tb L_3-edge x-ray absorption near-edge structure spectroscopic analysis of terbium-doped phosphor compounds for plasma display panel applications.–Yong Gyu Choi, Kee-Sun Sohn, Kyong Hon Kim, and Hee Dong Park; **17**(1), 31–35.

–Synthesis and characterization of red phosphor (Y,Gd)BO_3:Eu by the coprecipitation method.–Kyung Nam Kim, Ha-Kyun Jung, Hee Dong Park, and Dojin Kim; **17**(4), 907–910.

–Optimization of red phosphor for plasma display panel by the combinatorial chemistry method.–Kee-Sun Sohn, Chang Hae Kim, Joon Taik Park, and Hee Dong Park; **17**(12), 3201–3205.

Park, Jaehoo–Oxidation behavior of TiAlN barrier layers with and without thin metal overlayers for memory capacitor applications.–Jaewon Song, Hye Ryeong Kim, Jaehoo Park, Seehwa Jeong, and Cheol Seong Hwang; **17**(7), 1789–1794.

Park, Jong-Ku–Monte Carlo simulation of phase separation behavior in a Cu–Co alloy nanoparticle.–Jae-Hyeok Shim, Byeong-Joo Lee, Jae-Pyoung Ahn, Young Whan Cho, Jong-Ku Park; **17**(5), 925–928(L).

Park, Joon Taik–Optimization of red phosphor for plasma display panel by the combinatorial chemistry method.–Kee-Sun Sohn, Chang Hae Kim, Joon Taik Park, and Hee Dong Park; **17**(12), 3201–3205.

Park, Kwang-Ho–Optical properties of Ho^{3+}-, Er^{3+}-, and Tm^{3+}-doped $BaIn_2S_4$ and $BaIn_2Se_4$ single crystals.–Sang-An Park, Mi-Yang Kim, Wha-Tek Kim, Moon-Seog Jin, Sung-Hyu Choe, Tae-Young Park, Kwang-Ho Park, and Duck-Tae Kim; **17**(8), 2147–2152.

Park, M.–Epitaxial growth of ZnO films on Si(111).–Ashutosh Tiwari, M. Park, C. Jin, H. Wang, D. Kumar, and J. Narayan; **17**(10), 2480–2483(L).

Park, Mi-kyoung–Surface structural characterization and mechanical testing by nanoindentation measurements of hybrid polymer/clay nanostructured multilayer films.–Xiaowu Fan, Mi-kyoung Park, Chuanjun Xia, and Rigoberto Advincula; **17**(7), 1622–1633.

Park, Sang-An–Optical properties of Ho^{3+}-, Er^{3+}-, and Tm^{3+}-doped $BaIn_2S_4$ and $BaIn_2Se_4$ single crystals.–Sang-An Park, Mi-Yang Kim, Wha-Tek Kim, Moon-Seog Jin, Sung-Hyu Choe, Tae-Young Park, Kwang-Ho Park, and Duck-Tae Kim; **17**(8), 2147–2152.

Park, Sungho–Chemical vapor deposition of cobalt using novel cobalt(I) precursors.–Hyungsoo Choi, Sungho Park, and Ho G. Jang; **17**(2), 267–270(L).

–Low-temperature fabrication of high-quality (Ba,Sr)TiO_3 films using charged liquid cluster beam method.–Hyungsoo Choi, Sungho Park, Yi Yang, HoChul Kang, Kyekyoon (Kevin) Kim, M.Y. Sung, and Ho G. Jang; **17**(8), 1888–1891(L).

Park, Tae-Young–Optical properties of Ho^{3+}-, Er^{3+}-, and Tm^{3+}-doped $BaIn_2S_4$ and $BaIn_2Se_4$ single crystals.–Sang-An Park, Mi-Yang Kim, Wha-Tek Kim, Moon-Seog Jin, Sung-Hyu Choe, Tae-Young Park, Kwang-Ho Park, and Duck-Tae Kim; **17**(8), 2147–2152.

Parrette, J.–Crystallization in SiO_2–metal oxide alloys.–J-P. Maria, D. Wickaksana, J. Parrette, and A.I. Kingon; **17**(7), 1571–1579.

Patanè, S.–Optical properties of laser-dye-doped polyvinylcarbazole films coated with polycarbonate.–A. Arena, F. Bonsignore, S. Patanè, and G. Saitta; **17**(6), 1490–1494.

–Preparation, characterization, and micropatterning of laser-dye-doped sol-gel films.–A. Arena, S. Patanè, G. Saitta, G. Rizzo, S. Galvagno, and G. Neri; **17**(8), 2095–2098.

Patel, V.–Effects of precursor additives on the stability of plasma enhanced chemical vapor deposited a-GeC(O):H films.–A. Grill, S. Guilley, V. Patel, and K. Babich; **17**(2), 367–375.

Pathak, L.C.–Sintering characteristics of Y–Ba–Cu oxide–Ag_x superconductors under argon atmosphere.–L.C. Pathak, S.K. Mishra (Pathak), and S. Srikanth; **17**(4), 895–900.

Paulose, Maggie–Fabrication of nanoporous ceramic thin films: Dealloying and self-organized template formation on amorphous substrates.–Maggie Paulose, Oomman K. Varghese, and Craig A. Grimes; **17**(1), 115–126.

–Highly ordered nanoporous alumina films: Effect of pore size and uniformity on sensing performance.–Oomman K. Varghese, Dawei Gong, Maggie Paulose, Keat G. Ong, Craig A. Grimes, and Elizabeth C. Dickey; **17**(5), 1162–1171.

Pedraza, A.J.–Etching-enhanced ablation and the formation of a microstructure in silicon by laser irradiation in an SF_6 atmosphere.–S. Jesse, A.J. Pedraza, J.D. Fowlkes, and J.D. Budai; **17**(5), 1002–1013.

–Laser-induced nanoparticle ordering.–A.J. Pedraza, J.D. Fowlkes, D.A. Blom, H.M. Meyer, III; **17**(11), 2815–2822.

Peelamedu, Ramesh–Major phase transformations and magnetic property changes caused by electromagnetic fields at microwave frequencies.–Rustum Roy, Ramesh Peelamedu, Craig Grimes, Jiping Cheng, and Dinesh Agrawal; **17**(12), 3008–3011(L).

Pellegri, N.–Preparation and isolation of gold nanoparticles coated with a stabilizer and sol-gel compatible agent.–R. Trbojevich, N. Pellegri, A. Frattini, O. de Sanctis, P.J. Morais, and R.M. Almeida; **17**(8), 1973–1980.

Pelletier, H.–Elastic recovery measurements performed by atomic force microscopy and standard nanoindentation on a Co(10.1) monocrystal.–J.C. Arnault, A. Mosser, M. Zamfirescu, and H. Pelletier; **17**(6), 1258–1265.

Peng, Hong–Formation of *in-situ* reinforced microstructure in α–sialon ceramics I: Stoichiometric oxygen-rich compositions.–Zhijian Shen, Hong Peng, and Mats Nygren; **17**(2), 336–342.

–Formation of *in situ* reinforced microstructures in α-sialon ceramics: Part II. In the presence of a liquid phase.–Hong Peng, Zhijian Shen, and Mats Nygren; **17**(5), 1136–1142.

Peng, X.S.–Strong quantum confinement in ordered PbSe nanowire arrays.–X.S. Peng, G.W. Meng, J. Zhang, X.F. Wang, C.Z. Wang, X. Liu, and L.D. Zhang; **17**(6), 1283–1286.

Penhoud, P.–Structure of milled galena (PbS) particles as a result of grinding: Observations by electron microscopy.–P. Martinetto, J. Castaing, P. Walter, P. Penhoud, and P. Veyssière; **17**(7), 1601–1611.

Pérez, Lidia–Synthesis of nanocrystalline CeO_2–Y_2O_3 powders by a nitrate–glycine gel-combustion process.–Mario F. Bianchetti, Ricardo E. Juárez, Diego G. Lamas, Noemí E. Walsöe de Reca, Lidia Pérez, and Edgardo Cabanillas; **17**(9), 2185–2188(L).

Petric, A.–Synthesis and dielectric properties of barium tantalates and niobates with complex perovskite structure.–T. Kolodiazhnyi, A. Petric, A. Belous, O. V'yunov, and O. Yanchevskij; **17**(12), 3182–3189.

Pfeifer, K.–Adhesion of Cu and low-k dielectric thin films with tungsten carbide.–A.M. Lemonds, K. Kershen, J. Bennett, K. Pfeifer, Y-M. Sun, J.M. White, and J.G. Ekerdt; **17**(6), 1320–1328.

Phani, A.R.–Structural and mechanical properties of TiC/Ti and TiC/B_4C multilayers deposited by pulsed laser deposition.–A.R. Phani, J.E. Krzanowski, and J.J. Nainaparampil; **17**(6), 1390–1398.

Pharr, G.M.–Understanding nanoindentation unloading curves.–G.M. Pharr and A. Bolshakov; **17**(10), 2660–2671.

Piccaluga, G.–Iron and iron-oxide on silica nanocomposites prepared by the sol-gel method.–G. Ennas, M.F. Casula, G. Piccaluga, S. Solinas, M.P. Morales, and C.J. Serna; **17**(3), 590–596.

Piraux, L.–Electrochemical self-assembly of Cu/Cu_2O nanowires.–S. Kenane and L. Piraux; **17**(2), 401–406.

–Electrodeposition of Fe–Co alloys into nanoporous *p*-type silicon: Influence of the electrolyte composition.–F. Hamadache, J-L. Duvail, V. Scheuren, L. Piraux, C. Poleunis, P. Bertrand, and M.S. Belkaïd; **17**(5), 1074–1084.

Pirzada, Mohsin–Predictions of strontium accommodation in $A_2B_2O_7$ pyrochlores.–Mohsin Pirzada, Robin W. Grimes, John Maguire, and Kurt Sickafus; **17**(8), 2041–2047.

Pisano, A.P.–Processing and morphology of permeable polycrystalline silicon thin films.–G.M. Dougherty, A.P. Pisano, and T. Sands; **17**(9), 2235–2242.

Poleunis, C.–Electrodeposition of Fe–Co alloys into nanoporous *p*-type silicon: Influence of the electrolyte composition.–F. Hamadache, J-L. Duvail, V. Scheuren, L. Piraux, C. Poleunis, P. Bertrand, and M.S. Belkaïd; **17**(5), 1074–1084.

Pope, A.L.–Transport in the $Al_{71}Pd_{21}Mn_{8-x}Re_x$ quasicrystalline system.–A.L. Pope, T.M. Tritt, R. Gagnon, J. Strom-Olsen, S. Legault, R. Schneidmiller, and J. Kolis; **17**(7), 1814–1819.

Porter, John F.–Effect of thermal treatment on the photocatalytic activity of TiO_2 coatings for photocatalytic oxidation of benzoic acid.–Alex H.C. Chan, John F. Porter, John P. Barford, and Chak K. Chan; **17**(7), 1758–1765.

Posey, Fanney E.–Direct conversion of TiO_2 sol to nanocrystalline anatase at 85 °C.–K.I. Gnanasekar, V. Subramanian, J. Robinson, J.C. Jiang, Fanney E. Posey, and B. Rambabu; **17**(6), 1507–1512.

Pradhan, B.K.–Large cryogenic storage of hydrogen in carbon nanotubes at low pressures.–B.K. Pradhan, A.R. Harutyunyan, D. Stojkovic, J.C. Grossman, P. Zhang, M.W. Cole, V. Crespi, H. Goto, J. Fujiwara, and P.C. Eklund; **17**(9), 2209–2216.

Pratsinis, S.E.–Flame-made ceria nanoparticles.–L. Mädler, W.J. Stark, and S.E. Pratsinis; **17**(6), 1356–1362.

Pratsinis, Sotiris E.–Agglomerate-free $BaTiO_3$ particles by salt-assisted spray pyrolysis.–Yoshifumi Itoh, I. Wuled Lenggoro, Sotiris E. Pratsinis, and Kikuo Okuyama; **17**(12), 3222–3229.

Pribošič, Irena–Positive temperature coefficient of resistivity effect in Pb-doped $KNbO_3$.–Irena Pribošič, Darko Makovec, and Miha Drofenik; **17**(12), 2989–2992(L).

Price, T.J.–Tunability of τ_f in perovskites and related compounds.–P.L. Wise, I.M. Reaney, W.E. Lee, D.M. Iddles, D.S. Cannell, and T.J. Price; **17**(8), 2033–2040.

Prinz, S.–Crystallization behavior of polymer-derived Si–B–C–N ceramics in a high-pressure nitrogen environment.–Y. Cai, A. Zimmermann, S. Prinz, and F. Aldinger; **17**(11), 2765–2767(L).

Pruitt, L.–Nanomechanical properties of energetically treated polyethylene surfaces.–C. Klapperich, L. Pruitt, and K. Komvopoulos; **17**(2), 423–430.

Puchinger, M.–Grain growth of precursor-derived nanocrystalline gallium nitride powder.–M. Puchinger, D.J. Kisailus, F.F. Lange, and T. Wagner; **17**(2), 353–357.

Puttlitz, Karl J.–Ag_3Sn plate formation in the solidification of near ternary eutectic Sn–Ag–Cu alloys.–Donald W. Henderson, Timothy Gosselin, Amit Sarkhel, Sung K. Kang, Won-Kyoung Choi, Da-Yuan Shih, Charles Goldsmith, and Karl J. Puttlitz; **17**(11), 2775–2778(L).

Q

Qi, Xiaoding–Rapid growth of $Nd_{2-x}Ce_xCuO_4$ thick films as a buffer for the growth of rare-earth barium cuprate–coated conductors.–Xiaoding Qi, Masood Soorie, Zainovia Lockman, and Judith L. MacManus-Driscoll; **17**(1), 1–4(L).

Qi, Y.H.–Superplasticity in NiAl and NiAl-based alloys.–J.T. Guo, X.H. Du, L.Z. Zhou, B.D. Zhou, Y.H. Qi, and G.S. Li; **17**(9), 2346–2356.

Qian, J.–High-pressure, high-temperature sintering of diamond–SiC composites by ball-milled diamond–Si mixtures.–J. Qian, G. Voronin, T.W. Zerda, D. He, and Y. Zhao; **17**(8), 2153–2160.

–Superhard B–C–N materials synthesized in nanostructured bulks.–Y. Zhao, D.W. He, L.L. Daemen, T.D. Shen, R.B. Schwarz, Y. Zhu, D.L. Bish, J. Huang, J. Zhang, G. Shen, J. Qian, and T.W. Zerda; **17**(12), 3139–3145.

Qian, Yitai–Wet synthesis and characterization of MSe (M = Cd, Hg) nanocrystallites at room temperature.–Qing Yang, Kaibin Tang, Chunrui Wang, Chunjuan Zhang, Yitai Qian; **17**(5), 1147–1152.

Qiao, X.L.–Synthesis of superhard and elastic carbon nitride films by filtered cathodic vacuum arc combined with radio frequency ion beam source.–Y.H. Cheng, B.K. Tay, S.P. Lau, X. Shi, X.L. Qiao, J.G. Chen, Y.P. Wu, Z.H. Sun, and C.S. Xie; **17**(3), 521–524(L).

Qin, Jining–Evaluation of weak interface effect on the residual stresses in layered SiC/TiC composites by the finite element method and x-ray diffraction.–Shuyi Qin, Dongliang Jiang, Jingxian Zhang, and Jining Qin; **17**(5), 1118–1124.

Qin, Rongshan–Thermodynamics of crack healing under electropulsing.–Rongshan Qin and Shengxia Su; **17**(8), 2048–2052.

Qin, Shuyi–Evaluation of weak interface effect on the residual stresses in layered SiC/TiC composites by the finite element method and x-ray diffraction.–Shuyi Qin, Dongliang Jiang, Jingxian Zhang, and Jining Qin; **17**(5), 1118–1124.

Qin, X.Y.–Microstructures and mechanical behavior of bulk nanocrystalline γ–Ni–Fe produced by a mechanochemical method.–X.Y. Qin, J.S. Lee, and C.S. Lee; **17**(5), 991–1001.

Qin, Y.L.–Dislocations in $SrTiO_3$ thin films grown on $LaAlO_3$ substrates.–Y.L. Qin, C.L. Jia, K. Urban, J.H. Hao, and X.X. Xi; **17**(12), 3117–3126.

Qiu, K.Q.–Pressure-induced nanocrystallization of $Zr_{55}Al_{10}Ni_5Cu_{30}$ bulk metallic glass.–Jia Zhang, K.Q. Qiu, A.M. Wang, H.F. Zhang, M.X. Quan, and Z.Q. Hu; **17**(11), 2935–2939.

Quan, M.X.–Pressure-induced nanocrystallization of $Zr_{55}Al_{10}Ni_5Cu_{30}$ bulk metallic glass.–Jia Zhang, K.Q. Qiu, A.M. Wang, H.F. Zhang, M.X. Quan, and Z.Q. Hu; **17**(11), 2935–2939.

Que, Wenxiu–Preparation and luminescence properties of neodymium(III) oxide nanocrystals dispersed in sol-gel titania/(γ-glycidoxypropyl)trimethoxysilane composite thin films.–Wenxiu Que, X. Hu, L.H. Gan, and G. Roshan Deen; **17**(6), 1399–1405.

R

Rai, R.N.–Crystal structure and properties of a new organic nonlinear optical material.–R.N. Rai and C.W. Lan; **17**(7), 1587–1591.

Rambabu, B.–Direct conversion of TiO_2 sol to nanocrystalline anatase at 85 °C.–K.I. Gnanasekar, V. Subramanian, J. Robinson, J.C. Jiang, Fanney E. Posey, and B. Rambabu; **17**(6), 1507–1512.

Ramchandrarao, P.–Microstructure evolution during sintering of self-propagating high-temperature synthesis produced ZrB_2 powder.–S.K. Mishra, S. Das, and P. Ramchandrarao; **17**(11), 2809–2814.

Ramdani, J.–Study of microstructure in $SrTiO_3$/Si by high-resolution transmission electron microscopy.–G.Y. Yang, J.M. Finder, J. Wang, Z.L. Wang, Z. Yu, J. Ramdani, R. Droopad, K.W. Eisenbeiser, and R. Ramesh; **17**(1), 204–213.

Ramesh, K.T.–Deformation and failure of $Zr_{57}Ti_5Cu_{20}Ni_8Al_{10}$ bulk metallic glass under quasi-static and dynamic compression.–T.C. Hufnagel, T. Jiao, Y. Li, L-Q. Xing, K.T. Ramesh; **17**(6), 1441–1445.

Ramesh, R.–Study of microstructure in $SrTiO_3$/Si by high-resolution transmission electron microscopy.–G.Y. Yang, J.M. Finder, J. Wang, Z.L. Wang, Z. Yu, J. Ramdani, R. Droopad, K.W. Eisenbeiser, and R. Ramesh; **17**(1), 204–213.

Randall, Clive A.–Bi_2O_3 solubility of Bi-based pyrochlores and related phases.–Juan C. Nino, Hyuk J. Youn, Michael T. Lanagan, and Clive A. Randall; **17**(5), 1178–1182.

–Crystal structure of the compound $Bi_2Zn_{2/3}Nb_{4/3}O_7$.–Igor Levin, Tammy G. Amos, Juan C. Nino, Terrell A. Vanderah, Ian M. Reaney, Clive A. Randall, and Michael T. Lanagan; **17**(6), 1406–1411.

–Dielectric relaxation and microwave dielectric properties of Bi_2O_3–ZnO–Ta_2O_5 ceramics.–Hyuk-Joon Youn, Clive Randall, Ang Chen, Tom Shrout, and Michael T. Lanagan; **17**(6), 1502–1506.

Rao, G.V. Narasimha–Thermal spray coating of aluminum nitride utilizing the detonation spray technique.–L. Rama Krishna, D. Sen, Y. Srinivasa Rao, G.V. Narasimha Rao, and G. Sundararajan; **17**(10), 2514–2523.

Rao, Manju Lato–Influence of hole carrier density and sintering temperature on the electronic properties of magnetoresistive $La_{0.7}Pb_{0.3}Mn_{1-x}Ru_xO_3$ ($0.0 \leq x \leq 0.4$).–Ranjan Kumar Sahu, Manju Lato Rao, Solomon Sundar Manoharan, Dieter Elefant, Peter Verges, A. Gueth, and Claus M. Schneider; **17**(12), 3090–3097.

Rao, R.A.–Oxidation of *c*-axis-oriented epitaxial $YBa_2Cu_3O_{7-\delta}$ thin films in ozone-containing atmospheres.–B.J. Gibbons, C.B. Eom, R.A. Rao, S. Trolier-McKinstry, and D.G. Schlom; **17**(4), 884–889.

Rao, R. Ramachandra–Nitride-bonded silicon nitride from slip-cast Si + Si_3N_4 compacts.–R. Ramachandra Rao and T.S. Kannan; **17**(2), 386–395.

Rao, Y. Srinivasa–Thermal spray coating of aluminum nitride utilizing the detonation spray technique.–L. Rama Krishna, D. Sen, Y. Srinivasa Rao, G.V. Narasimha Rao, and G. Sundararajan; **17**(10), 2514–2523.

Rappé, Kenneth G.–Solid-state ^{27}Al nuclear magnetic resonance investigation of plasma-facilitated NO_x reduction catalysts.–Li-Qiong Wang, Christopher L. Aardahl, Kenneth G. Rappé, Diana N. Tran, Marisol A. Delgado, and Craig F. Habeger; **17**(7), 1843–1848.

Ravishankar, N.–Bunching of surface steps and facet formation on an alumina surface.–N. Ravishankar and C. Barry Carter; **17**(1), 98–106.

Real, C.–Combustion synthesis of TiN induced by high-energy ball milling of Ti under nitrogen atmosphere.–F.J. Gotor, M.D. Alcalá, C. Real, and J.M. Criado; **17**(7), 1655–1663.

Reaney, Ian M.–Crystal structure of the compound $Bi_2Zn_{2/3}Nb_{4/3}O_7$.–Igor Levin, Tammy G. Amos, Juan C. Nino, Terrell A. Vanderah, Ian M. Reaney, Clive A. Randall, and Michael T. Lanagan; **17**(6), 1406–1411.

–Tunability of τ_f in perovskites and related compounds.–P.L. Wise, I.M. Reaney, W.E. Lee, D.M. Iddles, D.S. Cannell, and T.J. Price; **17**(8), 2033–2040.

–Microstructural evolution during pyrolysis of triol-based sol-gel single-layer $Pb(Zr_{0.53}Ti_{0.47})O_3$ thin films.–Zhaoxia Zhou, Ian M. Reaney, David Hind, Steven J. Milne, Andy P. Brown, and Rik Brydson; **17**(8), 2066–2074.

Register, Richard A.–Rapid method to measure diffusion of paramagnetic species: Mn^{2+} in poly(ethylene-*co*-methacrylic acid) ionomers.–Neena K. Tierney and Richard A. Register; **17**(10), 2736–2743.

Rehn, L.E.–Microstructure and mechanical properties of Ti–Si–N coatings.–W.J. Meng, X.D. Zhang, B. Shi, R.C. Tittsworth, L.E. Rehn, and P.M. Baldo; **17**(10), 2628–2632.

Ren, Z.M.–Fabrication of TiNi shape memory alloy thin films by pulsed-laser deposition.–X.Y. Chen, Y.F. Lu, Z.M. Ren, and S. Zhu; **17**(2), 279–283.

Reneker, Darrell H.–Poly(meta-phenylene isophthalamide) nanofibers: Coating and post processing.–Wenxia Liu, Matthew Graham, Edward A. Evans, and Darrell H. Reneker; **17**(12), 3206–3212.

Revcolevschi, A.–Solid solution directionally solidified eutectic oxide composites: Part II. $Co_{1-x}Ni_xO$ single-crystal growth and characterization.–L.N. Brewer, V.P. Dravid, M. Velázquez, and A. Revcolevschi; **17**(4), 768–773.

Révész, Á.–Thermal stability, crystallization kinetics, and grain growth in an amorphous $Al_{85}Ce_5Ni_8Co_2$ alloy.–Á. Révész, L.K. Varga, S. Suriñach, and M.D. Baró; **17**(8), 2140–2146.

Reynolds, Gillian A.M.–Electron field emission from Ar^+ ion-treated thick-film carbon paste.–Gillian A.M. Reynolds, Lap-Tak Cheng, Robert Bouchard, Paul Moffett, Howard Jones, Linda F. Robinson, S. Ismat Shah, and Daniel I. Amey; **17**(10), 2590–2598.

Rickman, J.M.–Coble-creep response and variability of grain-boundary properties.–W.S. Tong, J.M. Rickman, H.M. Chan, and M.P. Harmer; **17**(2), 348–352.

Ritala, Mikko–*Tert*-butylamine and allylamine as reductive nitrogen sources in atomic layer deposition of TaN thin films.–Petra Alén, Marika Juppo, Mikko Ritala, Markku Leskelä, Timo Sajavaara, and Juhani Keinonen; **17**(1), 107–114.

Rixecker, Georg–Effects of powder bed conditions on the liquid-phase sintering of Si_3N_4.–Sea-Hoon Lee, Georg Rixecker, Fritz Aldinger, Sung-Churl Choi, and Keun-Ho Auh; **17**(2), 465–472.

Rizzo, G.–Preparation, characterization, and micropatterning of laser-dye-doped sol-gel films.–A. Arena, S. Patanè, G. Saitta, G. Rizzo, S. Galvagno, and G. Neri; **17**(8), 2095–2098.

Roberts, M.A.–Synchrotron x-ray diffraction study of $Ba_{4.5}Nd_9Ti_{18}O_{54}$ microwave dielectric ceramics at 10–295 K.–C.C. Tang, M.A. Roberts, F. Azough, C. Leach, and R. Freer; **17**(3), 675–682.

Robinson, J.–Direct conversion of TiO_2 sol to nanocrystalline anatase at 85 °C.–K.I. Gnanasekar, V. Subramanian, J. Robinson, J.C. Jiang, Fanney E. Posey, and B. Rambabu; **17**(6), 1507–1512.

Robinson, Linda F.–Electron field emission from Ar^+ ion-treated thick-film carbon paste.–Gillian A.M. Reynolds, Lap-Tak Cheng, Robert Bouchard, Paul Moffett, Howard Jones, Linda F. Robinson, S. Ismat Shah, and Daniel I. Amey; **17**(10), 2590–2598.

Rödel, Jürgen–Residual stresses in functionally graded plates.–Achim Neubrand, Tai-Joo Chung, Jürgen Rödel, Eric D. Steffler, and Theo Fett; **17**(11), 2912–2920.

Rodriguez, Mark A.–Lanthanide series doping effects in lead zirconate titanate (PLnZT) thin films.–Timothy J. Boyle, Paul G. Clem, Bruce A. Tuttle, Geoffrey L. Brennecka, Jeffrey T. Dawley, Mark A. Rodriguez, Timothy D. Dunbar, and William F. Hammetter; **17**(4), 871–878.

Rößler, U.K.–Magnetic properties of undoped and Co-doped *n*-type β–$FeSi_{2.5}$ single crystals.–E. Arushanov, L. Ivanenko, D. Eckert, G. Behr, U.K. Rößler, K-H. Müller, C. Schneider, and J. Schumann; **17**(11), 2960–2965.

Roy, Rustum–Major phase transformations and magnetic property changes caused by electromagnetic fields at microwave frequencies.–Rustum Roy, Ramesh Peelamedu, Craig Grimes, Jiping Cheng, and Dinesh Agrawal; **17**(12), 3008–3011(L).

Rozhkova, E.–Synthesis of $Cu_{47}Ti_{34}Zr_{11}Ni_8$ bulk metallic glass by warm extrusion of gas atomized powders.–D.J. Sordelet, E. Rozhkova, P. Huang, P.B. Wheelock, M.F. Besser, M.J. Kramer, M. Calvo-Dahlborg, and U. Dahlborg; **17**(1), 186–198.

Ruan, M.L.–Aqueous processing of SiC green sheets I: Dispersant.–J.X. Zhang, D.L. Jiang, S.H. Tan, L.H. Gui, M.L. Ruan; **17**(8), 2012–2018.

–Aqueous processing of SiC green sheets II: Binder and plasticizer.–J.X. Zhang, D.L. Jiang, S.H. Tan, L.H. Gui, M.L. Ruan; **17**(8), 2019–2025.

Ruan, Yaozhong–Ultraviolet photoluminescence from 4H–SiC nanocrystalline films deposited on silicon substrate.–Zhengping Fu, Beifang Yan, Ruchuan Liu, and Yaozhong Ruan; **17**(3), 570–574.

Rubio, F.–Surface characterization of carbon fibers by inverse gas chromatography at low pressures.–J. Rubio, F. Rubio, J.L. Fierro, M.C. Gutierrez, and J.L. Oteo; **17**(2), 413–422.

Rubio, J.–Surface characterization of carbon fibers by inverse gas chromatography at low pressures.–J. Rubio, F. Rubio, J.L. Fierro, M.C. Gutierrez, and J.L. Oteo; **17**(2), 413–422.

Rudner, Staffan–Growth and characterization of $Na_{0.5}K_{0.5}NbO_3$ thin films on polycrystalline $Pt_{80}Ir_{20}$ substrates.–Xin Wang, Sveinn Olafsson, Lynnette D. Madsen, Staffan Rudner, Ivan P. Ivanov, Alex Grishin, and Ulf Helmersson; **17**(5), 1183–1191.

Rue, Gi-Hong–Synchrotron x-ray scattering study of SnO_2 thin film grown on sapphire.–Gi-Hong Rue, Dae Hwang Yoo, Yoon Hwae Hwang, and Hyung-Kook Kim; **17**(9), 2417–2422.

Rühle, M.–Microstructural evolution in nanocrystalline Ni coatings.–M.L. Lau, J. He, A.J. Melmed, T.A. Lusby, R. Schweinfest, M. Rühle, and E.J. Lavernia; **17**(5), 1041–1049.

Ryoo, Kunkul–Electrolyzed water as an alternative for environmentally benign semiconductor cleaning.–Kunkul Ryoo, Byeongdoo Kang, and Osao Sumita; **17**(6), 1298–1304.

Ryu, Jungho–Preparation and improvement in the electrical properties of lead-zinc-niobate–based ceramics by thermal treatments.–Huiqing Fan, Gun-Tae Park, Jong-Jin Choi, Jungho Ryu, and Hyoun-Ee Kim; **17**(1), 180–185.

S

Sabathier, C.–Irradiation-disorder creation in $SrTiO_3$.–S. Soulet, J. Chaumont, C. Sabathier, and J-C. Krupa; **17**(1), 9–13.

Sabia, Robert–Acidic dispersion of fused SiO_2 particles.–Robert Sabia and Ljerka Ukrainczyk; **17**(7), 1849–1854.

Sachenko, P.–Kinetics of thermal grain boundary grooving for changing dihedral angles.–W. Zhang, P. Sachenko, and J.H. Schneibel; **17**(6), 1495–1501.

Saerens, A.–Grain growth, stress, and impurities in electroplated copper.–S.H. Brongersma, E. Kerr, I. Vervoort, A. Saerens, and K. Maex; **17**(3), 582–589.

–Characterization of reduced-pressure chemical vapor deposition polycrystalline silicon germanium deposited at temperatures ≤550 °C.–Sherif Sedky, Ann Witvrouw, Matty Caymax, Annelies Saerens, and Paul Van Houtte; **17**(7), 1580–1586.

Sahu, Ranjan Kumar–Influence of hole carrier density and sintering temperature on the electronic properties of magnetoresistive $La_{0.7}Pb_{0.3}Mn_{1-x}Ru_xO_3$ ($0.0 \leq x \leq 0.4$).–Ranjan Kumar Sahu, Manju Lato Rao, Solomon Sundar Manoharan, Dieter Elefant, Peter Verges, A. Gueth, and Claus M. Schneider; **17**(12), 3090–3097.

Saitta, G.–Optical properties of laser-dye-doped polyvinylcarbazole films coated with polycarbonate.–A. Arena, F. Bonsignore, S. Patanè, and G. Saitta; **17**(6), 1490–1494.

–Preparation, characterization, and micropatterning of laser-dye-doped sol-gel films.–A. Arena, S. Patanè, G. Saitta, G. Rizzo, S. Galvagno, and G. Neri; **17**(8), 2095–2098.

Sajavaara, Timo–*Tert*-butylamine and allylamine as reductive nitrogen sources in atomic layer deposition of TaN thin films.–Petra Alén, Marika Juppo, Mikko Ritala, Markku Leskelä, Timo Sajavaara, and Juhani Keinonen; **17**(1), 107–114.

Sakai, M.–Elastoplastic load–depth hysteresis in pyramidal indentation.–M. Sakai and Y. Nakano; **17**(8), 2161–2173.

Sakakima, Hiroshi–Preparation and characteristics of 90° rotated biepitaxial Fe_3O_4 thin films.–Hiroshi Matsuda, Hiroshi Sakakima, Hideaki Adachi, Akihiro Odagawa, and Kentaro Setsune; **17**(8), 1985–1991.

Salleo, Alberto–Continuous-wave InGaN laser diodes on copper and diamond substrates.–William S. Wong, Michael Kneissl, David W. Treat, Mark Teepe, Naoko Miyashita, Alberto Salleo, and Noble M. Johnson; **17**(4), 890–894.

Saman, M.B.H.M.–Novel approaches for controlling stage structure of metal chloride–graphite intercalation compounds.–H. Shioyama, M.B.H.M. Saman, and A. Sanpanich; **17**(12), 3190–3192.

Sampath, Sanjay–Single-step deposition of Eu-doped Y_2O_3 phosphor coatings through a precursor plasma spraying technique.–P. Sujatha Devi, Joshua Margolis, John B. Parise, Clare P. Grey, Sanjay Sampath, Herbert Herman, and Harry D. Gafney; **17**(11), 2771–2774(L).

–Comparison of citrate–nitrate gel combustion and precursor plasma spray processes for the synthesis of yttrium aluminum garnet.–P. Sujatha Devi, Yongjae Lee, Joshua Margolis, John B. Parise, Sanjay Sampath, Herbert Herman, and Jonathan C. Hanson; **17**(11), 2846–2851.

Sánchez, Rosa M. Torres–Grinding assistance in the transformation of gibbsite to corundum.–Rosa M. Torres Sánchez, A. Boix, and R.C. Mercader; **17**(3), 712–717.

Sanctis, O. de–Preparation and isolation of gold nanoparticles coated with a stabilizer and sol-gel compatible agent.–R. Trbojevich, N. Pellegri, A. Frattini, O. de Sanctis, P.J. Morais, and R.M. Almeida; **17**(8), 1973–1980.

Sands, T.–Processing and morphology of permeable polycrystalline silicon thin films.–G.M. Dougherty, A.P. Pisano, and T. Sands; **17**(9), 2235–2242.

Sanpanich, A.–Novel approaches for controlling stage structure of metal chloride–graphite intercalation compounds.–H. Shioyama, M.B.H.M. Saman, and A. Sanpanich; **17**(12), 3190–3192.

Santha, Narayana Iyer–Microwave dielectric properties of MO–La_2O_3–TiO_2 (M = Ca, Sr, Ba) ceramics.–Isuhak Naseemabeevi Jawahar, Narayana Iyer Santha, Mailadil Thomas Sebastian, and Pezholil Mohanan; **17**(12), 3084–3089.

Santoni, A.–*In situ* laser recrystallization of Si layers during low-pressure chemical vapor deposition: Recrystallization dynamics and influence of the seed layer.–D. Della Sala, A. Santoni, L. Fornarini, J. Lancok, S. Loreti, I. Menicucci, and C. Minarini; **17**(11), 2966–2973.

Sarkhel, Amit–Ag_3Sn plate formation in the solidification of near ternary eutectic Sn–Ag–Cu alloys.–Donald W. Henderson, Timothy Gosselin, Amit Sarkhel, Sung K. Kang, Won-Kyoung Choi, Da-Yuan Shih, Charles Goldsmith, and Karl J. Puttlitz; **17**(11), 2775–2778(L).

Sasai, Ryo–Intercalation of rhodamine 6G and oxazine 4 into oriented clay films and their alignment.–Guangming Chen, Nobuo Iyi, Ryo Sasai, Taketoshi Fujita, and Kenji Kitamura; **17**(5), 1035–1040.

Sasamori, Ken-ichiro–Hydrogen absorption of nanoscale Pd particles embedded in ZrO_2 matrix prepared from Zr–Pd amorphous alloys.–Shin-ichi Yamaura, Ken-ichiro Sasamori, Hisamichi Kimura, Akihisa Inoue, Yue Chang Zhang, and Yoshiaki Arata; **17**(6), 1329–1334.

Sasamoto, Tadashi–Preparation and oxidation of Al_4SiC_4.–Osamu Yamamoto, Motoko Ohtani, and Tadashi Sasamoto; **17**(4), 774–778.

Sathyamurthy, S.–Chemical solution deposition of lanthanum zirconate buffer layers on biaxially textured Ni–1.7% Fe–3% W alloy substrates for coated-conductor fabrication.–S. Sathyamurthy, M. Paranthaman, T. Aytug, B.W. Kang, P.M. Martin, A. Goyal, D.M. Kroeger, and D.K. Christen; **17**(6), 1543–1549.

–Comparative study of thickness dependence of critical current density of $YBa_2Cu_3O_{7-\delta}$ on (100) $SrTiO_3$ and on rolling-assisted biaxially textured substrates.–B.W. Kang, A. Goyal, D.F. Lee, J.E. Mathis, E.D. Specht, P.M. Martin, D.M. Kroeger, M. Paranthaman, and S. Sathyamurthy; **17**(7), 1750–1757.

–Lanthanum zirconate: A single buffer layer processed by solution deposition for coated conductor fabrication.–S. Sathyamurthy, M. Paranthaman, H-Y. Zhai, H.M. Christen, P.M. Martin, and A. Goyal; **17**(9), 2181–2184(L).

–Single buffer layers of $LaMnO_3$ or $La_{0.7}Sr_{0.3}MnO_3$ for the development of $YBa_2Cu_3O_{7-\delta}$-coated conductors: A comparative study.–T. Aytug, M. Paranthaman, H.Y. Zhai, H.M. Christen, S. Sathyamurthy, D.K. Christen, and R.E. Ericson; **17**(9), 2193–2196(L).

Saucedo-Muñoz, Maribel L.–Evaluation of thermal aging embrittlement of austenitic stainless steels JN1, JJ1, and JK2 by cryogenic small-punch testing.–Maribel L. Saucedo-Muñoz, Shi Cheng Liu, Shin-Ichi Komazaki, Il-Hyun Kwon, Toshiyuki Hashida, Hideaki Takahashi, and Hideo Nakajima; **17**(4), 852–860.

–Creep property measurement of service-exposed SUS 316 austenitic stainless steel by the small-punch creep-testing technique.–Maribel L. Saucedo-Muñoz, Shin-ichi Komazaki, Toru Takahashi, Toshiyuki Hashida, and Tetsuo Shoji; **17**(8), 1945–1953.

Schadler, L.S.–Retarded cross-linking in ZnO-low-density polyethylene nanocomposites.–J.I. Hong, K.S. Cho, C.I. Chung, L.S. Schadler, and R.W. Siegel; **17**(5), 940–943(L).

Scheithauer, M.J.–Synthesis and hydrogen reduction of tungsten–copper composite oxides.–L.P. Dorfman, D.L. Houck, M.J. Scheithauer, and T.A. Frisk; **17**(4), 821–830.

–Consolidation of tungsten-coated copper composite powder.–L.P. Dorfman, D.L. Houck, and M.J. Scheithauer; **17**(8), 2075–2084.

Scheuren, V.–Electrodeposition of Fe–Co alloys into nanoporous *p*-type silicon: Influence of the electrolyte composition.–F. Hamadache, J-L. Duvail, V. Scheuren, L. Piraux, C. Poleunis, P. Bertrand, and M.S. Belkaïd; **17**(5), 1074–1084.

Schlom, D.G.–Oxidation of *c*-axis-oriented epitaxial $YBa_2Cu_3O_{7-\delta}$ thin films in ozone-containing atmospheres.–B.J. Gibbons, C.B. Eom, R.A. Rao, S. Trolier-McKinstry, D.G. Schlom; **17**(4), 884–889.

Schmid-Fetzer, R.–Thermodynamics and phase stability in the In–N system.–B. Onderka, J. Unland, and R. Schmid-Fetzer; **17**(12), 3065–3083.

Schneibel, J.H.–Kinetics of thermal grain boundary grooving for changing dihedral angles.–W. Zhang, P. Sachenko, and J.H. Schneibel; **17**(6), 1495–1501.

Schneider, C.–Magnetic properties of undoped and Co-doped *n*-type β–$FeSi_{2.5}$ single crystals.–E. Arushanov, L. Ivanenko, D. Eckert, G. Behr, U.K. Rößler, K-H. Müller, C. Schneider, and J. Schumann; **17**(11), 2960–2965.

Schneider, Claus M.–Influence of hole carrier density and sintering temperature on the electronic properties of magnetoresistive $La_{0.7}Pb_{0.3}Mn_{1-x}Ru_xO_3$ ($0.0 \leq x \leq 0.4$).–Ranjan Kumar Sahu, Manju Lato Rao, Solomon Sundar Manoharan, Dieter Elefant, Peter Verges, A. Gueth, and Claus M. Schneider; **17**(12), 3090–3097.

Schneidmiller, R.–Transport in the $Al_{71}Pd_{21}Mn_{8-x}Re_x$ quasicrystalline system.–A.L. Pope, T.M. Tritt, R. Gagnon, J. Strom-Olsen, S. Legault, R. Schneidmiller, and J. Kolis; **17**(7), 1814–1819.

Schoonover, Christopher–Rapid prototyping of micropatterned substrates using conventional laser printers.–Michael L. Branham, Roger Tran-Son-Tay, Christopher Schoonover, Patrick S. Davis, Susan D. Allen, and Wei Shyy; **17**(7), 1559–1562(L).

Schubert, Ch.–Transmission electron microscopy study of Ge implanted into SiC.–T. Gorelik, U. Kaiser, Ch. Schubert, W. Wesch, and U. Glatzel; **17**(2), 479–486.

Schubert, J.–Microstructural investigation of $BaTiO_3$ thin films deposited on (001) MgO.–C.H. Lei, G. Van Tendeloo, M. Siegert, and J. Schubert; **17**(8), 1923–1931.

Schuh, C.A.–Rate dependence of serrated flow during nanoindentation of a bulk metallic glass.–C.A. Schuh, T.G. Nieh, and Y. Kawamura; **17**(7), 1651–1654.

Schuller, Ivan K.–Kinetics of subsurface hydrogen adsorbed on niobium: Thermal desorption studies.–A.L. Cabrera, J. Espinosa-Gangas, Johan Jonsson-Akerman, and Ivan K. Schuller; **17**(10), 2698–2704.

Schultz, L.–Enhanced plasticity in a Ti-based bulk metallic glass-forming alloy by *in situ* formation of a composite microstructure.–G. He, W. Löser, J. Eckert, and L. Schultz; **17**(12), 3015–3018(L).

Schumann, J.–Magnetic properties of undoped and Co-doped *n*-type β–$FeSi_{2.5}$ single crystals.–E. Arushanov, L. Ivanenko, D. Eckert, G. Behr, U.K. Rößler, K-H. Müller, C. Schneider, and J. Schumann; **17**(11), 2960–2965.

Schwartz, D.–Selective DNA attachment of micro- and nanoscale particles to substrates.–D.M. Hartmann, M. Heller, S.C. Esener, D. Schwartz, and G. Tu; **17**(2), 473–478.

Schwarz, R.B.–Superhard B–C–N materials synthesized in nanostructured bulks.–Y. Zhao, D.W. He, L.L. Daemen, T.D. Shen, R.B. Schwarz, Y. Zhu, D.L. Bish, J. Huang, J. Zhang, G. Shen, J. Qian, and T.W. Zerda; **17**(12), 3139–3145.

Schweinfest, R.–Microstructural evolution in nanocrystalline Ni coatings.–M.L. Lau, J. He, A.J. Melmed, T.A. Lusby, R. Schweinfest, M. Rühle, and E.J. Lavernia; **17**(5), 1041–1049.

Scott, Brian L.–Growth of boron suboxide crystals in the $B–B_2O_3$ system at high pressure and high temperature.–Duanwei He, Minoru Akaishi, Brian L. Scott, and Yusheng Zhao; **17**(2), 284–290.

Scott, J.H.–Microstructure and microstructural evolution in $BaTiO_3$ films fabricated using the precursor method.–L.A. Bendersky, C.J. Lu, J.H. Scott, K. Chang, and I. Takeuchi; **17**(10), 2499–2506.

Seabra, M.P.–Crystal structure of dielectric ceramics in the $La(Mg_{0.5}Ti_{0.5})O_3–BaTiO_3$ system.–M. Avdeev, M.P. Seabra, and V.M. Ferreira; **17**(5), 1112–1117.

Searson, P.C.–Synthesis and characterization of particle-reinforced Ni/Al_2O_3 nanocomposites.–I. Shao, P.M. Vereecken, C.L. Chien, P.C. Searson, and R.C. Cammarata; **17**(6), 1412–1418.

Sebastian, Mailadil Thomas–Microwave dielectric properties of $RETiTaO_6$ (RE = La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Y, Er, Yb, Al, and In) ceramics.–Kuzhichalil Peethambaran Surendran, Sam Solomon, Manoj Raama Varma, Pezholil Mohanan, Mailadil Thomas Sebastian; **17**(10), 2561–2566.

–Microwave dielectric properties of $MO–La_2O_3–TiO_2$ (M = Ca, Sr, Ba) ceramics.–Isuhak Naseemabeevi Jawahar, Narayana Iyer Santha, Mailadil Thomas Sebastian, and Pezholil Mohanan; **17**(12), 3084–3089.

Sedky, Sherif–Characterization of reduced-pressure chemical vapor deposition polycrystalline silicon germanium deposited at temperatures ≤550 °C.–Sherif Sedky, Ann Witvrouw, Matty Caymax, Annelies Saerens, and Paul Van Houtte; **17**(7), 1580–1586.

Seetharaman, S.–Mechanical and structural characterization of uniaxially cold-pressed Fe_2Mo powders.–R. Morales, S. Seetharaman, and V. Agarwala; **17**(8), 1954–1959.

Sekine, T.–Hardness of cubic silicon nitride.–I. Tanaka, F. Oba, T. Sekine, E. Ito, A. Kubo, K. Tatsumi, H. Adachi, and T. Yamamoto; **17**(4), 731–733.

Sellmyer, D.J.–Effects of germanium on the electronic transport mechanism in $Co_{20}(Cu_{1-x}Ge_x)_{80}$ nanogranular ribbons.–J. He, Z.D. Zhang, J.P. Liu, and D.J. Sellmyer; **17**(12), 3050–3055.

Sen, D.–Thermal spray coating of aluminum nitride utilizing the detonation spray technique.–L. Rama Krishna, D. Sen, Y. Srinivasa Rao, G.V. Narasimha Rao, and G. Sundararajan; **17**(10), 2514–2523.

Seo, Osung–Active metal brazing for reliable ceramic joints using TiN coating.–Chulsoo Yoon, Tae Woo Kim, Osung Seo, and Shinhoo Kang; **17**(1), 246–252.

Seo, Tae-Suck–Improvement in tunability and dielectric loss of $(Ba_{0.5}Sr_{0.5})TiO_3$ capacitors using seed layers on $Pt/Ti/SiO_2/Si$ substrates.–Young-Ah Jeon, Woong-Chul Shin, Tae-Suck Seo, and Soon-Gil Yoon; **17**(11), 2831–2836.

Serna, C.J.–Iron and iron-oxide on silica nanocomposites prepared by the sol-gel method.–G. Ennas, M.F. Casula, G. Piccaluga, S. Solinas, M.P. Morales, and C.J. Serna; **17**(3), 590–596.

Setsune, Kentaro–Preparation and characteristics of 90° rotated biepitaxial Fe_3O_4 thin films.–Hiroshi Matsuda, Hiroshi Sakakima, Hideaki Adachi, Akihiro Odagawa, Kentaro Setsune; **17**(8), 1985–1991.

Setter, Nava–Piezoelectric properties of $SrBi_4Ti_4O_{15}$ ferroelectric ceramics.–Marlyse Demartin Maeder, Dragan Damjanovic, Cyril Voisard, and Nava Setter; **17**(6), 1376–1384.

Shah, S. Ismat–Electron field emission from Ar^+ ion-treated thick-film carbon paste.–Gillian A.M. Reynolds, Lap-Tak Cheng, Robert Bouchard, Paul Moffett, Howard Jones, Linda F. Robinson, S. Ismat Shah, and Daniel I. Amey; **17**(10), 2590–2598.

Shannigrahi, Santiranjan R.–Fatigue-free La-modified $Pb(Zr,Ti)O_3$ capacitors using a seed layer.–Santiranjan R. Shannigrahi, Sun-Hwa Lee, and Hyun M. Jang; **17**(8), 1884–1887(L).

Shao, I.–Synthesis and characterization of particle-reinforced Ni/Al_2O_3 nanocomposites.–I. Shao, P.M. Vereecken, C.L. Chien, P.C. Searson, and R.C. Cammarata; **17**(6), 1412–1418.

Shearer, J.–Correlation of resistance and interfacial reaction of contacts to *n*-type InP.–J.S. Huang, C.B. Vartuli, T. Nguyen, N. Bar-Chaim, J. Shearer, C. Fisher, and S. Anderson; **17**(11), 2929–2934.

Shek, C.H.–Microstructure investigation of rapidly solidified Al–V–Fe alloys.–G. He, C.H. Shek, Joseph K.L. Lai, Z. Bian, X.D. Hui, and G.L. Chen; **17**(4), 814–820.

–Effect of thermal aging on the Néel temperature of a Fe–Cr–Ni–Mo alloy.–C.H. Shek, M.W. Lai, and J.K.L. Lai; **17**(4), 879–883.

Shen, Bao-Gen–Magnetic anisotropy of $Sm(Co_{0.68}Fe_{0.22}Cu_{0.08}Zr_{0.02})_{7.7}$ ribbons produced by melt spinning.–A-Ru Yan, Zhi-Gang Sun, Baoshan Han, and Bao-Gen Shen; **17**(3), 648–652.

Shen, G.–Superhard B–C–N materials synthesized in nanostructured bulks.–Y. Zhao, D.W. He, L.L. Daemen, T.D. Shen, R.B. Schwarz, Y. Zhu, D.L. Bish, J. Huang, J. Zhang, G. Shen, J. Qian, and T.W. Zerda; **17**(12), 3139–3145.

Shen, H.–Fractography, elastic modulus, and oxidation resistance of Novel metal–intermetallic Ni/Ni_3Al multilayer films.–X.K. Meng, H. Shen, H. Vehoff, S. Mathur, and A.H.W. Ngan; **17**(4), 790–796.

Shen, Jane-Sang–Thermally-induced crack healing in poly(methyl methacrylate).–Jane-Sang Shen, Julie P. Harmon, and Sanboh Lee; **17**(6), 1335–1340.

Shen, T.D.–Superhard B–C–N materials synthesized in nanostructured bulks.–Y. Zhao, D.W. He, L.L. Daemen, T.D. Shen, R.B. Schwarz, Y. Zhu, D.L. Bish, J. Huang, J. Zhang, G. Shen, J. Qian, and T.W. Zerda; **17**(12), 3139–3145.

Shen, Z.Q.–Boron nitride nanotubes filled with zirconium oxide nanorods.–Z.Q. Shen, L.L. He, E.D. Wu, Y.Y. Fan, J.F. He, H.M. Cheng, D.X. Li, and H.Q. Ye; **17**(11), 2761–2764(L).

Shen, Zhijian–Formation of *in-situ* reinforced microstructure in α–sialon ceramics I: Stoichiometric oxygen-rich compositions.–Zhijian Shen, Hong Peng, and Mats Nygren; **17**(2), 336–342.

–Formation of *in situ* reinforced microstructures in α-sialon ceramics: Part II. In the presence of a liquid phase.–Hong Peng, Zhijian Shen, and Mats Nygren; **17**(5), 1136–1142.

Sheng, H.W.–Nanocrystalline grain structures developed in commercial purity Cu by low-temperature cold rolling.–Y.M. Wang, M.W. Chen, H.W. Sheng, and E. Ma; **17**(12), 3004–3007(L).

Shi, B.–Microstructure and mechanical properties of Ti–Si–N coatings.–W.J. Meng, X.D. Zhang, B. Shi, R.C. Tittsworth, L.E. Rehn, and P.M. Baldo; **17**(10), 2628–2632.

Shi, Donglu–Interfacial particle bonding via an ultrathin polymer film on Al_2O_3 nanoparticles by plasma polymerization.–Donglu Shi, Peng He, S.X. Wang, Wim J. van Ooij, L.M. Wang, Jiangang Zhao, and Zhou Yu; **17**(5), 981–990.

–Plasma deposition and characterization of acrylic acid thin film on ZnO nanoparticles.–Donglu Shi, Peng He, Jie Lian, Lumin Wang, and Wim J. van Ooij; **17**(10), 2555–2560.

Shi, Jianlin–Preparation and enhanced off-resonance optical nonlinearities of CdS-capped gold nanoparticles embedded in $BaTiO_3$ thin films.–Yong Yang, Jianlin Shi, Hangrong Chen, Shugang Dai, Weiming Huang, and Ye Liu; **17**(11), 2802–2808.

Shi, W.–Electron cyclotron resonance plasma–assisted reactive pulsed laser deposition of compound films.–J. Sun, J.D. Wu, H. Ling, W. Shi, Z.F. Ying, and F.M. Li; **17**(7), 1692–1697.

Shi, X.–Synthesis of superhard and elastic carbon nitride films by filtered cathodic vacuum arc combined with radio frequency ion beam source.–Y.H. Cheng, B.K. Tay, S.P. Lau, X. Shi, X.L. Qiao, J.G. Chen, Y.P. Wu, Z.H. Sun, and C.S. Xie; **17**(3), 521–524(L).

Shi, Yulong–Deposition of diamond/β–SiC gradient composite films by microwave plasma-assisted chemical vapor deposition.–Yulong Shi, Minhui Tan, and X. Jiang; **17**(6), 1241–1243(L).

Shibata, Junko–Crystallization mechanism of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ and $YBa_2Cu_3O_{7-y}$ films deposited by metalorganic deposition method using trifluoroacetates.–Junko Shibata, Tetsuji Honjo, Hiroshi Fuji, Takeshi Araki, Izumi Hirabayashi, Tsukasa Hirayama, Teruo Izumi, Yuh Shiohara, Takahisa Yamamoto, and Yuichi Ikuhara; **17**(6), 1266–1275.

Shih, Da-Yuan–Ag_3Sn plate formation in the solidification of near ternary eutectic Sn–Ag–Cu alloys.–Donald W. Henderson, Timothy Gosselin, Amit Sarkhel, Sung K. Kang, Won-Kyoung Choi, Da-Yuan Shih, Charles Goldsmith, and Karl J. Puttlitz; **17**(11), 2775–2778(L).

Shikano, Masahiro–High-temperature thermoelectric properties of the $Ca_{1-x}Bi_xMnO_3$ system.–Gaojie Xu, Ryoji Funahashi, Ichiro Matsubara, Masahiro Shikano, and Yuqin Zhou; **17**(5), 1092–1095.

Shim, Cheonman–Effects of postdeposition *in situ* heat treatment on the properties of low dielectric constant plasma polymer films deposited using decahydronaphthalene and tetraethyl orthosilicate as the precursors.–Jaeyoung Yang, Cheonman Shim, and Donggeun Jung; **17**(6), 1371–1375.

Shim, Jae-Hyeok–Monte Carlo simulation of phase separation behavior in a Cu–Co alloy nanoparticle.–Jae-Hyeok Shim, Byeong-Joo Lee, Jae-Pyoung Ahn, Young Whan Cho, and Jong-Ku Park; **17**(5), 925–928(L).

Shimojima, K.–Novel titanium foam for bone tissue engineering.–C.E. Wen, Y. Yamada, K. Shimojima, Y. Chino, H. Hosokawa, and M. Mabuchi; **17**(10), 2633–2639.

–Solid-state recycling from machined scraps to a cellular solid.–Yasumasa Chino, Koji Shimojima, Hiroyuki Hosokawa, Yasuo Yamada, Cui'e Wen, and Mamoru Mabuchi; **17**(11), 2783–2786(L).

Shin, Hyungsoo–Preparation and characterization of $SiO_2–B_2O_3–P_2O_5$ particles and films generated by flame hydrolysis deposition for planar light-wave circuits.–Hyungsoo Shin, Ji-Hyun Yi, Jong-Gab Baek, and Mansoo Choi; **17**(2), 315–322.

Shin, Woong-Chul–Low-temperature crystallization of $SrBi_2Ta_2O_9$ thin films with Bi_2O_3 interfacial layers by liquid-delivery metal-organic chemical vapor deposition.–Woong-Chul Shin, Kyu-Jeong Choi, and Soon-Gil Yoon; **17**(1), 26–30.

–Improvement in tunability and dielectric loss of $(Ba_{0.5}Sr_{0.5})TiO_3$ capacitors using seed layers on $Pt/Ti/SiO_2/Si$ substrates.–Young-Ah Jeon, Woong-Chul Shin, Tae-Suck Seo, and Soon-Gil Yoon; **17**(11), 2831–2836.

Shiohara, Y.–Mechanism of liquid-phase epitaxy growth of $NdBa_2Cu_3O_{7-x}$ film from low-peritectic-temperature $YBa_2Cu_3O_{7-x}$ seed film.–D.X. Huang, X. Yao, K. Nomura, Y. Wu, Y. Nakamura, T. Izumi, and Y. Shiohara; **17**(4), 747–754.

–Crystallization mechanism of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ and $YBa_2Cu_3O_{7-y}$ films deposited by metalorganic deposition method using trifluoroacetates.–Junko Shibata, Tetsuji Honjo, Hiroshi Fuji, Takeshi Araki, Izumi Hirabayashi, Tsukasa Hirayama, Teruo Izumi, Yuh Shiohara, Takahisa Yamamoto, and Yuichi Ikuhara; **17**(6), 1266–1275.

Shioyama, H.–Novel approaches for controlling stage structure of metal chloride–graphite intercalation compounds.–H. Shioyama, M.B.H.M. Saman, and A. Sanpanich; **17**(12), 3190–3192.

Shoji, Tetsuo–Creep property measurement of service-exposed SUS 316 austenitic stainless steel by the small-punch creep-testing technique.–Maribel L. Saucedo-Muñoz, Shin-ichi Komazaki, Toru Takahashi, Toshiyuki Hashida, Tetsuo Shoji; **17**(8), 1945–1953.

Shrout, Tom–Dielectric relaxation and microwave dielectric properties of Bi_2O_3–ZnO–Ta_2O_5 ceramics.–Hyuk-Joon Youn, Clive Randall, Ang Chen, Tom Shrout, and Michael T. Lanagan; **17**(6), 1502–1506.

Shter, G.E.–Morphological and phase composition changes during sintering of ultralight Al_2O_3/TiO_2 foams.–M. Mann, G.E. Shter, and G.S. Grader; **17**(4), 831–837.

Shue, Kung-Hsien–Squeeze casting of SiC_p/Al-alloy composites with various contents of reinforcements.–Liang-Guang Chen, Kung-Hsien Shue, Shou-Yi Chang, and Su-Jien Lin; **17**(2), 376–385.

Shull, Jr., James L.–Hot-stage transmission electron microscopy study of phase transformations in hexacelsian ($BaAl_2Si_2O_8$).–Zhengkui Xu, James L. Shull, Jr., and Waltraud M. Kriven; **17**(6), 1287–1297.

Shunhua, Wu–Sn-doped BaO–TiO_2–ZnO microwave ceramics.–Wu Shunhua, Wang Guoqing, and Zhao Yushuang; **17**(6), 1550–1552.

Shuyuan, Zhang–Hydrothermal preparation of long nanowires of vanadium oxide.–Dengyu Pan, Zhang Shuyuan, Yiqing Chen, and J.G. Hou; **17**(8), 1981–1984.

Shvindlerman, L.S.–Interface mobility under different driving forces.–M.I. Mendelev, D.J. Srolovitz, L.S. Shvindlerman, and G. Gottstein; **17**(1), 234–245.

Shyu, K.–Stress relaxation of a patterned microstructure on a diaphragm.–D.W. Zheng, X.H. Wang, K. Shyu, C. Chen, C-T. Chang, K.N. Tu, A.K. Mal, and Y.F. Guo; **17**(7), 1795–1802.

Shyy, Wei–Rapid prototyping of micropatterned substrates using conventional laser printers.–Michael L. Branham, Roger Tran-Son-Tay, Christopher Schoonover, Patrick S. Davis, Susan D. Allen, and Wei Shyy; **17**(7), 1559–1562(L).

Sickafus, Kurt–Predictions of strontium accommodation in $A_2B_2O_7$ pyrochlores.–Mohsin Pirzada, Robin W. Grimes, John Maguire, and Kurt Sickafus; **17**(8), 2041–2047.

Siegal, M.P.–Improving sol-gel $YBa_2Cu_3O_{7-\delta}$ film morphology using high-boiling-point solvents.–J.T. Dawley, P.G. Clem, M.P. Siegal, D.R. Tallant, and D.L. Overmyer; **17**(8), 1900–1903(L).

Siegel, R.W.–Retarded cross-linking in ZnO-low-density polyethylene nanocomposites.–J.I. Hong, K.S. Cho, C.I. Chung, L.S. Schadler, R.W. Siegel; **17**(5), 940–943(L).

Siegert, M.–Microstructural investigation of $BaTiO_3$ thin films deposited on (001) MgO.–C.H. Lei, G. Van Tendeloo, M. Siegert, and J. Schubert; **17**(8), 1923–1931.

Sikder, A.K.–Effects of gamma radiation on poly(methyl methacrylate)/single-wall nanotube composites.–P.A. O'Rourke Muisener, L. Clayton, J. D'Angelo, J.P. Harmon, A.K. Sikder, A. Kumar, A.M. Cassell, and M. Meyyappan; **17**(10), 2507–2513.

Silver, Jack–Luminescence in europium-doped titania: Part II. High concentration range of Eu^{3+}.–James Ovenstone, Philip J. Titler, Robert Withnall, and Jack Silver; **17**(10), 2524–2531.

Simwonis, Dimitrios–Oxidation and resulting mechanical properties of Ni/8Y_2O_3-stabilized zirconia anode substrate for solid-oxide fuel cells.–George Stathis, Dimitrios Simwonis, Frank Tietz, Antonia Moropoulou, and Aristides Naoumides; **17**(5), 951–958.

Singh, Rajiv K.–Improved magnetic properties of self-assembled epitaxial nickel nanocrystallites in thin-film ceramic matrix.–D. Kumar, H. Zhou, T.K. Nath, Alex V. Kvit, J. Narayan, V. Craciun, and Rajiv K. Singh; **17**(4), 738–742.

Smith, J.F.–Characterization of superconducting $SmBa_2Cu_3O_7$ films grown by pulsed laser deposition.–Q.X. Jia, S.R. Foltyn, J.Y. Coulter, J.F. Smith, and M.P. Maley; **17**(10), 2599–2603.

Smy, T.–Growth behavior of evaporated porous thin films.–D. Vick, T. Smy, and M.J. Brett; **17**(11), 2904–2911.

Sohn, Kee-Sun–Tb L_3-edge x-ray absorption near-edge structure spectroscopic analysis of terbium-doped phosphor compounds for plasma display panel applications.–Yong Gyu Choi, Kee-Sun Sohn, Kyong Hon Kim, and Hee Dong Park; **17**(1), 31–35.

–Optimization of red phosphor for plasma display panel by the combinatorial chemistry method.–Kee-Sun Sohn, Chang Hae Kim, Joon Taik Park, and Hee Dong Park; **17**(12), 3201–3205.

Solanki, Raj–Characteristics of copper films produced via atomic layer deposition.–Jinshan Huo, Raj Solanki, and James McAndrew; **17**(9), 2394–2398.

Solé, R.–Growth of $KTiOPO_4$ films on $KTi_{1-x}Ge_xOPO_4$ substrates by liquid-phase epitaxy.–R. Solé, V. Nikolov, A. Vilalta, J.J. Carvajal, J. Massons, Jna. Gavaldà, M. Aguiló, and F. Díaz; **17**(3), 563–569.

Solinas, S.–Iron and iron-oxide on silica nanocomposites prepared by the sol-gel method.–G. Ennas, M.F. Casula, G. Piccaluga, S. Solinas, M.P. Morales, and C.J. Serna; **17**(3), 590–596.

Solomon, Sam–Microwave dielectric properties of $RETiTaO_6$ (RE = La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Y, Er, Yb, Al, and In) ceramics.–Kuzhichalil Peethambaran Surendran, Sam Solomon, Manoj Raama Varma, Pezholil Mohanan, and Mailadil Thomas Sebastian; **17**(10), 2561–2566.

Song, F.–Microstructure and characteristics in the organic matrix layers of nacre.–F. Song, X.H. Zhang, and Y.L. Bai; **17**(7), 1567–1570(L).

Song, G.S.–Formation and stability of quasicrystalline and hexagonal approximant phases in an Al–Mn–Be alloy.–G.S. Song, E. Fleury, S.H. Kim, W.T. Kim, and D.H. Kim; **17**(7), 1671–1677.

Song, Jaewon–Oxidation behavior of TiAlN barrier layers with and without thin metal overlayers for memory capacitor applications.–Jaewon Song, Hye Ryeong Kim, Jaehoo Park, Seehwa Jeong, and Cheol Seong Hwang; **17**(7), 1789–1794.

Soorie, Masood–Rapid growth of $Nd_{2-x}Ce_xCuO_4$ thick films as a buffer for the growth of rare-earth barium cuprate–coated conductors.–Xiaoding Qi, Masood Soorie, Zainovia Lockman, and Judith L. MacManus-Driscoll; **17**(1), 1–4(L).

Sordelet, D.J.–Synthesis of $Cu_{47}Ti_{34}Zr_{11}Ni_8$ bulk metallic glass by warm extrusion of gas atomized powders.–D.J. Sordelet, E. Rozhkova, P. Huang, P.B. Wheelock, M.F. Besser, M.J. Kramer, M. Calvo-Dahlborg, and U. Dahlborg; **17**(1), 186–198.

Soulet, S.–Irradiation-disorder creation in $SrTiO_3$.–S. Soulet, J. Chaumont, C. Sabathier, and J-C. Krupa; **17**(1), 9–13.

Souto, S.P.–Comparative study of single crystals and laser-grown films of V_2O_5.–J. Janicskó-Csáthy, A. Nagy, L. Nánai, W. Marine, S.P. Souto, M. Balkanski, and T.F. George; **17**(5), 1096–1101.

Spagnol, P.D.–Effect of barium titanate seed particles on the sintering and lattice parameters in $PbMg_{1/3}Nb_{2/3}O_3$ ceramics.–P.D. Spagnol, M.A. Zaghete, C.O. Paiva-Santos, A.V.C. Andrade, A.A. Cavalheiro, S.M. Tebcherani, and J.A. Varela; **17**(3), 620–624.

Specht, E.D.–Comparative study of thickness dependence of critical current density of $YBa_2Cu_3O_{7-\delta}$ on (100) $SrTiO_3$ and on rolling-assisted biaxially textured substrates.–B.W. Kang, A. Goyal, D.F. Lee, J.E. Mathis, E.D. Specht, P.M. Martin, D.M. Kroeger, M. Paranthaman, and S. Sathyamurthy; **17**(7), 1750–1757.

Srikanth, S.–Sintering characteristics of Y–Ba–Cu oxide–Ag_x superconductors under argon atmosphere.–L.C. Pathak, S.K. Mishra (Pathak), and S. Srikanth; **17**(4), 895–900.

Srinivas, V.–Icosahedral phase formation domain in Al–Cu–Fe system by mechanical alloying.–P. Barua, B.S. Murty, B.K. Mathur, and V. Srinivas; **17**(3), 653–659.

–X-ray photoelectron spectroscopic studies on nanoquasicrystalline powders of $Al_{70}Cu_{20}Fe_{10}$ obtained by mechanical alloying.–P. Barua, V. Srinivas, S. Dhabal, and T.B. Ghosh; **17**(8), 1892–1895(L).

Srolovitz, D.J.–Interface mobility under different driving forces.–M.I. Mendelev, D.J. Srolovitz, L.S. Shvindlerman, and G. Gottstein; **17**(1), 234–245.

Stach, E.A.–Nitrogen effects on crystallization kinetics of amorphous TiO_xN_y thin films.–Kyle Hukari, Rand Dannenberg, and E.A. Stach; **17**(3), 550–555.

Stark, W.J.–Flame-made ceria nanoparticles.–L. Mädler, W.J. Stark, and S.E. Pratsinis; **17**(6), 1356–1362.

Stathis, George–Oxidation and resulting mechanical properties of $Ni/8Y_2O_3$-stabilized zirconia anode substrate for solid-oxide fuel cells.–George Stathis, Dimitrios Simwonis, Frank Tietz, Antonia Moropoulou, and Aristides Naoumides; **17**(5), 951–958.

Steffler, Eric D.–Residual stresses in functionally graded plates.–Achim Neubrand, Tai-Joo Chung, Jürgen Rödel, Eric D. Steffler, and Theo Fett; **17**(11), 2912–2920.

Stéphan, Christophe–Raman spectroscopy and conductivity measurements on polymer-multiwalled carbon nanotubes composites.–Christophe Stéphan, Thien Phap Nguyen, Bernd Lahr, Werner Blau, Serge Lefrant, and Olivier Chauvet; **17**(2), 396–400.

Sterne, P.A.–Characterization of free volume in a bulk metallic glass using positron annihilation spectroscopy.–K.M. Flores, D. Suh, R.H. Dauskardt, P. Asoka-Kumar, P.A. Sterne, and R.H. Howell; **17**(5), 1153–1161.

Stojkovic, D.–Large cryogenic storage of hydrogen in carbon nanotubes at low pressures.–B.K. Pradhan, A.R. Harutyunyan, D. Stojkovic, J.C. Grossman, P. Zhang, M.W. Cole, V. Crespi, H. Goto, J. Fujiwara, and P.C. Eklund; **17**(9), 2209–2216.

Straub, A.–Growth of electromigration-induced hillocks in Al interconnects.–J.A. Nucci, A. Straub, E. Bischoff, E. Arzt, and C.A. Volkert; **17**(10), 2727–2735.

Strom-Olsen, J.–Transport in the $Al_{71}Pd_{21}Mn_{8-x}Re_x$ quasicrystalline system.–A.L. Pope, T.M. Tritt, R. Gagnon, J. Strom-Olsen, S. Legault, R. Schneidmiller, and J. Kolis; **17**(7), 1814–1819.

Su, Ge–Microwave electromagnetic characteristics of a microcoiled carbon fibers/paraffin wax composite in Ku band.–Jin-Hong Du, Chao Sun, Shuo Bai, Ge Su, Zhe Ying, and Hui-Ming Cheng; **17**(5), 1232–1236.

Su, Shengxia–Thermodynamics of crack healing under electropulsing.–Rongshan Qin and Shengxia Su; **17**(8), 2048–2052.

Su, Wei-Fang–Photoluminescent properties of hydrogenated amorphous silicon oxide powders.–Wei-Fang Su and Hong-Ru Guo; **17**(5), 977–980.

Subramanian, K.N.–Orientation imaging studies of Sn-based electronic solder joints.–A.U. Telang, T.R. Bieler, S. Choi, and K.N. Subramanian; **17**(9), 2294–2306.

Subramanian, V.–Direct conversion of TiO_2 sol to nanocrystalline anatase at 85 °C.–K.I. Gnanasekar, V. Subramanian, J. Robinson, J.C. Jiang, Fanney E. Posey, and B. Rambabu; **17**(6), 1507–1512.

Sugihara, K.–Negative transverse magnetoresistance of boron-doped graphite at liquid-nitrogen temperature in relation to 3D weak localization.–Y. Hishiyama, T. Matustani, M. Suzuki, Y. Kaburagi, K. Sugihara; **17**(1), 75–82.

Suh, Chang-Min–Tribological behavior of CrN coating on aluminum alloys deposited by arc ion plating.–Fei Zhou, Chang-Min Suh, Seock-Sam Kim, and Ri-ichi Murakami; **17**(12), 3133–3138.

Suh, D.–Characterization of free volume in a bulk metallic glass using positron annihilation spectroscopy.–K.M. Flores, D. Suh, R.H. Dauskardt, P. Asoka-Kumar, P.A. Sterne, and R.H. Howell; **17**(5), 1153–1161.

–Mechanical relaxation time scales in a Zr–Ti–Ni–Cu–Be bulk metallic glass.–Daewoong Suh and Reinhold H. Dauskardt; **17**(6), 1254–1257(L).

Sui, Manling–Formation of a nanostructure in a low-carbon steel under high current density electropulsing.–Yizhou Zhou, Wei Zhang, Manling Sui, Douxing Li, Guanhu He, and Jingdong Guo; **17**(5), 921–924(L).

Sullivan, J.F.–Room-temperature oxidation of ultrathin TiB_2 films.–Feng Huang, W.J. Liu, J.F. Sullivan, J.A. Barnard, and M.L. Weaver; **17**(4), 805–813.

Sumita, Osao–Electrolyzed water as an alternative for environmentally benign semiconductor cleaning.–Kunkul Ryoo, Byeongdoo Kang, and Osao Sumita; **17**(6), 1298–1304.

Sun, Chao–Microwave electromagnetic characteristics of a microcoiled carbon fibers/paraffin wax composite in Ku band.–Jin-Hong Du, Chao Sun, Shuo Bai, Ge Su, Zhe Ying, and Hui-Ming Cheng; **17**(5), 1232–1236.

Sun, H.P.–*In vacuo* pulsed laser ablation of $YBa_2Cu_3O_{7-x}$ target for the formation of Y_2O_3 nanostructures.–D.B. Jan, Q.X. Jia, M.E. Hawley, G.W. Browne, C.J. Wetteland, H.P. Sun, and X.Q. Pan; **17**(3), 697–700.

Sun, J.–Electron cyclotron resonance plasma–assisted reactive pulsed laser deposition of compound films.–J. Sun, J.D. Wu, H. Ling, W. Shi, Z.F. Ying, and F.M. Li; **17**(7), 1692–1697.

Sun, Li Ling–Wear behavior of bulk $Zr_{41}Ti_{14}Cu_{12.5}Ni_{10}Be_{22.5}$ metallic glasses.–Gong Li, Y.Q. Wang, Li Min Wang, Yun Peng Gao, R.J. Zhang, Zai Ji Zhan, Li Ling Sun, Jun Zhang, and Wen Kui Wang; **17**(8), 1877–1880(L).

Sun, Y-M.–Adhesion of Cu and low-k dielectric thin films with tungsten carbide.–A.M. Lemonds, K. Kershen, J. Bennett, K. Pfeifer, Y-M. Sun, J.M. White, and J.G. Ekerdt; **17**(6), 1320–1328.

Sun, Yu Han–Synthesis of phenyl-MSU-1 and bi-functionalized silica mesophases.–Yan Jun Gong, Zhi Hong Li, Dong Wu, Yu Han Sun, Feng Deng, Qing Luo, and Yong Yue; **17**(2), 431–437.

Sun, Z.H.–Synthesis of superhard and elastic carbon nitride films by filtered cathodic vacuum arc combined with radio frequency ion beam source.–Y.H. Cheng, B.K. Tay, S.P. Lau, X. Shi, X.L. Qiao, J.G. Chen, Y.P. Wu, Z.H. Sun, and C.S. Xie; **17**(3), 521–524(L).

Sun, Zhi-Gang–Magnetic anisotropy of $Sm(Co_{0.68}Fe_{0.22}Cu_{0.08}Zr_{0.02})_{7.7}$ ribbons produced by melt spinning.–A-Ru Yan, Zhi-Gang Sun, Baoshan Han, and Bao-Gen Shen; **17**(3), 648–652.

Sundararajan, G.–Thermal spray coating of aluminum nitride utilizing the detonation spray technique.–L. Rama Krishna, D. Sen, Y. Srinivasa Rao, G.V. Narasimha Rao, G. Sundararajan; **17**(10), 2514–2523.

Sung, M.Y.–Low-temperature fabrication of high-quality $(Ba,Sr)TiO_3$ films using charged liquid cluster beam method.–Hyungsoo Choi, Sungho Park, Yi Yang, HoChul Kang, Kyekyoon (Kevin) Kim, M.Y. Sung, and Ho G. Jang; **17**(8), 1888–1891(L).

Sung, Yun-Mo–Kinetics of $PbTiO_3$ perovskite phase formation via an interfacial reaction.–Yun-Mo Sung, Woo-Chul Kwak, and Sungtae Kim; **17**(2), 407–412.

–Influence of BaO addition on the phase formation characteristics in Li_2O–Al_2O_3–ZnO–SiO_2–TiO_2–ZrO_2 glass.–Yun-Mo Sung; **17**(3), 517–520(L).

–Crystallization kinetics of sol-gel-derived $(1-x)SrBi_2Ta_2O_9$–xBi_3TiTaO_9 ferroelectric thin films.–Woo-Chul Kwak and Yun-Mo Sung; **17**(6), 1463–1468.

Surendran, Kuzhichalil Peethambaran–Microwave dielectric properties of $RETiTaO_6$ (RE = La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Y, Er, Yb, Al, and In) ceramics.–Kuzhichalil Peethambaran Surendran, Sam Solomon, Manoj Raama Varma, Pezholil Mohanan, and Mailadil Thomas Sebastian; **17**(10), 2561–2566.

Suriñach, S.–Thermal stability, crystallization kinetics, and grain growth in an amorphous $Al_{85}Ce_5Ni_8Co_2$ alloy.–A. Révész, L.K. Varga, S. Suriñach, and M.D. Baró; **17**(8), 2140–2146.

Suzuki, Kazuhiro–Redox equilibrium and spectral hole burning in Sm^{2+}-doped Al_2O_3–SiO_2 glasses.–Masayuki Nogami, Toyonori Eto, Kazuhiro Suzuki, and Tomokatsu Hayakawa; **17**(8), 2053–2058.

Suzuki, M.–Negative transverse magnetoresistance of boron-doped graphite at liquid-nitrogen temperature in relation to 3D weak localization.–Y. Hishiyama, T. Matustani, M. Suzuki, Y. Kaburagi, and K. Sugihara; **17**(1), 75–82.

–Upgrading the triboluminescence of ZnS:Mn film by optimization of sputtering and thermal annealing conditions.–O. Agyeman, C.N. Xu, M. Suzuki, and X.G. Zheng; **17**(5), 959–963.

Swain, M.V.–Nanoindentation studies of brittle thin films on a titanium alloy substrate.–N. Fujisawa, M.V. Swain, N.L. James, R.N. Tarrant, J.C. Woodard, and D.R. McKenzie; **17**(4), 861–870.

Swaminathan, Srinivasan–Low-cost manufacturing process for nanostructured metals and alloys.–Travis L. Brown, Srinivasan Swaminathan, Srinivasan Chandrasekar, W. Dale Compton, Alexander H. King, and Kevin P. Trumble; **17**(10), 2484–2488(L).

Swamy, S. Srikanta–Stability of single-wall carbon nanotubes under hydrothermal conditions.–S. Srikanta Swamy, Jose Maria Calderon-Moreno, and Masahiro Yoshimura; **17**(4), 734–737.

Sweeney, Sean M.–Green density-based sintering predictions.–Sean M. Sweeney and Merrilea J. Mayo; **17**(1), 89–97.

Szymczak, H.–Magnetic structure of $TbBaCo_2O_{5.4}$ perovskite.–D.D. Khalyavin, I.O. Troyanchuk, N.V. Kasper, Q. Huang, J.W. Lynn, and H. Szymczak; **17**(4), 838–843.

T

Tai, C.W.–Characterization of $(0.4)Pb_2(In,Nb)O_6$:$(0.6)Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ceramics.–K.Z. Baba-kishi, C.W. Tai, J. Wang, C.L. Choy, H.L.W. Chan, and A.S. Bhalla; **17**(2), 438–444.

Tajima, Setsuko–Kinetic study of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ phase formation in KCl flux.–Sergey Lee, Ayako Yamamoto, and Setsuko Tajima; **17**(9), 2281–2285.

–Crystal growth of $Bi_2Sr_2Ca_2Cu_3O_{10+x}$ and $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ by the KCl flux method.–Sergey Lee, Ayako Yamamoto, and Setsuko Tajima; **17**(9), 2286–2293.

Takahashi, Hideaki–Evaluation of thermal aging embrittlement of austenitic stainless steels JN1, JJ1, and JK2 by cryogenic small-punch testing.–Maribel L. Saucedo-Muñoz, Shi Cheng Liu, Shin-Ichi Komazaki, Il-Hyun Kwon, Toshiyuki Hashida, Hideaki Takahashi, and Hideo Nakajima; **17**(4), 852–860.

Takahashi, Toru–Creep property measurement of service-exposed SUS 316 austenitic stainless steel by the small-punch creep-testing technique.–Maribel L. Saucedo-Muñoz, Shin-ichi Komazaki, Toru Takahashi, Toshiyuki Hashida, and Tetsuo Shoji; **17**(8), 1945–1953.

Takasugi, T.–Plastic flow instabilities of $L1_2$ $Ni_3(Si,Ti)$ alloys at intermediate temperature.–H. Honjo, Y. Kaneno, H. Inoue, and T. Takasugi; **17**(3), 705–711.

–Cold rolling and recrystallization textures in $L1_2$-type Co_3Ti ordered alloys.–Yasuyuki Kaneno, Itsuko Nakaaki, and Takayuki Takasugi; **17**(10), 2567–2577.

Takeda, Satoshi–Erratum: "Modification of sol-gel-derived amorphous Al_2O_3 thin films by F_2 excimer laser irradiation at ambient temperature" [J. Mater. Res. 16, 1003 (2001)].–Satoshi Takeda, Yoshiaki Ikuta, Masahiro Hirano, and Hideo Hosono; **17**(5), 1237(E).

Takeda, Yasuo–Preparation of fine-grained $BaTiO_3$ ceramics by spark plasma sintering.–Tomonari Takeuchi, Claudio Capiglia, Nalini Balakrishnan, Yasuo Takeda, and Hiroyuki Kageyama; **17**(3), 575–581.

Takeuchi, I.–Microstructure and microstructural evolution in $BaTiO_3$ films fabricated using the precursor method.–L.A. Bendersky, C.J. Lu, J.H. Scott, K. Chang, I. Takeuchi; **17**(10), 2499–2506.

Takeuchi, Tomonari–Preparation of fine-grained $BaTiO_3$ ceramics by spark plasma sintering.–Tomonari Takeuchi, Claudio Capiglia, Nalini Balakrishnan, Yasuo Takeda, and Hiroyuki Kageyama; **17**(3), 575–581.

Tallant, D.R.–Improving sol-gel $YBa_2Cu_3O_{7-\delta}$ film morphology using high-boiling-point solvents.–J.T. Dawley, P.G. Clem, M.P. Siegal, D.R. Tallant, and D.L. Overmyer; **17**(8), 1900–1903(L).

Tan, Minhui–Deposition of diamond/β–SiC gradient composite films by microwave plasma-assisted chemical vapor deposition.–Yulong Shi, Minhui Tan, and X. Jiang; **17**(6), 1241–1243(L).

Tan, S.H.–Aqueous processing of SiC green sheets I: Dispersant.–J.X. Zhang, D.L. Jiang, S.H. Tan, L.H. Gui, and M.L. Ruan; **17**(8), 2012–2018.

–Aqueous processing of SiC green sheets II: Binder and plasticizer.–J.X. Zhang, D.L. Jiang, S.H. Tan, L.H. Gui, and M.L. Ruan; **17**(8), 2019–2025.

Tanaka, I.–Hardness of cubic silicon nitride.–I. Tanaka, F. Oba, T. Sekine, E. Ito, A. Kubo, K. Tatsumi, H. Adachi, and T. Yamamoto; **17**(4), 731–733(L).

Tanaka, Junzo–Isothermal capacitance transient spectroscopy for deep levels in Co- and Mn-doped ZnO single crystals.–Naoki Ohashi, Junzo Tanaka, Takeshi Ohgaki, Hajime Haneda, Mio Ozawa, and Takaaki Tsurumi; **17**(6), 1529–1535.

Tang, B.–Viscoelastic effects during unloading in depth-sensing indentation.–A.H.W. Ngan and B. Tang; **17**(10), 2604–2610.

Tang, C.C.–Synchrotron x-ray diffraction study of $Ba_{4.5}Nd_9Ti_{18}O_{54}$ microwave dielectric ceramics at 10–295 K.–C.C. Tang, M.A. Roberts, F. Azough, C. Leach, and R. Freer; **17**(3), 675–682.

Tang, Feng–Effect of compositional modification on ductility of B2 phase in Ti–Al–Nb intermetallic alloy.–Feng Tang and Masuo Hagiwara; **17**(10), 2611–2614.

Tang, Kaibin–Wet synthesis and characterization of MSe (M = Cd, Hg) nanocrystallites at room temperature.–Qing Yang, Kaibin Tang, Chunrui Wang, Chunjuan Zhang, and Yitai Qian; **17**(5), 1147–1152.

Tang, X.F.–Synthesis and thermoelectric properties of *p*-type barium-filled skutterudite $Ba_yFe_xCo_{4-x}Sb_{12}$.–X.F. Tang, L.D. Chen, T. Goto, T. Hirai, and R.Z. Yuan; **17**(11), 2953–2959.

Tang, Youqi–Highly ordered and well-oriented single-crystal CdTe nanowire arrays by direct-current electrodeposition.–Dongsheng Xu, Yuguo Guo, Dapeng Yu, Guolin Guo, Youqi Tang, and D.P. Yu; **17**(7), 1711–1714.

Taniguchi, Shoji–Microstructure and orientation of iron crystals by thermal chemical vapor deposition with imposition of magnetic field.–Noboru Yoshikawa, Takanori Endo, Shoji Taniguchi, Satoshi Awaji, Kazuo Watanabe, and Eiji Aoyagi; **17**(11), 2865–2874.

Tanimoto, T.–Mechanical performance of 3Y-TZP/Ni composites: Tensile, bending, and uniaxial fatigue tests.–S. López-Esteban, J.F. Bartolomé, J.S. Moya, and T. Tanimoto; **17**(7), 1592–1600.

Tarrant, R.N.–Nanoindentation studies of brittle thin films on a titanium alloy substrate.–N. Fujisawa, M.V. Swain, N.L. James, R.N. Tarrant, J.C. Woodard, and D.R. McKenzie; **17**(4), 861–870.

Tas, A. Cuneyt–Chemical synthesis of crystalline, pure or Mn-doped $ZnGa_2O_4$ powders at 90 °C.–A. Cuneyt Tas, Peter J. Majewski, and Fritz Aldinger; **17**(6), 1425–1433.

Tateno, Masayoshi–Interface shape effects on the tensile strength for T-type structure bonded dissimilar materials.–Shigeru Nagasawa, Yuji Yokoyama, Yasushi Fukuzawa, and Masayoshi Tateno; **17**(1), 20–25.

Tatsumi, K.–Hardness of cubic silicon nitride.–I. Tanaka, F. Oba, T. Sekine, E. Ito, A. Kubo, K. Tatsumi, H. Adachi, and T. Yamamoto; **17**(4), 731–733.

Tay, B.K.–Synthesis of superhard and elastic carbon nitride films by filtered cathodic vacuum arc combined with radio frequency ion beam source.–Y.H. Cheng, B.K. Tay, S.P. Lau, X. Shi, X.L. Qiao, J.G. Chen, Y.P. Wu, Z.H. Sun, and C.S. Xie; **17**(3), 521–524(L).

Tebcherani, S.M.–Effect of barium titanate seed particles on the sintering and lattice parameters in $PbMg_{1/3}Nb_{2/3}O_3$ ceramics.–P.D. Spagnol, M.A. Zaghete, C.O. Paiva-Santos, A.V.C. Andrade, A.A. Cavalheiro, S.M. Tebcherani, and J.A. Varela; **17**(3), 620–624.

Teepe, Mark–Continuous-wave InGaN laser diodes on copper and diamond substrates.–William S. Wong, Michael Kneissl, David W. Treat, Mark Teepe, Naoko Miyashita, Alberto Salleo, and Noble M. Johnson; **17**(4), 890–894.

Teja, Amyn S.–Continuous hydrothermal synthesis and crystallization of magnetic oxide nanoparticles.–Linda J. Cote, Amyn S. Teja, Angus P. Wilkinson, and Z. John Zhang; **17**(9), 2410–2416.

Telang, A.U.–Orientation imaging studies of Sn-based electronic solder joints.–A.U. Telang, T.R. Bieler, S. Choi, and K.N. Subramanian; **17**(9), 2294–2306.

Teren, A.R.–Diffuse phase transition in epitaxial $BaTiO_3$ thin films.–Soma Chattopadhyay, A.R. Teren, Jin-Ha Hwang, T.O. Mason, and B.W. Wessels; **17**(3), 669–674.

Thomas, L.E.–Defect clustering in GaN irradiated with O^+ ions.–C.M. Wang, W. Jiang, W.J. Weber, and L.E. Thomas; **17**(11), 2945–2952.

Thomas, Reji–Perovskite crystallization of sol-gel processed $(Pb,La_{0.06},Gd_{0.02})(Zr_{0.65},Ti_{0.35})O_3$ thin films: Dielectric, ferroelectric and optical properties.–Reji Thomas, Shoichi Mochizuki, Toshiyuki Mihara, and Tadashi Ishida; **17**(10), 2652–2659.

Thurn, Jeremy–Simplified area function for sharp indenter tips in depth-sensing indentation.–Jeremy Thurn and Robert F. Cook; **17**(5), 1143–1146.

–Depth-sensing indentation at macroscopic dimensions.–Jeremy Thurn, Dylan J. Morris, and Robert F. Cook; **17**(10), 2679–2690.

Tierney, Neena K.–Rapid method to measure diffusion of paramagnetic species: Mn^{2+} in poly(ethylene-*co*-methacrylic acid) ionomers.–Neena K. Tierney and Richard A. Register; **17**(10), 2736–2743.

Tietz, Frank–Oxidation and resulting mechanical properties of Ni/$8Y_2O_3$-stabilized zirconia anode substrate for solid-oxide fuel cells.–George Stathis, Dimitrios Simwonis, Frank Tietz, Antonia Moropoulou, and Aristides Naoumides; **17**(5), 951–958.

Ting, Larry–Analysis of the reservoir length and its effect on electromigration lifetime.–H.A. Le, Larry Ting, N.C. Tso, and C-U. Kim; **17**(1), 167–171.

Titkov, Alexander Nikolaivech–Effect of substrate pregrowth treatments on characteristics of low-temperature diamondlike carbon films prepared by very-high-frequency chemical vapor deposition.–Zafar Waqar, Alexander Nikolaivech Titkov, Alexander Nikolaivech Andronov, Andrey Kosarev, and Igor Makarenko; **17**(2), 451–455.

Titler, Philip J.–Luminescence in europium-doped titania: Part II. High concentration range of Eu^{3+}.–James Ovenstone, Philip J. Titler, Robert Withnall, and Jack Silver; **17**(10), 2524–2531.

Tittsworth, R.C.–Microstructure and mechanical properties of Ti–Si–N coatings.–W.J. Meng, X.D. Zhang, B. Shi, R.C. Tittsworth, L.E. Rehn, and P.M. Baldo; **17**(10), 2628–2632.

Tiwari, Ashutosh–Epitaxial growth of ZnO films on Si(111).–Ashutosh Tiwari, M. Park, C. Jin, H. Wang, D. Kumar, and J. Narayan; **17**(10), 2480–2483(L).

Tjong, S.C.–Creep behavior of *in situ* dual-scale particles-TiB whisker and TiC particulate-reinforced titanium composites.–Z.Y. Ma, S.C. Tjong, and X.M. Meng; **17**(9), 2307–2313.

Togano, K.–Improved critical current in MgB_2 tapes sheathed with carbon steels.–H. Fujii, H. Kumakura, and K. Togano; **17**(9), 2339–2345.

Tok, A.I.Y.–Porous reaction-sintered AlN tapes for high-performance microelectronics application.–F.Y.C. Boey, A.I.Y. Tok, and W.J. Clegg; **17**(2), 306–314.

–Properties of porous AlN multilayered ceramic sandwich substrates.–F.Y.C. Boey, A.I.Y. Tok, Y. Long, and H.Y. Yeong; **17**(5), 1061–1068.

Tong, W.S.–Coble-creep response and variability of grain-boundary properties.–W.S. Tong, J.M. Rickman, H.M. Chan, and M.P. Harmer; **17**(2), 348–352.

Toonder, Jaap den–Fracture toughness and adhesion energy of sol-gel coatings on glass.–Jaap den Toonder, Jürgen Malzbender, Gijsbertus de With, and Ruud Balkenende; **17**(1), 224–233.

Torquato, S.–Optimal and manufacturable two-dimensional, Kagomé-like cellular solids.–S. Hyun and S. Torquato; **17**(1), 137–144.

Tran, Diana N.–Solid-state ^{27}Al nuclear magnetic resonance investigation of plasma-facilitated NO_x reduction catalysts.–Li-Qiong Wang, Christopher L. Aardahl, Kenneth G. Rappé, Diana N. Tran, Marisol A. Delgado, and Craig F. Habeger; **17**(7), 1843–1848.

Tran-Son-Tay, Roger–Rapid prototyping of micropatterned substrates using conventional laser printers.–Michael L. Branham, Roger Tran-Son-Tay, Christopher Schoonover, Patrick S. Davis, Susan D. Allen, and Wei Shyy; **17**(7), 1559–1562(L).

Trapaga, G.–Numerical analyses of fluid dynamics of an atomization configuration.–Q. Xu, D. Cheng, G. Trapaga, N. Yang, and E.J. Lavernia; **17**(1), 156–166.

Trbojevich, R.–Preparation and isolation of gold nanoparticles coated with a stabilizer and sol-gel compatible agent.–R. Trbojevich, N. Pellegri, A. Frattini, O. de Sanctis, P.J. Morais, and R.M. Almeida; **17**(8), 1973–1980.

Treat, David W.–Continuous-wave InGaN laser diodes on copper and diamond substrates.–William S. Wong, Michael Kneissl, David W. Treat, Mark Teepe, Naoko Miyashita, Alberto Salleo, and Noble M. Johnson; **17**(4), 890–894.

Trinquecoste, M.–Catalytic effects on carbon/carbon composites fabricated by a film boiling chemical vapor infiltration process.–H. Okuno, M. Trinquecoste, A. Derré, M. Monthioux, and P. Delhaès; **17**(8), 1904–1913.

Tritt, T.M.–Transport in the $Al_{71}Pd_{21}Mn_{8-X}Re_X$ quasicrystalline system.–A.L. Pope, T.M. Tritt, R. Gagnon, J. Strom-Olsen, S. Legault, R. Schneidmiller, and J. Kolis; **17**(7), 1814–1819.

Trkula, Mitchell–Thermal stability and wetting properties of Cr–O–C coatings synthesized by plasma immersion ion processing.–Xiao-Ming He, Marko Hakovirta, Kevin C. Walter, Mitchell Trkula, and Michael Nastasi; **17**(1), 14–19.

Trolier-McKinstry, S.–Oxidation of *c*-axis-oriented epitaxial $YBa_2Cu_3O_{7-\delta}$ thin films in ozone-containing atmospheres.–B.J. Gibbons, C.B. Eom, R.A. Rao, S. Trolier-McKinstry, and D.G. Schlom; **17**(4), 884–889.

–Dielectric and piezoelectric properties of textured $Sr_{0.53}Ba_{0.47}Nb_2O_6$ ceramics prepared by templated grain growth.–Cihangir Duran, Susan Trolier-McKinstry, and Gary L. Messing; **17**(9), 2399–2409.[a]

Troyanchuk, I.O.–Magnetic structure of $TbBaCo_2O_{5.4}$ perovskite.–D.D. Khalyavin, I.O. Troyanchuk, N.V. Kasper, Q. Huang, J.W. Lynn, and H. Szymczak; **17**(4), 838–843.

Troyon, M.–Fundamental relations used in nanoindentation: Critical examination based on experimental measurements.–M. Martin and M. Troyon; **17**(9), 2227–2234.

Trumble, Kevin P.–Low-cost manufacturing process for nanostructured metals and alloys.–Travis L. Brown, Srinivasan Swaminathan, Srinivasan Chandrasekar, W. Dale Compton, Alexander H. King, and Kevin P. Trumble; **17**(10), 2484–2488(L).

Tsai, Dah-Shyang–Synthesis and properties of lead zirconate titanate thin films via metalorganic chemical vapor deposition.–Chih-Yi Pan, Yin-Lang Chen, and Dah-Shyang Tsai; **17**(6), 1536–1542.

[a] The correct version of this article appears in the January 2003 issue.

Tsai, Sheng-Chuan–Effects of manganese on microstructure and mechanical properties of A206 alloys containing iron.–Chien-Jung Tseng, Sheng-Long Lee, Sheng-Chuan Tsai, and Chia-Jen Cheng; **17**(9), 2243–2250.

Tsai, W-L.–Synchrotron radiography and x-ray topography studies of hexagonal habitus SiC bulk crystals.–T.S. Argunova, M.Yu. Gutkin, Jung Ho Je, H.S. Kang, Y. Hwu, W-L. Tsai, and G. Margaritondo; **17**(10), 2705–2711.

Tseng, Chien-Jung–Effects of manganese on microstructure and mechanical properties of A206 alloys containing iron.–Chien-Jung Tseng, Sheng-Long Lee, Sheng-Chuan Tsai, and Chia-Jen Cheng; **17**(9), 2243–2250.

Tso, N.C.–Analysis of the reservoir length and its effect on electromigration lifetime.–H.A. Le, Larry Ting, N.C. Tso, and C-U. Kim; **17**(1), 167–171.

Tsunekawa, Shin–Dislocations around precipitates in AlGaN epilayers.–Junyong Kang, Shin Tsunekawa, and Atsuo Kasuya; **17**(8), 2007–2011.

Tsurumi, T.–Phase transition behaviors of $BaTiO_3$–$BaZrO_3$ solid solutions under high direct current bias fields.–S. Wada, H. Adachi, H. Kakemoto, H. Chazono, Y. Mizuno, H. Kishi, and T. Tsurumi; **17**(2), 456–464.

–Dielectric properties of $BaTiO_3$–$BaZrO_3$ ceramics under a high electric field.–T. Tsurumi, Y. Yamamoto, H. Kakemoto, S. Wada, H. Chazono, and H. Kishi; **17**(4), 755–759.

–Isothermal capacitance transient spectroscopy for deep levels in Co- and Mn-doped ZnO single crystals.–Naoki Ohashi, Junzo Tanaka, Takeshi Ohgaki, Hajime Haneda, Mio Ozawa, and Takaaki Tsurumi; **17**(6), 1529–1535.

Tu, G.–Selective DNA attachment of micro- and nanoscale particles to substrates.–D.M. Hartmann, M. Heller, S.C. Esener, D. Schwartz, G. Tu; **17**(2), 473–478.

Tu, K.N.–Morphology, kinetics, and thermodynamics of solid-state aging of eutectic SnPb and Pb-free solders (Sn–3.5Ag, Sn–3.8Ag–0.7Cu and Sn–0.7Cu) on Cu.–T.Y. Lee, W.J. Choi, K.N. Tu, J.W. Jang, S.M. Kuo, J.K. Lin, D.R. Frear, K. Zeng, and J.K. Kivilahti; **17**(2), 291–301.

–Interfacial microstructure evolution between eutectic SnAgCu solder and Al/Ni(V)/Cu thin films.–M. Li, F. Zhang, W.T. Chen, K. Zeng, K.N. Tu, H. Balkan, and P. Elenius; **17**(7), 1612–1621.

–Stress relaxation of a patterned microstructure on a diaphragm.–D.W. Zheng, X.H. Wang, K. Shyu, C. Chen, C-T. Chang, K.N. Tu, A.K. Mal, and Y.F. Guo; **17**(7), 1795–1802.

–Influence of substrate metallization on diffusion and reaction at the under-bump metallization/solder interface in flip-chip packages.–F. Zhang, M. Li, C.C. Chum, and K.N. Tu; **17**(11), 2757–2760(L).

Tuan, Wei-Hsing–Interactions between toughening mechanisms: Transformation toughening versus plastic deformation.–Wei-Hsing Tuan and Rong-Zhi Chen; **17**(11), 2921–2928.

Tuttle, Bruce A.–Lanthanide series doping effects in lead zirconate titanate (PLnZT) thin films.–Timothy J. Boyle, Paul G. Clem, Bruce A. Tuttle, Geoffrey L. Brennecka, Jeffrey T. Dawley, Mark A. Rodriguez, Timothy D. Dunbar, and William F. Hammetter; **17**(4), 871–878.

U

Ueda, Minoru–Biomimetic apatite formation on poly(lactic acid) composites containing calcium carbonates.–Hirotaka Maeda, Toshihiro Kasuga, Masayuki Nogami, Yoshitaka Hibino, Kenichiro Hata, Minoru Ueda, and Yoshio Ota; **17**(4), 727–730(L).

Ukrainczyk, Ljerka–Acidic dispersion of fused SiO_2 particles.–Robert Sabia and Ljerka Ukrainczyk; **17**(7), 1849–1854.

Ulmer, P.–Filling of chrysotile nanotubes with metals.–C. Métraux, B. Grobéty, and P. Ulmer; **17**(5), 1129–1135.

Unal, Ugur–Thermally-induced phase changes in electrophoretically deposited titanate and niobate layered oxides.–Ugur Unal, Dan Matsuo, Yasumichi Matsumoto, and Michio Koinuma; **17**(10), 2644–2651.

Unland, J.–Thermodynamics and phase stability in the In–N system.–B. Onderka, J. Unland, and R. Schmid-Fetzer; **17**(12), 3065–3083.

Urabe, Kazuyori–Thermal conductivity of AlN ceramic with a very low amount of grain boundary phase at 4 to 1000 K.–Koji Watari, Hiromi Nakano, Kazuyori Urabe, Kozo Ishizaki, Shixun Cao, and Katsunori Mori; **17**(11), 2940–2944.

Urban, K.–Dislocations in $SrTiO_3$ thin films grown on $LaAlO_3$ substrates.–Y.L. Qin, C.L. Jia, K. Urban, J.H. Hao, and X.X. Xi; **17**(12), 3117–3126.

V

V'yunov, O.–Synthesis and dielectric properties of barium tantalates and niobates with complex perovskite structure.–T. Kolodiazhnyi, A. Petric, A. Belous, O. V'yunov, and O. Yanchevskij; **17**(12), 3182–3189.

Valiev, R.Z.–Paradox of strength and ductility in metals processed by severe plastic deformation.–R.Z. Valiev, I.V. Alexandrov, Y.T. Zhu, and T.C. Lowe; **17**(1), 5–8(L).

Van Houtte, Paul–Characterization of reduced-pressure chemical vapor deposition polycrystalline silicon germanium deposited at temperatures ≤550 °C.–Sherif Sedky, Ann Witvrouw, Matty Caymax, Annelies Saerens, Paul Van Houtte; **17**(7), 1580–1586.

Van Tendeloo, G.–Microstructural investigation of $BaTiO_3$ thin films deposited on (001) MgO.–C.H. Lei, G. Van Tendeloo, M. Siegert, and J. Schubert; **17**(8), 1923–1931.

Vance, E.R.–Fabrication, characterization, and leach testing of hollandite, $(Ba,Cs)(Al,Ti)_2Ti_6O_{16}$.–M.L. Carter, E.R. Vance, D.R.G. Mitchell, J.V. Hanna, Z. Zhang, and E. Loi; **17**(10), 2578–2589.

Vanderah, Terrell A.–Crystal structure of the compound $Bi_2Zn_{2/3}Nb_{4/3}O_7$.–Igor Levin, Tammy G. Amos, Juan C. Nino, Terrell A. Vanderah, Ian M. Reaney, Clive A. Randall, and Michael T. Lanagan; **17**(6), 1406–1411.

–Phase equilibria and dielectric properties in perovskite-like $(1-x)LaCa_{0.5}Zr_{0.5}O_3$–$xATiO_3$ (A = Ca, Sr) ceramics.–Igor Levin, Terrell A. Vanderah, Rachel Coutts, and Steven M. Bell; **17**(7), 1729–1734.

Varela, J.A.–Effect of barium titanate seed particles on the sintering and lattice parameters in $PbMg_{1/3}Nb_{2/3}O_3$ ceramics.–P.D. Spagnol, M.A. Zaghete, C.O. Paiva-Santos, A.V.C. Andrade, A.A. Cavalheiro, S.M. Tebcherani, and J.A. Varela; **17**(3), 620–624.

Varga, L.K.–Thermal stability, crystallization kinetics, and grain growth in an amorphous $Al_{85}Ce_5Ni_8Co_2$ alloy.–Á. Révész, L.K. Varga, S. Suriñach, and M.D. Baró; **17**(8), 2140–2146.

Varghese, Oomman K.–Fabrication of nanoporous ceramic thin films: De-alloying and self-organized template formation on amorphous substrates.–Maggie Paulose, Oomman K. Varghese, and Craig A. Grimes; **17**(1), 115–126.

–Highly ordered nanoporous alumina films: Effect of pore size and uniformity on sensing performance.–Oomman K. Varghese, Dawei Gong, Maggie Paulose, Keat G. Ong, Craig A. Grimes, and Elizabeth C. Dickey; **17**(5), 1162–1171.

Varma, Manoj Raama–Microwave dielectric properties of $RETiTaO_6$ (RE = La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy, Ho, Y, Er, Yb, Al, and In) ceramics.–Kuzhichalil Peethambaran Surendran, Sam Solomon, Manoj Raama Varma, Pezholil Mohanan, and Mailadil Thomas Sebastian; **17**(10), 2561–2566.

Vartuli, C.B.–Correlation of resistance and interfacial reaction of contacts to *n*-type InP.–J.S. Huang, C.B. Vartuli, T. Nguyen, N. Bar-Chaim, J. Shearer, C. Fisher, and S. Anderson; **17**(11), 2929–2934.

Vehoff, H.–Fractography, elastic modulus, and oxidation resistance of Novel metal–intermetallic Ni/Ni_3Al multilayer films.–X.K. Meng, H. Shen, H. Vehoff, S. Mathur, and A.H.W. Ngan; **17**(4), 790–796.

Vekilov, P.G.–Step bunching in potassium dihydrogen phosphate crystal growth: Phenomenology.–N.A. Booth, A.A. Chernov, and P.G. Vekilov; **17**(8), 2059–2065.

Velázquez, M.–Solid-solution directionally solidified eutectic oxide composites: Part I. Eutectic growth and characterization.–L.N. Brewer, V.P. Dravid, G. Dhalenne, and M. Velázquez; **17**(4), 760–767.

–Solid solution directionally solidified eutectic oxide composites: Part II. $Co_{1-x}Ni_xO$ single-crystal growth and characterization.–L.N. Brewer, V.P. Dravid, M. Velázquez, and A. Revcolevschi; **17**(4), 768–773.

Vereecken, P.M.–Synthesis and characterization of particle-reinforced Ni/Al_2O_3 nanocomposites.–I. Shao, P.M. Vereecken, C.L. Chien, P.C. Searson, and R.C. Cammarata; **17**(6), 1412–1418.

Vergara, J.–Structure and magnetic properties of Ni films obtained by pulsed laser ablation deposition.–J. Vergara and V. Madurga; **17**(8), 2099–2104.

Verges, Peter–Influence of hole carrier density and sintering temperature on the electronic properties of magnetoresistive $La_{0.7}Pb_{0.3}Mn_{1-x}Ru_xO_3$ ($0.0 \leq x \leq 0.4$).–Ranjan Kumar Sahu, Manju Lato Rao, Solomon Sundar Manoharan, Dieter Elefant, Peter Verges, A. Gueth, and Claus M. Schneider; **17**(12), 3090–3097.

Vervoort, I.–Grain growth, stress, and impurities in electroplated copper.–S.H. Brongersma, E. Kerr, I. Vervoort, A. Saerens, and K. Maex; **17**(3), 582–589.

Veyssière, P.–Structure of milled galena (PbS) particles as a result of grinding: Observations by electron microscopy.–P. Martinetto, J. Castaing, P. Walter, P. Penhoud, P. Veyssière; **17**(7), 1601–1611.

Vick, D.–Growth behavior of evaporated porous thin films.–D. Vick, T. Smy, and M.J. Brett; **17**(11), 2904–2911.

Vignes, Jean-Louis–Nickel–alumina nanocomposite powders prepared by novel *in situ* chemical reduction.–Zheng-Ren Huang, Dongliang Jiang, Daniel Michel, Léo Mazerolles, Alain Ferrand, Thomas di Costanzo, and Jean-Louis Vignes; **17**(12), 3177–3181.

Vilalta, A.–Growth of $KTiOPO_4$ films on $KTi_{1-x}Ge_xOPO_4$ substrates by liquid-phase epitaxy.–R. Solé, V. Nikolov, A. Vilalta, J.J. Carvajal, J. Massons, Jna. Gavaldà, M. Aguiló, and F. Díaz; **17**(3), 563–569.

Vilela, J.M.C.–Magnetic patterns in hydrothermal ferrites by magnetic force microscopy.–A. Dias, J.M.C. Vilela, and M.S. Andrade; **17**(6), 1251–1253(L).

Vinci, Richard P.–Effect of interface conditions on yield behavior of passivated copper thin films.–Richard P. Vinci, Stefanie A. Forrest, and John C. Bravman; **17**(7), 1863–1870.

Voisard, Cyril–Piezoelectric properties of $SrBi_4Ti_4O_{15}$ ferroelectric ceramics.–Marlyse Demartin Maeder, Dragan Damjanovic, Cyril Voisard, and Nava Setter; **17**(6), 1376–1384.

Volkert, C.A.–Growth of electromigration-induced hillocks in Al interconnects.–J.A. Nucci, A. Straub, E. Bischoff, E. Arzt, C.A. Volkert; **17**(10), 2727–2735.

Voronin, G.–High-pressure, high-temperature sintering of diamond–SiC composites by ball-milled diamond–Si mixtures.–J. Qian, G. Voronin, T.W. Zerda, D. He, and Y. Zhao; **17**(8), 2153–2160.

W

Wada, S.–Phase transition behaviors of $BaTiO_3$–$BaZrO_3$ solid solutions under high direct current bias fields.–S. Wada, H. Adachi, H. Kakemoto, H. Chazono, Y. Mizuno, H. Kishi, and T. Tsurumi; **17**(2), 456–464.

–Dielectric properties of $BaTiO_3$–$BaZrO_3$ ceramics under a high electric field.–T. Tsurumi, Y. Yamamoto, H. Kakemoto, S. Wada, H. Chazono, and H. Kishi; **17**(4), 755–759.

Wadley, H.N.G.–Electrical conductivity of open-cell metal foams.–K.P. Dharmasena and H.N.G. Wadley; **17**(3), 625–631.

Wagner, T.–Grain growth of precursor-derived nanocrystalline gallium nitride powder.–M. Puchinger, D.J. Kisailus, F.F. Lange, and T. Wagner; **17**(2), 353–357.

Walsöe de Reca, Noemí E.–Synthesis of nanocrystalline CeO_2–Y_2O_3 powders by a nitrate–glycine gel-combustion process.–Mario F. Bianchetti, Ricardo E. Juárez, Diego G. Lamas, Noemí E. Walsöe de Reca, Lidia Pérez, and Edgardo Cabanillas; **17**(9), 2185–2188(L).

Walter, Kevin C.–Thermal stability and wetting properties of Cr–O–C coatings synthesized by plasma immersion ion processing.–Xiao-Ming He, Marko Hakovirta, Kevin C. Walter, Mitchell Trkula, and Michael Nastasi; **17**(1), 14–19.

Walter, P.–Structure of milled galena (PbS) particles as a result of grinding: Observations by electron microscopy.–P. Martinetto, J. Castaing, P. Walter, P. Penhoud, and P. Veyssière; **17**(7), 1601–1611.

Wang, A.M.–Pressure-induced nanocrystallization of $Zr_{55}Al_{10}Ni_5Cu_{30}$ bulk metallic glass.–Jia Zhang, K.Q. Qiu, A.M. Wang, H.F. Zhang, M.X. Quan, and Z.Q. Hu; **17**(11), 2935–2939.

Wang, Anchuan–Growth, microstructure, charge transport, and transparency of random polycrystalline and heteroepitaxial metalorganic chemical vapor deposition-derived gallium–indium–oxide thin films.–Anchuan Wang, Nikki L. Edleman, Jason R. Babcock, Tobin J. Marks, Melissa A. Lane, Paul R. Brazis, and Carl R. Kannewurf; **17**(12), 3155–3162.

Wang, Baoquan–Grain refinement and formation of ultrafine-grained microstructure in a low-carbon steel under electropulsing.–Yizhou Zhou, Wei Zhang, Baoquan Wang, Guanhu He, and Jingdong Guo; **17**(8), 2105–2111.

Wang, C.M.–Disordering behavior and helium diffusion in He^+ irradiated 6H–SiC.–W. Jiang, W.J. Weber, C.M. Wang, and Y. Zhang; **17**(2), 271–274(L).

–Defect clustering in GaN irradiated with O^+ ions.–C.M. Wang, W. Jiang, W.J. Weber, and L.E. Thomas; **17**(11), 2945–2952.

Wang, C.Z.–Strong quantum confinement in ordered PbSe nanowire arrays.–X.S. Peng, G.W. Meng, J. Zhang, X.F. Wang, C.Z. Wang, X. Liu, and L.D. Zhang; **17**(6), 1283–1286.

Wang, Changqing–Growth and characterization of series $Nd:Gd_xLa_{1-x}VO_4$ ($x = 0.80, 0.60, 0.45$) crystals.–Huaijin Zhang, Changqing Wang, Li Zhu, Xuesong Liu, Guanghui Zhang, Wentao Yu, Xianlin Meng, and Y.T. Chow; **17**(3), 556–562.

Wang, Chunrui–Wet synthesis and characterization of MSe (M = Cd, Hg) nanocrystallites at room temperature.–Qing Yang, Kaibin Tang, Chunrui Wang, Chunjuan Zhang, and Yitai Qian; **17**(5), 1147–1152.

Wang, Duo-Yuan–Preparation and properties of novel aerodynamic pressure-sensitive paint via the sol-gel method.–Feng-Zhi Jiang, Ren Xu, Duo-Yuan Wang, Xing-De Dong, Gui-Chun Li, Dao-Ben Zhu, and Lei Jiang; **17**(6), 1312–1319.

Wang, G.D.–Cellular automaton model to simulate nucleation and growth of ferrite grains for low-carbon steels.–L. Zhang, C.B. Zhang, Y.M. Wang, X.H. Liu, G.D. Wang; **17**(9), 2251–2259.

Wang, H.–Epitaxial growth of ZnO films on Si(111).–Ashutosh Tiwari, M. Park, C. Jin, H. Wang, D. Kumar, and J. Narayan; **17**(10), 2480–2483(L).

Wang, J.–Study of microstructure in $SrTiO_3/Si$ by high-resolution transmission electron microscopy.–G.Y. Yang, J.M. Finder, J. Wang, Z.L. Wang, Z. Yu, J. Ramdani, R. Droopad, K.W. Eisenbeiser, and R. Ramesh; **17**(1), 204–213.

–Characterization of $(0.4)Pb_2(In,Nb)O_6$:$(0.6)Pb(Mg_{1/3}Nb_{2/3})O_3$ relaxor ceramics.–K.Z. Baba-kishi, C.W. Tai, J. Wang, C.L. Choy, H.L.W. Chan, and A.S. Bhalla; **17**(2), 438–444.

Wang, L.–Creep behavior of eutectic Sn–Ag lead-free solder alloy.–M.L. Huang, L. Wang, and C.M.L. Wu; **17**(11), 2897–2903.

–Improvements of microstructure, wettability, tensile and creep strength of eutectic Sn–Ag alloy by doping with rare-earth elements.–C.M.L. Wu, D.Q. Yu, C.M.T. Law, and L. Wang; **17**(12), 3146–3154.

Wang, L.M.–Interfacial particle bonding via an ultrathin polymer film on Al_2O_3 nanoparticles by plasma polymerization.–Donglu Shi, Peng He, S.X. Wang, Wim J. van Ooij, L.M. Wang, Jiangang Zhao, and Zhou Yu; **17**(5), 981–990.

Wang, Li Min–Wear behavior of bulk $Zr_{41}Ti_{14}Cu_{12.5}Ni_{10}Be_{22.5}$ metallic glasses.–Gong Li, Y.Q. Wang, Li Min Wang, Yun Peng Gao, R.J. Zhang, Zai Ji Zhan, Li Ling Sun, Jun Zhang, and Wen Kui Wang; **17**(8), 1877–1880(L).

Wang, Li-Qiong–Solid-state ^{27}Al nuclear magnetic resonance investigation of plasma-facilitated NO_x reduction catalysts.–Li-Qiong Wang, Christopher L. Aardahl, Kenneth G. Rappé, Diana N. Tran, Marisol A. Delgado, and Craig F. Habeger; **17**(7), 1843–1848.

Wang, Limin–Formation of $Zr_{70}Ni_{23}Ti_7$ glassy alloy and phase transformation upon annealing.–Limin Wang, Chunfei Li, Liqun Ma, and Akihisa Inoue; **17**(3), 693–696.

Wang, Lumin–Plasma deposition and characterization of acrylic acid thin film on ZnO nanoparticles.–Donglu Shi, Peng He, Jie Lian, Lumin Wang, and Wim J. van Ooij; **17**(10), 2555–2560.

Wang, Ming-Jun–Effects of an interposed Cu layer on the enhanced thermal stability of C49 $TiSi_2$.–Ming-Jun Wang, Wen-Tai Lin, and F.M. Pan; **17**(2), 343–347.

Wang, Moo-Chin–Effect of LiF addition on the phase transition of sinterable β-spodumene precursor powders prepared by a sol-gel process.–Moo-Chin Wang, Nan-Chung Wu, Sheng Yang, and Shaw-Bing Wen; **17**(8), 1960–1968.

Wang, Ru Ju–Stability of ZrTiCuNiBe bulk metallic glass upon isothermal annealing near the glass transition temperature.–Wei Hua Wang, Ru Ju Wang, W.T. Yang, B.C. Wei, P. Wen, D.Q. Zhao, and M.X. Pan; **17**(6), 1385–1389.

–Pressure dependence of elastic constants and Debye temperature for $Zr_{50.5}Ti_{4.8}Cu_{19.0}Ni_{11.4}Al_{14.3}$ bulk metallic glass.–Ping Wen, Ru Ju Wang, and Wei Hua Wang; **17**(7), 1785–1788.

Wang, S.X.–Interfacial particle bonding via an ultrathin polymer film on Al_2O_3 nanoparticles by plasma polymerization.–Donglu Shi, Peng He, S.X. Wang, Wim J. van Ooij, L.M. Wang, Jiangang Zhao, and Zhou Yu; **17**(5), 981–990.

Wang, W.–Nanoindentation measurement of hardness and modulus anisotropy in Ni_3Al single crystals.–W. Wang and K. Lu; **17**(9), 2314–2320.

Wang, Wei Hua–Stability of ZrTiCuNiBe bulk metallic glass upon isothermal annealing near the glass transition temperature.–Wei Hua Wang, Ru Ju Wang, W.T. Yang, B.C. Wei, P. Wen, D.Q. Zhao, and M.X. Pan; **17**(6), 1385–1389.

–Pressure dependence of elastic constants and Debye temperature for $Zr_{50.5}Ti_{4.8}Cu_{19.0}Ni_{11.4}Al_{14.3}$ bulk metallic glass.–Ping Wen, Ru Ju Wang, and Wei Hua Wang; **17**(7), 1785–1788.

Wang, Wen Kui–Wear behavior of bulk $Zr_{41}Ti_{14}Cu_{12.5}Ni_{10}Be_{22.5}$ metallic glasses.–Gong Li, Y.Q. Wang, Li Min Wang, Yun Peng Gao, R.J. Zhang, Zai Ji Zhan, Li Ling Sun, Jun Zhang, and Wen Kui Wang; **17**(8), 1877–1880(L).

Wang, X.D.–Low-energy electron exposure effects on the optical properties of ZnO/K_2SiO_3 thermal control coating.–X.D. Wang, S.Y. He, and D.Z. Yang; **17**(7), 1766–1771.

Wang, X.F.–Strong quantum confinement in ordered PbSe nanowire arrays.–X.S. Peng, G.W. Meng, J. Zhang, X.F. Wang, C.Z. Wang, X. Liu, and L.D. Zhang; **17**(6), 1283–1286.

Wang, X.H.–Stress relaxation of a patterned microstructure on a diaphragm.–D.W. Zheng, X.H. Wang, K. Shyu, C. Chen, C-T. Chang, K.N. Tu, A.K. Mal, and Y.F. Guo; **17**(7), 1795–1802.

–Intermediate-temperature oxidation behavior of Ti_2AlC in air.–X.H. Wang and Y.C. Zhou; **17**(11), 2974–2981.

Wang, Xi–Fabrication of device-grade separation-by-implantation-of-oxygen materials by optimizing dose-energy match.–Meng Chen, Yuehui Yu, Xi Wang, Xiang Wang, Jing Chen, Xianghua Liu, and Yeming Dong; **17**(7), 1634–1643.

Wang, Xiang–Fabrication of device-grade separation-by-implantation-of-oxygen materials by optimizing dose-energy match.–Meng Chen, Yuehui Yu, Xi Wang, Xiang Wang, Jing Chen, Xianghua Liu, and Yeming Dong; **17**(7), 1634–1643.

Wang, Xin–Growth and characterization of $Na_{0.5}K_{0.5}NbO_3$ thin films on polycrystalline $Pt_{80}Ir_{20}$ substrates.–Xin Wang, Sveinn Olafsson, Lynnette D. Madsen, Staffan Rudner, Ivan P. Ivanov, Alex Grishin, and Ulf Helmersson; **17**(5), 1183–1191.

Wang, Y.M.–Cellular automaton model to simulate nucleation and growth of ferrite grains for low-carbon steels.–L. Zhang, C.B. Zhang, Y.M. Wang, X.H. Liu, and G.D. Wang; **17**(9), 2251–2259.

–Nanocrystalline grain structures developed in commercial purity Cu by low-temperature cold rolling.–Y.M. Wang, M.W. Chen, H.W. Sheng, and E. Ma; **17**(12), 3004–3007(L).

Wang, Y.Q.–Wear behavior of bulk $Zr_{41}Ti_{14}Cu_{12.5}Ni_{10}Be_{22.5}$ metallic glasses.–Gong Li, Y.Q. Wang, Li Min Wang, Yun Peng Gao, R.J. Zhang, Zai Ji Zhan, Li Ling Sun, Jun Zhang, and Wen Kui Wang; **17**(8), 1877–1880(L).

Wang, Z.L.–Study of microstructure in $SrTiO_3/Si$ by high-resolution transmission electron microscopy.–G.Y. Yang, J.M. Finder, J. Wang, Z.L. Wang, Z. Yu, J. Ramdani, R. Droopad, K.W. Eisenbeiser, and R. Ramesh; **17**(1), 204–213.

Wang, Zhihong–Low-temperature chemical synthesis of nanocrystalline $KTiOPO_4$.–Donglin Li, Zhihong Wang, Liangying Zhang, Xi Yao, and Haoshen Zhou; **17**(4), 723–726(L).

Waqar, Zafar–Effect of substrate pregrowth treatments on characteristics of low-temperature diamondlike carbon films prepared by very-high-frequency chemical vapor deposition.–Zafar Waqar, Alexander Nikolaivech Titkov, Alexander Nikolaivech Andronov, Andrey Kosarev, and Igor Makarenko; **17**(2), 451–455.

Watanabe, Kazuo–Microstructure and orientation of iron crystals by thermal chemical vapor deposition with imposition of magnetic field.–Noboru Yoshikawa, Takanori Endo, Shoji Taniguchi, Satoshi Awaji, Kazuo Watanabe, and Eiji Aoyagi; **17**(11), 2865–2874.

Watari, Koji–Thermal conductivity of AlN ceramic with a very low amount of grain boundary phase at 4 to 1000 K.–Koji Watari, Hiromi Nakano, Kazuyori Urabe, Kozo Ishizaki, Shixun Cao, and Katsunori Mori; **17**(11), 2940–2944.

Weaver, M.L.–Room-temperature oxidation of ultrathin TiB_2 films.–Feng Huang, W.J. Liu, J.F. Sullivan, J.A. Barnard, M.L. Weaver; **17**(4), 805–813.

Weber, W.J.–Atomic-scale simulations of multiple ion–solid interactions and structural evolution in silicon carbide.–F. Gao and W.J. Weber; **17**(2), 259–262(L).

–Disordering behavior and helium diffusion in He^+ irradiated 6H–SiC.–W. Jiang, W.J. Weber, C.M. Wang, and Y. Zhang; **17**(2), 271–274(L).

–Defect clustering in GaN irradiated with O^+ ions.–C.M. Wang, W. Jiang, W.J. Weber, and L.E. Thomas; **17**(11), 2945–2952.

Wedlake, Michael D.–Thermal decomposition kinetics of functionalized polynorbornene.–Michael D. Wedlake and Paul A. Kohl; **17**(3), 632–640.

Wei, B.C.–Stability of ZrTiCuNiBe bulk metallic glass upon isothermal annealing near the glass transition temperature.–Wei Hua Wang, Ru Ju Wang, W.T. Yang, B.C. Wei, P. Wen, D.Q. Zhao, and M.X. Pan; **17**(6), 1385–1389.

Wei, Li–Novel hybrid inorganic–organic film based on the tungstophosphate acid–polyacrylamide system: Photochromic behavior and mechanism.–Wei Feng, Tie Rui Zhang, Yan Liu, Li Wei, Ran Lu, Tie Jin Li, Ying Ying Zhao, and Jian Nian Yao; **17**(1), 133–136.

Weiner, B.R.–Synthesizing nanocrystalline carbon thin films by hot filament chemical vapor deposition and controlling their microstructure.–S. Gupta, B.R. Weiner, and G. Morell; **17**(7), 1820–1833.

Weiss, D.–Grain-boundary voiding in self-passivated Cu–1 at.% Al alloy films on Si substrates.–D. Weiss, O. Kraft, and E. Arzt; **17**(6), 1363–1370.

Wen, C.E.–Novel titanium foam for bone tissue engineering.–C.E. Wen, Y. Yamada, K. Shimojima, Y. Chino, H. Hosokawa, and M. Mabuchi; **17**(10), 2633–2639.

–Solid-state recycling from machined scraps to a cellular solid.–Yasumasa Chino, Koji Shimojima, Hiroyuki Hosokawa, Yasuo Yamada, Cui'e Wen, and Mamoru Mabuchi; **17**(11), 2783–2786(L).

Wen, P.–Stability of ZrTiCuNiBe bulk metallic glass upon isothermal annealing near the glass transition temperature.–Wei Hua Wang, Ru Ju Wang, W.T. Yang, B.C. Wei, P. Wen, D.Q. Zhao, and M.X. Pan; **17**(6), 1385–1389.

–Pressure dependence of elastic constants and Debye temperature for $Zr_{50.5}Ti_{4.8}Cu_{19.0}Ni_{11.4}Al_{14.3}$ bulk metallic glass.–Ping Wen, Ru Ju Wang, and Wei Hua Wang; **17**(7), 1785–1788.

Wen, Shaw-Bing–Effect of LiF addition on the phase transition of sinterable β-spodumene precursor powders prepared by a sol-gel process.–Moo-Chin Wang, Nan-Chung Wu, Sheng Yang, and Shaw-Bing Wen; **17**(8), 1960–1968.

Wesch, W.–Transmission electron microscopy study of Ge implanted into SiC.–T. Gorelik, U. Kaiser, Ch. Schubert, W. Wesch, and U. Glatzel; **17**(2), 479–486.

Wessels, B.W.–Dielectric properties of epitaxial $KNbO_3$ ferroelectric thin films.–Soma Chattopadhyay, B.M. Nichols, Jin-Ha Hwang, T.O. Mason, B.W. Wessels; **17**(2), 275–278(L).

–Diffuse phase transition in epitaxial $BaTiO_3$ thin films.–Soma Chattopadhyay, A.R. Teren, Jin-Ha Hwang, T.O. Mason, B.W. Wessels; **17**(3), 669–674.

Wessler, B.–Textured ZnO thin films on (0001) sapphire produced by chemical solution deposition.–B. Wessler, F.F. Lange, and W. Mader; **17**(7), 1644–1650.

Wetteland, C.J.–*In vacuo* pulsed laser ablation of $YBa_2Cu_3O_{7-x}$ target for the formation of Y_2O_3 nanostructures.–D.B. Jan, Q.X. Jia, M.E. Hawley, G.W. Browne, C.J. Wetteland, H.P. Sun, and X.Q. Pan; **17**(3), 697–700.

Wheelock, P.B.–Synthesis of $Cu_{47}Ti_{34}Zr_{11}Ni_8$ bulk metallic glass by warm extrusion of gas atomized powders.–D.J. Sordelet, E. Rozhkova, P. Huang, P.B. Wheelock, M.F. Besser, M.J. Kramer, M. Calvo-Dahlborg, and U. Dahlborg; **17**(1), 186–198.

White, J.M.–Adhesion of Cu and low-k dielectric thin films with tungsten carbide.–A.M. Lemonds, K. Kershen, J. Bennett, K. Pfeifer, Y-M. Sun, J.M. White, and J.G. Ekerdt; **17**(6), 1320–1328.

Wichert, Th.–Investigation of mechanical alloying of Ti–Al compounds using perturbed γγ-angular correlation spectroscopy, x-ray diffraction, and differential scanning calorimetry.–St. Lauer, Z. Guan, H. Wolf, and Th. Wichert; **17**(8), 2130–2139.

Wickaksana, D.–Crystallization in SiO_2–metal oxide alloys.–J-P. Maria, D. Wickaksana, J. Parrette, and A.I. Kingon; **17**(7), 1571–1579.

Wilcox, Sr., David L.–Sintering of a crystallizable K_2O–CaO–SrO–BaO–B_2O_3–SiO_2 glass with titania present.–Jau-Ho Jean, Yu-Ching Fang, Steve X. Dai, David L. Wilcox, Sr.; **17**(7), 1772–1778.

Wilkinson, Angus P.–Continuous hydrothermal synthesis and crystallization of magnetic oxide nanoparticles.–Linda J. Cote, Amyn S. Teja, Angus P. Wilkinson, and Z. John Zhang; **17**(9), 2410–2416.

Williams, J.S.–Large-quantity production of high-yield boron nitride nanotubes.–Y. Chen, M. Conway, J.S. Williams, and J. Zou; **17**(8), 1896–1899(L).

Wilson, Otto C.–Microwave sintering of high-density, high thermal conductivity AlN.–Geng-fu Xu, Tayo Olorunyolemi, Otto C. Wilson, Isabel K. Lloyd, and Yuval Carmel; **17**(11), 2837–2845.

Wise, P.L.–Tunability of τ_f in perovskites and related compounds.–P.L. Wise, I.M. Reaney, W.E. Lee, D.M. Iddles, D.S. Cannell, and T.J. Price; **17**(8), 2033–2040.

With, G. de–Fracture toughness and adhesion energy of sol-gel coatings on glass.–Jaap den Toonder, Jürgen Malzbender, Gijsbertus de With, and Ruud Balkenende; **17**(1), 224–233.

–Indentation load–displacement curve, plastic deformation, and energy.–J. Malzbender and G. de With; **17**(2), 502–511.

Withnall, Robert–Luminescence in europium-doped titania: Part II. High concentration range of Eu^{3+}.–James Ovenstone, Philip J. Titler, Robert Withnall, and Jack Silver; **17**(10), 2524–2531.

Witvrouw, Ann–Characterization of reduced-pressure chemical vapor deposition polycrystalline silicon germanium deposited at temperatures ≤550 °C.–Sherif Sedky, Ann Witvrouw, Matty Caymax, Annelies Saerens, and Paul Van Houtte; **17**(7), 1580–1586.

Wolf, H.–Investigation of mechanical alloying of Ti–Al compounds using perturbed γγ-angular correlation spectroscopy, x-ray diffraction, and differential scanning calorimetry.–St. Lauer, Z. Guan, H. Wolf, and Th. Wichert; **17**(8), 2130–2139.

Won, C.W.–Self-propagating high-temperature synthesis of nanosized titanium carbide powder.–H.H. Nersisyan, J.H. Lee, and C.W. Won; **17**(11), 2859–2864.

Wong, William S.–Continuous-wave InGaN laser diodes on copper and diamond substrates.–William S. Wong, Michael Kneissl, David W. Treat, Mark Teepe, Naoko Miyashita, Alberto Salleo, and Noble M. Johnson; **17**(4), 890–894.

Woo, Hyun-Jung–Effects of IrO_2/Pt hybrid electrodes on the crystallization and ferroelectric performances of sol-gel-derived Pb(Zr, Ti)O_3 thin film capacitors.–Seung-Hyun Kim, Dong-Yeon Park, Hyun-Jung Woo, Dong-Soo Lee, Jowoong Ha, and Cheol Song Hwang; **17**(7), 1735–1742.

Woodard, J.C.–Nanoindentation studies of brittle thin films on a titanium alloy substrate.–N. Fujisawa, M.V. Swain, N.L. James, R.N. Tarrant, J.C. Woodard, and D.R. McKenzie; **17**(4), 861–870.

Wu, C.M.L.–Creep behavior of eutectic Sn–Ag lead-free solder alloy.–M.L. Huang, L. Wang, and C.M.L. Wu; **17**(11), 2897–2903.

–Improvements of microstructure, wettability, tensile and creep strength of eutectic Sn–Ag alloy by doping with rare-earth elements.–C.M.L. Wu, D.Q. Yu, C.M.T. Law, and L. Wang; **17**(12), 3146–3154.

Wu, Dong–Synthesis of phenyl-MSU-1 and bi-functionalized silica mesophases.–Yan Jun Gong, Zhi Hong Li, Dong Wu, Yu Han Sun, Feng Deng, Qing Luo, and Yong Yue; **17**(2), 431–437.

Wu, E.D.–Boron nitride nanotubes filled with zirconium oxide nanorods.–Z.Q. Shen, L.L. He, E.D. Wu, Y.Y. Fan, J.F. He, H.M. Cheng, D.X. Li, and H.Q. Ye; **17**(11), 2761–2764(L).

Wu, J.D.–Electron cyclotron resonance plasma–assisted reactive pulsed laser deposition of compound films.–J. Sun, J.D. Wu, H. Ling, W. Shi, Z.F. Ying, and F.M. Li; **17**(7), 1692–1697.

Wu, Jie–Thermal conductivity of ceramics in the ZrO_2-$GdO_{1.5}$ system.–Jie Wu, Nitin P. Padture, Paul G. Klemens, Maurice Gell, Eugenio García, Pilar Miranzo, and Maria I. Osendi; **17**(12), 3193–3200.

Wu, Ming C.–Micromachining of mesoporous oxide films for microelectromechanical system structures.–Jong-Ah Paik, Shih-Kang Fan, Chang-Jin Kim, Ming C. Wu, and Bruce Dunn; **17**(8), 2121–2129.

Wu, Nan-Chung–Effect of LiF addition on the phase transition of sinterable β-spodumene precursor powders prepared by a sol-gel process.–Moo-Chin Wang, Nan-Chung Wu, Sheng Yang, and Shaw-Bing Wen; **17**(8), 1960–1968.

Wu, Tai-Bor–Interfacial structure and electrical characteristics of $LaNiO_3$/Si contacts.–Tai-Bor Wu, Chin-Lin Liu, and Yu-Wen Liu; **17**(6), 1350–1355.

Wu, Y.–Mechanism of liquid-phase epitaxy growth of $NdBa_2Cu_3O_{7-x}$ film from low-peritectic-temperature $YBa_2Cu_3O_{7-x}$ seed film.–D.X. Huang, X. Yao, K. Nomura, Y. Wu, Y. Nakamura, T. Izumi, and Y. Shiohara; **17**(4), 747–754.

Wu, Y.P.–Synthesis of superhard and elastic carbon nitride films by filtered cathodic vacuum arc combined with radio frequency ion beam source.–Y.H. Cheng, B.K. Tay, S.P. Lau, X. Shi, X.L. Qiao, J.G. Chen, Y.P. Wu, Z.H. Sun, and C.S. Xie; **17**(3), 521–524(L).

X

Xi, D.J.–Nitrogen diffusion in the Si growth on GaN by low-pressure chemical vapor deposition.–P. Chen, Y.D. Zheng, S.M. Zhu, D.J. Xi, Z.M. Zhao, S.L. Gu, P. Han, and R. Zhang; **17**(8), 1881–1883(L).

Xi, X.X.–Dislocations in $SrTiO_3$ thin films grown on $LaAlO_3$ substrates.–Y.L. Qin, C.L. Jia, K. Urban, J.H. Hao, X.X. Xi; **17**(12), 3117–3126.

Xia, Chuanjun–Surface structural characterization and mechanical testing by nanoindentation measurements of hybrid polymer/clay nanostructured multilayer films.–Xiaowu Fan, Mi-kyoung Park, Chuanjun Xia, and Rigoberto Advincula; **17**(7), 1622–1633.

Xia, H.R.–Raman measurement and thermal properties of $SmCa_4O(BO_3)_3$ crystals.–H.R. Xia, G.W. Lu, S.J. Zhang, and Z.X. Cheng; **17**(9), 2465–2470.

Xie, C.S.–Synthesis of superhard and elastic carbon nitride films by filtered cathodic vacuum arc combined with radio frequency ion beam source.–Y.H. Cheng, B.K. Tay, S.P. Lau, X. Shi, X.L. Qiao, J.G. Chen, Y.P. Wu, Z.H. Sun, and C.S. Xie; **17**(3), 521–524(L).

Xie, Liangde–Mechanisms of ceramic coating deposition in solution-precursor plasma spray.–Tania Bhatia, Alper Ozturk, Liangde Xie, Eric H. Jordan, Baki M. Cetegen, Maurice Gell, Xinqin Ma, and Nitin P. Padture; **17**(9), 2363–2372.

Xie, Rong-Jun–Ductile-to-brittle transition in superplastic silicon nitride ceramics.–Guo-Dong Zhan, Mamoru Mitomo, Rong-Jun Xie, and Keiji Kurashima; **17**(1), 149–155.

Xing, L-Q.–Deformation and failure of $Zr_{57}Ti_5Cu_{20}Ni_8Al_{10}$ bulk metallic glass under quasi-static and dynamic compression.–T.C. Hufnagel, T. Jiao, Y. Li, L-Q. Xing, and K.T. Ramesh; **17**(6), 1441–1445.

Xu, C.N.–Upgrading the triboluminescence of ZnS:Mn film by optimization of sputtering and thermal annealing conditions.–O. Agyeman, C.N. Xu, M. Suzuki, and X.G. Zheng; **17**(5), 959–963.

Xu, Dongsheng–Highly ordered and well-oriented single-crystal CdTe nanowire arrays by direct-current electrodeposition.–Dongsheng Xu, Yuguo Guo, Dapeng Yu, Guolin Guo, Youqi Tang, and D.P. Yu; **17**(7), 1711–1714.

Xu, Gaojie–High-temperature thermoelectric properties of the $Ca_{1-x}Bi_xMnO_3$ system.–Gaojie Xu, Ryoji Funahashi, Ichiro Matsubara, Masahiro Shikano, and Yuqin Zhou; **17**(5), 1092–1095.

Xu, Geng-fu–Microwave sintering of high-density, high thermal conductivity AlN.–Geng-fu Xu, Tayo Olorunyolemi, Otto C. Wilson, Isabel K. Lloyd, and Yuval Carmel; **17**(11), 2837–2845.

Xu, H-J.–Different routes to the formation of C54 $TiSi_2$ in the presence of surface and interface molybdenum: A transmission electron microscopy study.–Z-B. Zhang, S-L. Zhang, D-Z. Zhu, H-J. Xu, and Y. Chen; **17**(4), 784–789.

Xu, J.–Mechanically alloyed amorphous $Ti_{50}(Cu_{0.45}Ni_{0.55})_{44-x}Al_xSi_4B_2$ alloys with supercooled liquid region.–L.C. Zhang, J. Xu, and E. Ma; **17**(7), 1743–1749.

Xu, Q.–Numerical analyses of fluid dynamics of an atomization configuration.–Q. Xu, D. Cheng, G. Trapaga, N. Yang, and E.J. Lavernia; **17**(1), 156–166.

Xu, Ren–Preparation and properties of novel aerodynamic pressure-sensitive paint via the sol-gel method.–Feng-Zhi Jiang, Ren Xu, Duo-Yuan Wang, Xing-De Dong, Gui-Chun Li, Dao-Ben Zhu, and Lei Jiang; **17**(6), 1312–1319.

Xu, Wei-Hua–Surface effects on nanoindentation.–Tong-Yi Zhang and Wei-Hua Xu; **17**(7), 1715–1720.

Xu, Zhengkui–Hot-stage transmission electron microscopy study of phase transformations in hexacelsian ($BaAl_2Si_2O_8$).–Zhengkui Xu, James L. Shull, Jr., and Waltraud M. Kriven; **17**(6), 1287–1297.

Y

Yaacob, Iskandar I.–Polymer matrix templated synthesis: Cobalt ferrite nanoparticles preparation.–J.C. Hoh and Iskandar I. Yaacob; **17**(12), 3105–3109.

Yamada, Y.–Novel understanding of the $YBa_2Cu_3O_{7-x}$ thin film growth.–D.X. Huang, Y. Nakamura, Y. Yamada, and I. Hirabayashi; **17**(2), 302–305.

–Novel titanium foam for bone tissue engineering.–C.E. Wen, Y. Yamada, K. Shimojima, Y. Chino, H. Hosokawa, and M. Mabuchi; **17**(10), 2633–2639.

–Solid-state recycling from machined scraps to a cellular solid.–Yasumasa Chino, Koji Shimojima, Hiroyuki Hosokawa, Yasuo Yamada, Cui'e Wen, and Mamoru Mabuchi; **17**(11), 2783–2786(L).

Yamamoto, Ayako–Kinetic study of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ phase formation in KCl flux.–Sergey Lee, Ayako Yamamoto, and Setsuko Tajima; **17**(9), 2281–2285.

–Crystal growth of $Bi_2Sr_2Ca_2Cu_3O_{10+x}$ and $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ by the KCl flux method.–Sergey Lee, Ayako Yamamoto, and Setsuko Tajima; **17**(9), 2286–2293.

Yamamoto, Osamu–Preparation and oxidation of Al_4SiC_4.–Osamu Yamamoto, Motoko Ohtani, and Tadashi Sasamoto; **17**(4), 774–778.

Yamamoto, T.–Hardness of cubic silicon nitride.–I. Tanaka, F. Oba, T. Sekine, E. Ito, A. Kubo, K. Tatsumi, H. Adachi, and T. Yamamoto; **17**(4), 731–733.

Yamamoto, Takahisa–Crystallization mechanism of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-y}$ and $YBa_2Cu_3O_{7-y}$ films deposited by metalorganic deposition method using trifluoroacetates.–Junko Shibata, Tetsuji Honjo, Hiroshi Fuji, Takeshi Araki, Izumi Hirabayashi, Tsukasa Hirayama, Teruo Izumi, Yuh Shiohara, Takahisa Yamamoto, and Yuichi Ikuhara; **17**(6), 1266–1275.

Yamamoto, Y.–Dielectric properties of $BaTiO_3$–$BaZrO_3$ ceramics under a high electric field.–T. Tsurumi, Y. Yamamoto, H. Kakemoto, S. Wada, H. Chazono, and H. Kishi; **17**(4), 755–759.

Yamamoto, Yoshitsugu–Second harmonic generation from $CsLiB_6O_{10}$-containing glass-ceramics.–Yoshitsugu Yamamoto, Tomohiro Hashimoto, Hiroyuki Nasu, Tadanori Hashimoto, and Kanichi Kamiya; **17**(12), 3110–3116.

Yamauchi, Kaori–Anisotropic thermal expansion in $CaAl_4O_7$.–Koichiro Fukuda and Kaori Yamauchi; **17**(5), 1050–1054.

Yamaura, Shin-ichi–Electrochemical and thermal properties of hydrogen-absorbed $Mg_{67}Ni_{28}Pd_5$ amorphous alloy.–Shin-ichi Yamaura, Keita Isogai, Hisamichi Kimura, and Akihisa Inoue; **17**(1), 60–64.

–Hydrogen absorption of nanoscale Pd particles embedded in ZrO_2 matrix prepared from Zr–Pd amorphous alloys.–Shin-ichi Yamaura, Ken-ichiro Sasamori, Hisamichi Kimura, Akihisa Inoue, Yue Chang Zhang, and Yoshiaki Arata; **17**(6), 1329–1334.

Yan, A-Ru–Magnetic anisotropy of $Sm(Co_{0.68}Fe_{0.22}Cu_{0.08}Zr_{0.02})_{7.7}$ ribbons produced by melt spinning.–A-Ru Yan, Zhi-Gang Sun, Baoshan Han, and Bao-Gen Shen; **17**(3), 648–652.

Yan, Beifang–Ultraviolet photoluminescence from 4H–SiC nanocrystalline films deposited on silicon substrate.–Zhengping Fu, Beifang Yan, Ruchuan Liu, and Yaozhong Ruan; **17**(3), 570–574.

Yan, M.–Phase diagram of the W-doped $Pb(Zn_{1/3}Nb_{2/3})O_3$–$BaTiO_3$–$PbTiO_3$ system around a morphotropic phase boundary composition.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, and J.L. Baptista; **17**(5), 1085–1091.

–Dielectric behavior of Mn-doped morphotropic phase boundary composition in the $Pb(Zn_{1/3}Nb_{2/3})O_3$–$BaTiO_3$–$PbTiO_3$ system.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, and J.L. Baptista; **17**(5), 1192–1198.

–Effect of lanthanum-doping on the dielectric properties of $Pb(Fe_{1/2}Ta_{1/2})O_3$ relaxor ferroelectrics.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, and J.L. Baptista; **17**(7), 1779–1784.

Yanchevskij, O.–Synthesis and dielectric properties of barium tantalates and niobates with complex perovskite structure.–T. Kolodiazhnyi, A. Petric, A. Belous, O. V'yunov, O. Yanchevskij; **17**(12), 3182–3189.

Yang, D.Z.–Low-energy electron exposure effects on the optical properties of ZnO/K_2SiO_3 thermal control coating.–X.D. Wang, S.Y. He, and D.Z. Yang; **17**(7), 1766–1771.

–Effect of electron exposure on optical properties of aluminized polyimide film.–Chundong Li, Dezhuang Yang, Shiyu He, and M.M. Mikhailov; **17**(9), 2442–2446.

Yang, G.Y.–Study of microstructure in $SrTiO_3$/Si by high-resolution transmission electron microscopy.–G.Y. Yang, J.M. Finder, J. Wang, Z.L. Wang, Z. Yu, J. Ramdani, R. Droopad, K.W. Eisenbeiser, and R. Ramesh; **17**(1), 204–213.

Yang, G.Z.–Multilayered structures of $SrNb_{0.1}Ti_{0.9}O_3/La_{0.8}Sr_{0.2}MnO_3/SrTiO_3$ prepared by laser molecular beam epitaxy.–X.L. Ma, H.B. Lu, F. Chen, Z.H. Chen, G.Z. Yang; **17**(3), 600–608.

Yang, Jaeyoung–Effects of postdeposition *in situ* heat treatment on the properties of low dielectric constant plasma polymer films deposited using decahydronaphthalene and tetraethyl orthosilicate as the precursors.–Jaeyoung Yang, Cheonman Shim, and Donggeun Jung; **17**(6), 1371–1375.

Yang, Juan–Hydrothermal synthesis of well-dispersed TiO_2 nanocrystals.–Juan Yang, Sen Mei, and José M.F. Ferreira; **17**(9), 2197–2200(L).

Yang, N.–Numerical analyses of fluid dynamics of an atomization configuration.–Q. Xu, D. Cheng, G. Trapaga, N. Yang, and E.J. Lavernia; **17**(1), 156–166.

Yang, Qing–Wet synthesis and characterization of MSe (M = Cd, Hg) nanocrystallites at room temperature.–Qing Yang, Kaibin Tang, Chunrui Wang, Chunjuan Zhang, and Yitai Qian; **17**(5), 1147–1152.

Yang, S.J.–Dependence of the Au/Ni/Si/Ni contact properties on the Si-layer thickness and the annealing temperature in *p*-type GaN epilayers.–S.J. Yang, T.W. Kang, T.W. Kim, and K.S. Chung; **17**(5), 1019–1023.

Yang, Sheng–Effect of LiF addition on the phase transition of sinterable β-spodumene precursor powders prepared by a sol-gel process.–Moo-Chin Wang, Nan-Chung Wu, Sheng Yang, and Shaw-Bing Wen; **17**(8), 1960–1968.

Yang, W.T.–Stability of ZrTiCuNiBe bulk metallic glass upon isothermal annealing near the glass transition temperature.–Wei Hua Wang, Ru Ju Wang, W.T. Yang, B.C. Wei, P. Wen, D.Q. Zhao, and M.X. Pan; **17**(6), 1385–1389.

Yang, Yi–Low-temperature fabrication of high-quality $(Ba,Sr)TiO_3$ films using charged liquid cluster beam method.–Hyungsoo Choi, Sungho Park, Yi Yang, HoChul Kang, Kyekyoon (Kevin) Kim, M.Y. Sung, and Ho G. Jang; **17**(8), 1888–1891(L).

Yang, Yong–Preparation and enhanced off-resonance optical nonlinearities of CdS-capped gold nanoparticles embedded in $BaTiO_3$ thin films.–Yong Yang, Jianlin Shi, Hangrong Chen, Shugang Dai, Weiming Huang, and Ye Liu; **17**(11), 2802–2808.

Yanina, S.V.–Precipitation from a reactive silicate on MgO.–S.V. Yanina and C. Barry Carter; **17**(12), 3056–3064.

Yao, Jian Nian–Novel hybrid inorganic–organic film based on the tungstophosphate acid–polyacrylamide system: Photochromic behavior and mechanism.–Wei Feng, Tie Rui Zhang, Yan Liu, Li Wei, Ran Lu, Tie Jin Li, Ying Ying Zhao, and Jian Nian Yao; **17**(1), 133–136.

Yao, X.–Mechanism of liquid-phase epitaxy growth of $NdBa_2Cu_3O_{7-x}$ film from low-peritectic-temperature $YBa_2Cu_3O_{7-x}$ seed film.–D.X. Huang, X. Yao, K. Nomura, Y. Wu, Y. Nakamura, T. Izumi, and Y. Shiohara; **17**(4), 747–754.

Yao, Xi–Low-temperature chemical synthesis of nanocrystalline $KTiOPO_4$.–Donglin Li, Zhihong Wang, Liangying Zhang, Xi Yao, and Haoshen Zhou; **17**(4), 723–726(L).

Ye, H.Q.–Polymorphism of Ti_3SiC_2.–R. Yu, Q. Zhan, L.L. He, Y.C. Zhou, H.Q. Ye; **17**(5), 948–950(L).

–Boron nitride nanotubes filled with zirconium oxide nanorods.–Z.Q. Shen, L.L. He, E.D. Wu, Y.Y. Fan, J.F. He, H.M. Cheng, D.X. Li, and H.Q. Ye; **17**(11), 2761–2764(L).

Ye, J.–Effect of Ni substitution on the structure and photocatalytic activity of $InTaO_4$ under visible light irradiation.–Zhigang Zou, Jinhua Ye, and Hironori Arakawa; **17**(6), 1419–1424.

–Substitution effect of Ta^{5+} by Nb^{5+} on photocatalytic, photophysical, and structural properties of $BiTa_{1-x}Nb_xO_4$($0 \leqq x \leqq 1.0$).–Zhigang Zou, Hironori Arakawa, and Jinhua Ye; **17**(6), 1446–1454.

–Synthesis and photophysical properties of barium indium oxides.–J. Yin, Z. Zou, and J. Ye; **17**(9), 2201–2204(L).

Yeong, H.Y.–Properties of porous AlN multilayered ceramic sandwich substrates.–F.Y.C. Boey, A.I.Y. Tok, Y. Long, and H.Y. Yeong; **17**(5), 1061–1068.

Yi, Ji-Hyun–Preparation and characterization of SiO_2–B_2O_3–P_2O_5 particles and films generated by flame hydrolysis deposition for planar light-wave circuits.–Hyungsoo Shin, Ji-Hyun Yi, Jong-Gab Baek, and Mansoo Choi; **17**(2), 315–322.

Yin, J.–Synthesis and photophysical properties of barium indium oxides.–J. Yin, Z. Zou, and J. Ye; **17**(9), 2201–2204(L).

Ying, Z.F.–Electron cyclotron resonance plasma–assisted reactive pulsed laser deposition of compound films.–J. Sun, J.D. Wu, H. Ling, W. Shi, Z.F. Ying, and F.M. Li; **17**(7), 1692–1697.

Ying, Zhe–Microwave electromagnetic characteristics of a microcoiled carbon fibers/paraffin wax composite in Ku band.–Jin-Hong Du, Chao Sun, Shuo Bai, Ge Su, Zhe Ying, and Hui-Ming Cheng; **17**(5), 1232–1236.

Yokoyama, Yuji–Interface shape effects on the tensile strength for T-type structure bonded dissimilar materials.–Shigeru Nagasawa, Yuji Yokoyama, Yasushi Fukuzawa, and Masayoshi Tateno; **17**(1), 20–25.

Yoo, Dae Hwang–Synchrotron x-ray scattering study of SnO_2 thin film grown on sapphire.–Gi-Hong Rue, Dae Hwang Yoo, Yoon Hwae Hwang, and Hyung-Kook Kim; **17**(9), 2417–2422.

Yoo, Han-Ill–Cross effect between ion and electron flows in $Fe_{3-\delta}O_4$.–Jeong-Oh Hong and Han-Ill Yoo; **17**(5), 1213–1219.

Yoon, Chulsoo–Active metal brazing for reliable ceramic joints using TiN coating.–Chulsoo Yoon, Tae Woo Kim, Osung Seo, and Shinhoo Kang; **17**(1), 246–252.

Yoon, Ki Hyun–(200)-predominant growth of radio-frequency sputtered $SrBi_2Ta_2O_9$ thin films.–Si-Hyung Lee, Jeon-Kook Lee, and Ki Hyun Yoon; **17**(6), 1455–1462.

Yoon, Soon-Gil–Low-temperature crystallization of $SrBi_2Ta_2O_9$ thin films with Bi_2O_3 interfacial layers by liquid-delivery metalorganic chemical vapor deposition.–Woong-Chul Shin, Kyu-Jeong Choi, and Soon-Gil Yoon; **17**(1), 26–30.

–Improvement in tunability and dielectric loss of $(Ba_{0.5}Sr_{0.5})TiO_3$ capacitors using seed layers on $Pt/Ti/SiO_2/Si$ substrates.–Young-Ah Jeon, Woong-Chul Shin, Tae-Suck Seo, and Soon-Gil Yoon; **17**(11), 2831–2836.

Yoshikawa, Noboru–Microstructure and orientation of iron crystals by thermal chemical vapor deposition with imposition of magnetic field.–Noboru Yoshikawa, Takanori Endo, Shoji Taniguchi, Satoshi Awaji, Kazuo Watanabe, and Eiji Aoyagi; **17**(11), 2865–2874.

Yoshimura, Masahiro–Stability of single-wall carbon nanotubes under hydrothermal conditions.–S. Srikanta Swamy, Jose Maria Calderon-Moreno, and Masahiro Yoshimura; **17**(4), 734–737.

Yoshino, Masatoshi–Preparation and characterization of zinc-doped gallophosphate molecular sieve.–Masatoshi Yoshino, Motohide Matsuda, and Michihiro Miyake; **17**(10), 2672–2678.

Youn, Hyuk J.–Bi_2O_3 solubility of Bi-based pyrochlores and related phases.–Juan C. Nino, Hyuk J. Youn, Michael T. Lanagan, and Clive A. Randall; **17**(5), 1178–1182.

–Dielectric relaxation and microwave dielectric properties of Bi_2O_3–ZnO–Ta_2O_5 ceramics.–Hyuk-Joon Youn, Clive Randall, Ang Chen, Tom Shrout, and Michael T. Lanagan; **17**(6), 1502–1506.

Yu, D.P.–Highly ordered and well-oriented single-crystal CdTe nanowire arrays by direct-current electrodeposition.–Dongsheng Xu, Yuguo Guo, Dapeng Yu, Guolin Guo, Youqi Tang, and D.P. Yu; **17**(7), 1711–1714.

Yu, D.Q.–Improvements of microstructure, wettability, tensile and creep strength of eutectic Sn–Ag alloy by doping with rare-earth elements.–C.M.L. Wu, D.Q. Yu, C.M.T. Law, and L. Wang; **17**(12), 3146–3154.

Yu, Dapeng–Highly ordered and well-oriented single-crystal CdTe nanowire arrays by direct-current electrodeposition.–Dongsheng Xu, Yuguo Guo, Dapeng Yu, Guolin Guo, Youqi Tang, and D.P. Yu; **17**(7), 1711–1714.

Yu, Hsuan-Fu–Preparation and characterization of ester-derived $BaFe_{12}O_{19}$ powder.–Hsuan-Fu Yu and Kao-Chao Huang; **17**(1), 199–203.

Yu, Laigui–Preparation and tribological investigation of thin silicone films.–Weimin Liu, Feng Zhou, Laigui Yu, Miao Chen, Bin Li, and Guohong Zhao; **17**(9), 2357–2362.

Yu, R.–Polymorphism of Ti_3SiC_2.–R. Yu, Q. Zhan, L.L. He, Y.C. Zhou, and H.Q. Ye; **17**(5), 948–950(L).

–The effect of doping Ag on the microstructure of $La_{2/3}Sr_{1/3}MnO_3$ films.–Q. Zhan, R. Yu, L.L. He, D.X. Li, J. Li, and C.K. Ong; **17**(10), 2712–2719.

Yu, R-C.–High critical current density of a MgB_2 bulk superconductor high-pressure synthesized directly from the elements.–C-Q. Jin, S-C. Li, J-L. Zhu, F-Y. Li, Z-X. Liu, and R-C. Yu; **17**(3), 525–527(L).

Yu, Wentao–Growth and characterization of series Nd:$Gd_xLa_{1-x}VO_4$ (x = 0.80, 0.60, 0.45) crystals.–Huaijin Zhang, Changqing Wang, Li Zhu, Xuesong Liu, Guanghui Zhang, Wentao Yu, Xianlin Meng, and Y.T. Chow; **17**(3), 556–562.

Yu, Yuehui–Fabrication of device-grade separation-by-implantation-of-oxygen materials by optimizing dose-energy match.–Meng Chen, Yuehui Yu, Xi Wang, Xiang Wang, Jing Chen, Xianghua Liu, and Yeming Dong; **17**(7), 1634–1643.

Yu, Z.–Study of microstructure in $SrTiO_3$/Si by high-resolution transmission electron microscopy.–G.Y. Yang, J.M. Finder, J. Wang, Z.L. Wang, Z. Yu, J. Ramdani, R. Droopad, K.W. Eisenbeiser, and R. Ramesh; **17**(1), 204–213.

Yu, Zhi–Crystalline structure and dielectric behavior of (Ce,Ba)TiO_3 ceramics.–Zhi Jing, Zhi Yu, and Chen Ang; **17**(11), 2787–2793.

Yu, Zhou–Interfacial particle bonding via an ultrathin polymer film on Al_2O_3 nanoparticles by plasma polymerization.–Donglu Shi, Peng He, S.X. Wang, Wim J. van Ooij, L.M. Wang, Jiangang Zhao, and Zhou Yu; **17**(5), 981–990.

Yuan, R.Z.–Synthesis and thermoelectric properties of *p*-type barium-filled skutterudite $Ba_xFe_yCo_{4-y}Sb_{12}$.–X.F. Tang, L.D. Chen, T. Goto, T. Hirai, R.Z. Yuan; **17**(11), 2953–2959.

Yue, Yong–Synthesis of phenyl-MSU-1 and bi-functionalized silica mesophases.–Yan Jun Gong, Zhi Hong Li, Dong Wu, Yu Han Sun, Feng Deng, Qing Luo, and Yong Yue; **17**(2), 431–437.

Yun, Jondo–Effect of silver on superplastic deformation in $YBa_2Cu_3O_{7-x}$/Ag composites.–Jondo Yun, Ye T. Chou, and Martin P. Harmer; **17**(5), 1172–1177.

Yushuang, Zhao–Sn-doped BaO–TiO_2–ZnO microwave ceramics.–Wu Shunhua, Wang Guoqing, and Zhao Yushuang; **17**(6), 1550–1552.

Z

Zaghete, M.A.–Effect of barium titanate seed particles on the sintering and lattice parameters in $PbMg_{1/3}Nb_{2/3}O_3$ ceramics.–P.D. Spagnol, M.A. Zaghete, C.O. Paiva-Santos, A.V.C. Andrade, A.A. Cavalheiro, S.M. Tebcherani, and J.A. Varela; **17**(3), 620–624.

Zaki, Mohamed I.–Surface and bulk properties of alumina recovered under various conditions from aluminum dross tailings chemical waste versus bauxite ore.–Ezzat A. El-Katatny, Samih A. Halawy, Mohamed A. Mohamed, and Mohamed I. Zaki; **17**(7), 1721–1728.

Zamfirescu, M.–Elastic recovery measurements performed by atomic force microscopy and standard nanoindentation on a Co(10.1) monocrystal.–J.C. Arnault, A. Mosser, M. Zamfirescu, and H. Pelletier; **17**(6), 1258–1265.

Zehner, D.M.–Quantification and control of the sulfur $c(2 \times 2)$ superstructure on {100}⟨100⟩ Ni for optimization of YSZ, CeO_2, and $SrTiO_3$ seed layer texture.–C. Cantoni, D.K. Christen, L. Heatherly, M.M. Kowalewski, F.A. List, A. Goyal, G.W. Ownby, D.M. Zehner, B.W. Kang, and D.M. Kroeger; **17**(10), 2549–2554.

Zeng, K.–Morphology, kinetics, and thermodynamics of solid-state aging of eutectic SnPb and Pb-free solders (Sn–3.5Ag, Sn–3.8Ag–0.7Cu and Sn–0.7Cu) on Cu.–T.Y. Lee, W.J. Choi, K.N. Tu, J.W. Jang, S.M. Kuo, J.K. Lin, D.R. Frear, K. Zeng, and J.K. Kivilahti; **17**(2), 291–301.

–Interfacial microstructure evolution between eutectic SnAgCu solder and Al/Ni(V)/Cu thin films.–M. Li, F. Zhang, W.T. Chen, K. Zeng, K.N. Tu, H. Balkan, and P. Elenius; **17**(7), 1612–1621.

Zerda, T.W.–High-pressure, high-temperature sintering of diamond–SiC composites by ball-milled diamond–Si mixtures.–J. Qian, G. Voronin, T.W. Zerda, D. He, and Y. Zhao; **17**(8), 2153–2160.

–Superhard B–C–N materials synthesized in nanostructured bulks.–Y. Zhao, D.W. He, L.L. Daemen, T.D. Shen, R.B. Schwarz, Y. Zhu, D.L. Bish, J. Huang, J. Zhang, G. Shen, J. Qian, and T.W. Zerda; **17**(12), 3139–3145.

Zhai, H-Y.–Lanthanum zirconate: A single buffer layer processed by solution deposition for coated conductor fabrication.–S. Sathyamurthy, M. Paranthaman, H-Y. Zhai, H.M. Christen, P.M. Martin, and A. Goyal; **17**(9), 2181–2184(L).

–Single buffer layers of $LaMnO_3$ or $La_{0.7}Sr_{0.3}MnO_3$ for the development of $YBa_2Cu_3O_{7-\delta}$-coated conductors: A comparative study.–T. Aytug, M. Paranthaman, H.Y. Zhai, H.M. Christen, S. Sathyamurthy, D.K. Christen, and R.E. Ericson; **17**(9), 2193–2196(L).

Zhan, Guo-Dong–Ductile-to-brittle transition in superplastic silicon nitride ceramics.–Guo-Dong Zhan, Mamoru Mitomo, Rong-Jun Xie, and Keiji Kurashima; **17**(1), 149–155.

–Effects of heat treatment and sintering additives on thermal conductivity and electrical resistivity in fine-grained SiC ceramics.–Guo-Dong Zhan, Mamoru Mitomo, and Amiya K. Mukherjee; **17**(9), 2327–2333.

Zhan, Q.–Polymorphism of Ti_3SiC_2.–R. Yu, Q. Zhan, L.L. He, Y.C. Zhou, and H.Q. Ye; **17**(5), 948–950(L).

–The effect of doping Ag on the microstructure of $La_{2/3}Sr_{1/3}MnO_3$ films.–Q. Zhan, R. Yu, L.L. He, D.X. Li, J. Li, and C.K. Ong; **17**(10), 2712–2719.

Zhan, Zai Ji–Wear behavior of bulk $Zr_{41}Ti_{14}Cu_{12.5}Ni_{10}Be_{22.5}$ metallic glasses.–Gong Li, Y.Q. Wang, Li Min Wang, Yun Peng Gao, R.J. Zhang, Zai Ji Zhan, Li Ling Sun, Jun Zhang, and Wen Kui Wang; **17**(8), 1877–1880(L).

Zhang, C.B.–Cellular automaton model to simulate nucleation and growth of ferrite grains for low-carbon steels.–L. Zhang, C.B. Zhang, Y.M. Wang, X.H. Liu, and G.D. Wang; **17**(9), 2251–2259.

Zhang, Chunjuan–Wet synthesis and characterization of MSe (M = Cd, Hg) nanocrystallites at room temperature.–Qing Yang, Kaibin Tang, Chunrui Wang, Chunjuan Zhang, and Yitai Qian; **17**(5), 1147–1152.

Zhang, F.–Interfacial microstructure evolution between eutectic SnAgCu solder and Al/Ni(V)/Cu thin films.–M. Li, F. Zhang, W.T. Chen, K. Zeng, K.N. Tu, H. Balkan, and P. Elenius; **17**(7), 1612–1621.

–Influence of substrate metallization on diffusion and reaction at the under-bump metallization/solder interface in flip-chip packages.–F. Zhang, M. Li, C.C. Chum, and K.N. Tu; **17**(11), 2757–2760(L).

Zhang, Feng–Microstructure of film growth from filtrating monodispersed particle suspension.–Feng Zhang and Siu-Wai Chan; **17**(5), 1055–1060.

Zhang, Guanghui–Growth and characterization of series Nd:$Gd_xLa_{1-x}VO_4$ (x = 0.80, 0.60, 0.45) crystals.–Huaijin Zhang, Changqing Wang, Li Zhu, Xuesong Liu, Guanghui Zhang, Wentao Yu, Xianlin Meng, and Y.T. Chow; **17**(3), 556–562.

Zhang, H.F.–Pressure-induced nanocrystallization of $Zr_{55}Al_{10}Ni_5Cu_{30}$ bulk metallic glass.–Jia Zhang, K.Q. Qiu, A.M. Wang, H.F. Zhang, M.X. Quan, and Z.Q. Hu; **17**(11), 2935–2939.

Zhang, Huaijin–Growth and characterization of series Nd:$Gd_xLa_{1-x}VO_4$ (x = 0.80, 0.60, 0.45) crystals.–Huaijin Zhang, Changqing Wang, Li Zhu, Xuesong Liu, Guanghui Zhang, Wentao Yu, Xianlin Meng, and Y.T. Chow; **17**(3), 556–562.

Zhang, J.–Strong quantum confinement in ordered PbSe nanowire arrays.–X.S. Peng, G.W. Meng, J. Zhang, X.F. Wang, C.Z. Wang, X. Liu, and L.D. Zhang; **17**(6), 1283–1286.

–Superhard B–C–N materials synthesized in nanostructured bulks.–Y. Zhao, D.W. He, L.L. Daemen, T.D. Shen, R.B. Schwarz, Y. Zhu, D.L. Bish, J. Huang, J. Zhang, G. Shen, J. Qian, and T.W. Zerda; **17**(12), 3139–3145.

Zhang, J.X.–Aqueous processing of SiC green sheets I: Dispersant.–J.X. Zhang, D.L. Jiang, S.H. Tan, L.H. Gui, and M.L. Ruan; **17**(8), 2012–2018.

–Aqueous processing of SiC green sheets II: Binder and plasticizer.–J.X. Zhang, D.L. Jiang, S.H. Tan, L.H. Gui, and M.L. Ruan; **17**(8), 2019–2025.

Zhang, Jia–Pressure-induced nanocrystallization of $Zr_{55}Al_{10}Ni_5Cu_{30}$ bulk metallic glass.–Jia Zhang, K.Q. Qiu, A.M. Wang, H.F. Zhang, M.X. Quan, and Z.Q. Hu; **17**(11), 2935–2939.

Zhang, Jingxian–Evaluation of weak interface effect on the residual stresses in layered SiC/TiC composites by the finite element method and x-ray diffraction.–Shuyi Qin, Dongliang Jiang, Jingxian Zhang, and Jining Qin; **17**(5), 1118–1124.

Zhang, Jun–Wear behavior of bulk $Zr_{41}Ti_{14}Cu_{12.5}Ni_{10}Be_{22.5}$ metallic glasses.–Gong Li, Y.Q. Wang, Li Min Wang, Yun Peng Gao, R.J. Zhang, Zai Ji Zhan, Li Ling Sun, Jun Zhang, and Wen Kui Wang; **17**(8), 1877–1880(L).

Zhang, L.–Cellular automaton model to simulate nucleation and growth of ferrite grains for low-carbon steels.–L. Zhang, C.B. Zhang, Y.M. Wang, X.H. Liu, and G.D. Wang; **17**(9), 2251–2259.

Zhang, L.C.–Mechanically alloyed amorphous $Ti_{50}(Cu_{0.45}Ni_{0.55})_{44-x}Al_xSi_4B_2$ alloys with supercooled liquid region.–L.C. Zhang, J. Xu, and E. Ma; **17**(7), 1743–1749.

Zhang, L.D.–Strong quantum confinement in ordered PbSe nanowire arrays.–X.S. Peng, G.W. Meng, J. Zhang, X.F. Wang, C.Z. Wang, X. Liu, and L.D. Zhang; **17**(6), 1283–1286.

Zhang, Liangying–Low-temperature chemical synthesis of nanocrystalline $KTiOPO_4$.–Donglin Li, Zhihong Wang, Liangying Zhang, Xi Yao, and Haoshen Zhou; **17**(4), 723–726(L).

Zhang, Lin–Effect of dislocation core spreading at interfaces on strength of thin-film.–Shefford P. Baker, Lin Zhang, and Huajian Gao; **17**(7), 1808–1813.

Zhang, M-X.–Surface alloying of AZ91D alloy by diffusion coating.–M-X. Zhang and P.M. Kelly; **17**(10), 2477–2479(L).

Zhang, Ning Xin–Direct current-voltage failure in lead magnesium niobate-based multilayer ceramic capacitors.–Jiang Li Cao, Long Tu Li, Ning Xin Zhang, and Zhi Lun Gui; **17**(4), 779–783.

Zhang, P.–Large cryogenic storage of hydrogen in carbon nanotubes at low pressures.–B.K. Pradhan, A.R. Harutyunyan, D. Stojkovic, J.C. Grossman, P. Zhang, M.W. Cole, V. Crespi, H. Goto, J. Fujiwara, and P.C. Eklund; **17**(9), 2209–2216.

Zhang, R.–Nitrogen diffusion in the Si growth on GaN by low-pressure chemical vapor deposition.–P. Chen, Y.D. Zheng, S.M. Zhu, D.J. Xi, Z.M. Zhao, S.L. Gu, P. Han, and R. Zhang; **17**(8), 1881–1883(L).

Zhang, R.F.–Lead zirconate titanate thick film prepared by electrophoretic deposition from oxide mixture.–R.F. Zhang, J. Ma, and L.B. Kong; **17**(5), 933–935(L).

–Transparent lead lanthanum zirconate titanate ceramics derived from oxide mixture via a repeated annealing process.–L.B. Kong, J. Ma, T.S. Zhang, and R.F. Zhang; **17**(5), 929–932(L).

–Comparative study of nonequilibrium phase of A_3B and AB_3 types in the Ni–Mo system by first principles and thermodynamic calculations.–J.B. Liu, R.F. Zhang, and B.X. Liu; **17**(10), 2720–2726.

Zhang, R.J.–Wear behavior of bulk $Zr_{41}Ti_{14}Cu_{12.5}Ni_{10}Be_{22.5}$ metallic glasses.–Gong Li, Y.Q. Wang, Li Min Wang, Yun Peng Gao, R.J. Zhang, Zai Ji Zhan, Li Ling Sun, Jun Zhang, and Wen Kui Wang; **17**(8), 1877–1880(L).

Zhang, S.J.–Raman measurement and thermal properties of $SmCa_4O(BO_3)_3$ crystals.–H.R. Xia, G.W. Lu, S.J. Zhang, and Z.X. Cheng; **17**(9), 2465–2470.

Zhang, S-L.–Different routes to the formation of C54 $TiSi_2$ in the presence of surface and interface molybdenum: A transmission electron microscopy study.–Z-B. Zhang, S-L. Zhang, D-Z. Zhu, H-J. Xu, and Y. Chen; **17**(4), 784–789.

Zhang, T.S.–Transparent lead lanthanum zirconate titanate ceramics derived from oxide mixture via a repeated annealing process.–L.B. Kong, J. Ma, T.S. Zhang, and R.F. Zhang; **17**(5), 929–932(L).

Zhang, Tao–Formation of bulk glassy $Fe_{75-x-y}Cr_xMo_yC_{15}B_{10}$ alloys and their corrosion behavior.–Shujie Pang, Tao Zhang, Katsuhiko Asami, and Akihisa Inoue; **17**(3), 701–704.

Zhang, Tie Rui–Novel hybrid inorganic–organic film based on the tungstophosphate acid–polyacrylamide system: Photochromic behavior and mechanism.–Wei Feng, Tie Rui Zhang, Yan Liu, Li Wei, Ran Lu, Tie Jin Li, Ying Ying Zhao, and Jian Nian Yao; **17**(1), 133–136.

Zhang, Tong-Yi–Surface effects on nanoindentation.–Tong-Yi Zhang and Wei-Hua Xu; **17**(7), 1715–1720.

Zhang, W.–Kinetics of thermal grain boundary grooving for changing dihedral angles.–W. Zhang, P. Sachenko, and J.H. Schneibel; **17**(6), 1495–1501.

Zhang, Wei–Formation of a nanostructure in a low-carbon steel under high current density electropulsing.–Yizhou Zhou, Wei Zhang, Manling Sui, Douxing Li, Guanhu He, and Jingdong Guo; **17**(5), 921–924(L).

–Grain refinement and formation of ultrafine-grained microstructure in a low-carbon steel under electropulsing.–Yizhou Zhou, Wei Zhang, Baoquan Wang, Guanhu He, and Jingdong Guo; **17**(8), 2105–2111.

–Mechanically induced solid-state reaction for synthesizing glassy $Co_{75}Ti_{25}$ soft magnet alloy powders with a wide supercooled liquid region.–M. Sherif El-Eskandarany, Wei Zhang, and A. Inoue; **17**(9), 2447–2456.

–Influence of electropulsing on nucleation during phase transformation.–Yizhou Zhou, Jingdong Guo, Wei Zhang, and Guanhu He; **17**(12), 3012–3014(L).

Zhang, X.D.–Microstructure and mechanical properties of Ti–Si–N coatings.–W.J. Meng, X.D. Zhang, B. Shi, R.C. Tittsworth, L.E. Rehn, and P.M. Baldo; **17**(10), 2628–2632.

Zhang, X.H.–Microstructure and characteristics in the organic matrix layers of nacre.–F. Song, X.H. Zhang, and Y.L. Bai; **17**(7), 1567–1570(L).

Zhang, X.W.–High-energy electron irradiation study of relaxor ferroelectric $Pb(Mg_{1/3}Nb_{2/3})O_3$ and $Pb_{1-x}La_x[Mg_{(1+x)/3}Nb_{(2-x)/3}]O_3$ by transmission electron microscopy.–Shu Miao, Jing Zhu, X.W. Zhang, and X.H. Chen; **17**(10), 2615–2620.

Zhang, Y.–Disordering behavior and helium diffusion in He^+ irradiated 6H–SiC.–W. Jiang, W.J. Weber, C.M. Wang, and Y. Zhang; **17**(2), 271–274(L).

Zhang, Yafei–Synthesis of aligned carbon nanotubes in organic liquids.–Yafei Zhang, Mikka N.-Gamo, Kiyoharu Nakagawa, and Toshihiro Ando; **17**(9), 2457–2464.

Zhang, Yue Chang–Hydrogen absorption of nanoscale Pd particles embedded in ZrO_2 matrix prepared from Zr–Pd amorphous alloys.–Shin-ichi Yamaura, Ken-ichiro Sasamori, Hisamichi Kimura, Akihisa Inoue, Yue Chang Zhang, and Yoshiaki Arata; **17**(6), 1329–1334.

Zhang, Z.–Fabrication, characterization, and leach testing of hollandite, $(Ba,Cs)(Al,Ti)_2Ti_6O_{16}$.–M.L. Carter, E.R. Vance, D.R.G. Mitchell, J.V. Hanna, Z. Zhang, and E. Loi; **17**(10), 2578–2589.

Zhang, Z-B.–Different routes to the formation of C54 $TiSi_2$ in the presence of surface and interface molybdenum: A transmission electron microscopy study.–Z-B. Zhang, S-L. Zhang, D-Z. Zhu, H-J. Xu, and Y. Chen; **17**(4), 784–789.

Zhang, Z.D.–Effects of germanium on the electronic transport mechanism in $Co_{20}(Cu_{1-x}Ge_x)_{80}$ nanogranular ribbons.–J. He, Z.D. Zhang, J.P. Liu, and D.J. Sellmyer; **17**(12), 3050–3055.

Zhang, Z. John–Continuous hydrothermal synthesis and crystallization of magnetic oxide nanoparticles.–Linda J. Cote, Amyn S. Teja, Angus P. Wilkinson, and Z. John Zhang; **17**(9), 2410–2416.

Zhang, Zaoli–Synthesis and microstructure of antimony oxide nanorods.–Zaoli Zhang; **17**(7), 1698–1701.

Zhao, D.Q.–Stability of ZrTiCuNiBe bulk metallic glass upon isothermal annealing near the glass transition temperature.–Wei Hua Wang, Ru Ju Wang, W.T. Yang, B.C. Wei, P. Wen, D.Q. Zhao, and M.X. Pan; **17**(6), 1385–1389.

Zhao, Guohong–Preparation and tribological investigation of thin silicone films.–Weimin Liu, Feng Zhou, Laigui Yu, Miao Chen, Bin Li, and Guohong Zhao; **17**(9), 2357–2362.

Zhao, Hong–Cracking in ceramic/metal/polymer trilayer systems.–Hong Zhao, Pedro Miranda, Brian R. Lawn, and Xiaozhi Hu; **17**(5), 1102–1111.

Zhao, J.H.–Synthesis of Y-branching multiwalled carbon nanotubes with a bamboolike structure.–P. Gu, J.H. Zhao, and G.H. Li; **17**(11), 2768–2770(L).

Zhao, Jiangang–Interfacial particle bonding via an ultrathin polymer film on Al_2O_3 nanoparticles by plasma polymerization.–Donglu Shi, Peng He, S.X. Wang, Wim J. van Ooij, L.M. Wang, Jiangang Zhao, and Zhou Yu; **17**(5), 981–990.

Zhao, Xiaopeng–Electrorheological properties of suspensions based on polyaniline-montmorillonite clay nanocomposite.–Jun Lu and Xiaopeng Zhao; **17**(6), 1513–1519.

Zhao, Y.–Growth of boron suboxide crystals in the $B–B_2O_3$ system at high pressure and high temperature.–Duanwei He, Minoru Akaishi, Brian L. Scott, and Yusheng Zhao; **17**(2), 284–290.

–High-pressure, high-temperature sintering of diamond–SiC composites by ball-milled diamond–Si mixtures.–J. Qian, G. Voronin, T.W. Zerda, D. He, Y. Zhao; **17**(8), 2153–2160.

–Superhard B–C–N materials synthesized in nanostructured bulks.–Y. Zhao, D.W. He, L.L. Daemen, T.D. Shen, R.B. Schwarz, Y. Zhu, D.L. Bish, J. Huang, J. Zhang, G. Shen, J. Qian, and T.W. Zerda; **17**(12), 3139–3145.

Zhao, Ying Ying–Novel hybrid inorganic–organic film based on the tungstophosphate acid–polyacrylamide system: Photochromic behavior and mechanism.–Wei Feng, Tie Rui Zhang, Yan Liu, Li Wei, Ran Lu, Tie Jin Li, Ying Ying Zhao, and Jian Nian Yao; **17**(1), 133–136.

Zhao, Z.M.–Nitrogen diffusion in the Si growth on GaN by low-pressure chemical vapor deposition.–P. Chen, Y.D. Zheng, S.M. Zhu, D.J. Xi, Z.M. Zhao, S.L. Gu, P. Han, and R. Zhang; **17**(8), 1881–1883(L).

Zheng, D.W.–Stress relaxation of a patterned microstructure on a diaphragm.–D.W. Zheng, X.H. Wang, K. Shyu, C. Chen, C-T. Chang, K.N. Tu, A.K. Mal, and Y.F. Guo; **17**(7), 1795–1802.

Zheng, Tieyu–Study of stresses in thin silicon wafers with near-infrared phase stepping photoelasticity.–Tieyu Zheng and Steven Danyluk; **17**(1), 36–42.

Zheng, X.G.–Upgrading the triboluminescence of ZnS:Mn film by optimization of sputtering and thermal annealing conditions.–O. Agyeman, C.N. Xu, M. Suzuki, and X.G. Zheng; **17**(5), 959–963.

Zheng, X.H.–Dielectric ceramics with tungsten-bronze structure in the $BaO–Nd_2O_3–TiO_2–Nb_2O_5$ system.–X.H. Zheng and X.M. Chen; **17**(7), 1664–1670.

Zheng, Y.D.–Nitrogen diffusion in the Si growth on GaN by low-pressure chemical vapor deposition.–P. Chen, Y.D. Zheng, S.M. Zhu, D.J. Xi, Z.M. Zhao, S.L. Gu, P. Han, and R. Zhang; **17**(8), 1881–1883(L).

Zhou, B.D.–Superplasticity in NiAl and NiAl-based alloys.–J.T. Guo, X.H. Du, L.Z. Zhou, B.D. Zhou, Y.H. Qi, and G.S. Li; **17**(9), 2346–2356.

Zhou, F.–Decomposition and thermodynamic property of metastable Fe–Zn solid solutions produced by mechanical alloying.–F. Zhou, Y.T. Chou, and E.J. Lavernia; **17**(12), 3230–3236.

Zhou, Fei–Bonding of silicon nitride ceramic composites with $Y_2O_3–La_2O_3–Al_2O_3–SiO_2$ mixtures.–Fei Zhou and Zheng Chen; **17**(8), 1969–1972.

–Tribological behavior of CrN coating on aluminum alloys deposited by arc ion plating.–Fei Zhou, Chang-Min Suh, Seock-Sam Kim, and Ri-ichi Murakami; **17**(12), 3133–3138.

Zhou, Feng–Preparation and tribological investigation of thin silicone films.–Weimin Liu, Feng Zhou, Laigui Yu, Miao Chen, Bin Li, and Guohong Zhao; **17**(9), 2357–2362.

Zhou, H.–Improved magnetic properties of self-assembled epitaxial nickel nanocrystallites in thin-film ceramic matrix.–D. Kumar, H. Zhou, T.K. Nath, Alex V. Kvit, J. Narayan, V. Craciun, and Rajiv K. Singh; **17**(4), 738–742.

Zhou, Haoshen–Low-temperature chemical synthesis of nanocrystalline $KTiOPO_4$.–Donglin Li, Zhihong Wang, Liangying Zhang, Xi Yao, Haoshen Zhou; **17**(4), 723–726(L).

Zhou, L.Z.–Superplasticity in NiAl and NiAl-based alloys.–J.T. Guo, X.H. Du, L.Z. Zhou, B.D. Zhou, Y.H. Qi, and G.S. Li; **17**(9), 2346–2356.

Zhou, Y.C.–Polymorphism of Ti_3SiC_2.–R. Yu, Q. Zhan, L.L. He, Y.C. Zhou, and H.Q. Ye; **17**(5), 948–950(L).

–Intermediate-temperature oxidation behavior of Ti_2AlC in air.–X.H. Wang and Y.C. Zhou; **17**(11), 2974–2981.

Zhou, Yizhou–Formation of a nanostructure in a low-carbon steel under high current density electropulsing.–Yizhou Zhou, Wei Zhang, Manling Sui, Douxing Li, Guanhu He, and Jingdong Guo; **17**(5), 921–924(L).

–Grain refinement and formation of ultrafine-grained microstructure in a low-carbon steel under electropulsing.–Yizhou Zhou, Wei Zhang, Baoquan Wang, Guanhu He, and Jingdong Guo; **17**(8), 2105–2111.

–Influence of electropulsing on nucleation during phase transformation.–Yizhou Zhou, Jingdong Guo, Wei Zhang, and Guanhu He; **17**(12), 3012–3014(L).

Zhou, Yuqin–High-temperature thermoelectric properties of the $Ca_{1-x}Bi_xMnO_3$ system.–Gaojie Xu, Ryoji Funahashi, Ichiro Matsubara, Masahiro Shikano, Yuqin Zhou; **17**(5), 1092–1095.

Zhou, Zhaoxia–Microstructural evolution during pyrolysis of triol-based sol-gel single-layer $Pb(Zr_{0.53}Ti_{0.47})O_3$ thin films.–Zhaoxia Zhou, Ian M. Reaney, David Hind, Steven J. Milne, Andy P. Brown, and Rik Brydson; **17**(8), 2066–2074.

Zhu, D-Z.–Different routes to the formation of C54 $TiSi_2$ in the presence of surface and interface molybdenum: A transmission electron microscopy study.–Z-B. Zhang, S-L. Zhang, D-Z. Zhu, H-J. Xu, and Y. Chen; **17**(4), 784–789.

Zhu, Dao-Ben–Preparation and properties of novel aerodynamic pressure-sensitive paint via the sol-gel method.–Feng-Zhi Jiang, Ren Xu, Duo-Yuan Wang, Xing-De Dong, Gui-Chun Li, Dao-Ben Zhu, and Lei Jiang; **17**(6), 1312–1319.

Zhu, J-L.–High critical current density of a MgB_2 bulk superconductor high-pressure synthesized directly from the elements.–C-Q. Jin, S-C. Li, J-L. Zhu, F-Y. Li, Z-X. Liu, and R-C. Yu; **17**(3), 525–527(L).

Zhu, Jing–High-energy electron irradiation study of relaxor ferroelectric $Pb(Mg_{1/3}Nb_{2/3})O_3$ and $Pb_{1-x}La_x[Mg_{(1+x)/3}Nb_{(2-x)/3}]O_3$ by transmission electron microscopy.–Shu Miao, Jing Zhu, X.W. Zhang, and X.H. Chen; **17**(10), 2615–2620.

Zhu, Li–Growth and characterization of series $Nd:Gd_xLa_{1-x}VO_4$ (x = 0.80, 0.60, 0.45) crystals.–Huaijin Zhang, Changqing Wang, Li Zhu, Xuesong Liu, Guanghui Zhang, Wentao Yu, Xianlin Meng, and Y.T. Chow; **17**(3), 556–562.

Zhu, S.–Fabrication of TiNi shape memory alloy thin films by pulsed-laser deposition.–X.Y. Chen, Y.F. Lu, Z.M. Ren, and S. Zhu; **17**(2), 279–283.

Zhu, S.M.–Nitrogen diffusion in the Si growth on GaN by low-pressure chemical vapor deposition.–P. Chen, Y.D. Zheng, S.M. Zhu, D.J. Xi, Z.M. Zhao, S.L. Gu, P. Han, and R. Zhang; **17**(8), 1881–1883(L).

Zhu, W.Z.–Phase diagram of the W-doped $Pb(Zn_{1/3}Nb_{2/3})O_3$–$BaTiO_3$–$PbTiO_3$ system around a morphotropic phase boundary composition.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, and J.L. Baptista; **17**(5), 1085–1091.

–Dielectric behavior of Mn-doped morphotropic phase boundary composition in the $Pb(Zn_{1/3}Nb_{2/3})O_3$–$BaTiO_3$–$PbTiO_3$ system.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, and J.L. Baptista; **17**(5), 1192–1198.

–Effect of lanthanum-doping on the dielectric properties of $Pb(Fe_{1/2}Ta_{1/2})O_3$ relaxor ferroelectrics.–W.Z. Zhu, M. Yan, A.L. Kholkin, P.Q. Mantas, and J.L. Baptista; **17**(7), 1779–1784.

Zhu, Y.–Superhard B–C–N materials synthesized in nanostructured bulks.–Y. Zhao, D.W. He, L.L. Daemen, T.D. Shen, R.B. Schwarz, Y. Zhu, D.L. Bish, J. Huang, J. Zhang, G. Shen, J. Qian, and T.W. Zerda; **17**(12), 3139–3145.

Zhu, Y.T.–Paradox of strength and ductility in metals processed by severe plastic deformation.–R.Z. Valiev, I.V. Alexandrov, Y.T. Zhu, and T.C. Lowe; **17**(1), 5–8(L).

Zimmermann, A.–Crystallization behavior of polymer-derived Si–B–C–N ceramics in a high-pressure nitrogen environment.–Y. Cai, A. Zimmermann, S. Prinz, and F. Aldinger; **17**(11), 2765–2767(L).

Zou, J.–Large-quantity production of high-yield boron nitride nanotubes.–Y. Chen, M. Conway, J.S. Williams, and J. Zou; **17**(8), 1896–1899(L).

Zou, Z.–Effect of Ni substitution on the structure and photocatalytic activity of $InTaO_4$ under visible light irradiation.–Zhigang Zou, Jinhua Ye, and Hironori Arakawa; **17**(6), 1419–1424.

–Substitution effect of Ta^{5+} by Nb^{5+} on photocatalytic, photophysical, and structural properties of $BiTa_{1-x}Nb_xO_4 (0 \leqq x \leqq 1.0)$.–Zhigang Zou, Hironori Arakawa, and Jinhua Ye; **17**(6), 1446–1454.

–Synthesis and photophysical properties of barium indium oxides.–J. Yin, Z. Zou, and J. Ye; **17**(9), 2201–2204(L).